PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER **KEEP OUT OF REACH OF CHILDREN**

Corrosive. Causes irreversible eye damage. Causes skin burns. Harmful if inhaled. May be fatal if swallowed. Harmful if absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals Causes asthmatic signs and symptoms in hyper-reactive individuals Do not get in eves, on skin, on clothing. Avoid breathing vapor. Do not swallow. Wear goggles, protective clothing, and butyl or nitrile gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sever systems without previously notilying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND HANDLING

UCARCIDETM 250 Antimicrobial solutions are incompatible with many commonly used materials of construction such as steel, galvanized iron, aluminum, tin, and zinc. These solutions car be stored and handled in baked phenotic-lined steel, polyethylene, stainless steel, or reinforced epoxy-plastic equipment. This product freezes at about -6°F (-21°C). Therefore, unless the storage tank : inside or underground, heating and insulation may be required. If heating is needed, exposure to high temperatures should be avoided. For short storage times (up to about 1 month), temperatures of up to 100°F (37.8°C) can be tolerated but the preferred maximum storage temperature is about 80°F (26.7°C).

A stainless steel centrifugal pump is suggested for transfer service. Spiral-wound stattess steel with TEFLON® is suitable for gaskets and packing.

LIMITED WARRANTY AND DISCLAIMER

Selier warrants that the product conforms to its chemical description as contained on this label and is reasonably fit for the purposes stated on this label when used in accordance with directions under normal conditions of use, THE WARRANTIES MADE IN THIS PARAGRAPH ARE SELLER'S SOLE WARRANDES WITH RESPECT TO THE PRODUCT AND ARE MADE EXPRESSLY IN USU OF AND EXCLUDE ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE AND ALL OTHER EXPRESS OR IMPLIED REPRESENTATIONS AND WARRANTIES.

BEFORE HANDLING OR USING, READ AND UNDERSTAND CURRENT MATERIAL SAFETY DATA SHEET FOR THIS PRODUCT.



Active Ingredient: Glutaraldehyde	25.0%
Inert Ingredients:	-75.0%
	400.000

100.0%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

- if swallowed Call a poison control center or a doctor immediately for treatment advice. DO NOT INDUCE VOMITING.
- Do not give anything to drink.
- If in eyes:
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- After at least 15 minutes of rinsing or after it is judged that nearly all of the contamination has been removed, contact an Ophthalmologist before attempting to remove the contact lens(es).
- Call a poison control center or a doctor immediately for treatment advice. If on skin or clothing:
- Take of contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or a doctor for treatment advice.


If inhaled:

Move person to trean air If person is not preathing, call 911 or an ampulance, and then give artificial respiration, preterably mouth-to-mouth if possible. Call a poison control center or a doctor for further treatment advice.

NOTE TO PHYSICIAN: Aspiration may cause lung damage. Probable mucosal damage may contraindicate the use of gastric lavage.

Have the MSDS and, if available, the product container or label with you when calling a poison control center or a doctor, or going for treatment.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



Net Conter

EPA Reg. No. 464-EPA Est. No. 10352-WV-2 L90222 (F 06/01) Made In USA PE0601

UN 3265

	CONTAINER SIZE		CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O (CONTAINS GLUTARALDEHYDE)			
nts: 55 gallons	55 GALLONS 500 POUNDS	NAME HAZARD CLASS				
	000-000000	HAZARDOOLSS	ID NUMBER	PG II		

IN CASE OF AN EMERGENCY endangering life or property involving this product, call collect 989-636-4400.

NET WEIGHT

States States and States

DIRECTIONS FOR USE


It is a violation of Federal low to use this product in a manner inconsistent with its labeling.

ACCEPTED
OCT 2 6 2001
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. $44644 - 691$

STORAGE AND DISPOSAL

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or nusate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or your Environmental Control Agency, or the Hazaroous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal Containers or Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or other procedures approved by state and local authorities. Plastic Containers. May be incinerated, or, if allowed by state and local authorities, by burning, of burned, stay out of smoke Metal Containers: Must not be incinerated. Do i of dut or weld on or near metal containers.



•	•		•	•	٠	•
•	٠		•			•
		٠	٠			٠
	•	٠	٠		۰	•
		٠	•			•
	•	٠	٠	٠	٠	٠

	
-	

S

0

H0H

69