

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER
KEEP OUT OF REACH OF CHILDREN**

Corrosive. Causes irreversible eye damage. Causes skin burns. Harmful if inhaled. May be fatal if swallowed. Harmful if absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Causes asthmatic signs and symptoms in hyper-reactive individuals.

Do not get in eyes, on skin, on clothing.

Avoid breathing vapor. Do not swallow.

Wear goggles, protective clothing, and butyl or nitrile gloves.

Wash thoroughly with soap and water after handling.

Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND HANDLING

UCARCIDE™ 750 Antimicrobial solutions are incompatible with many commonly used materials of construction such as steel, galvanized iron, aluminum, tin, and zinc. These solutions can be stored and handled in baked phenolic-lined steel, polyethylene, stainless steel, or reinforced epoxy-plastic equipment. This product freezes at about -6°F (-21°C). Therefore, unless the storage tank is inside or underground, heating and insulation may be required. If heating is needed, exposure to high temperatures should be avoided. For short storage times (up to about 1 month), temperatures of up to 100°F (37.8°C) can be tolerated but the preferred maximum storage temperature is about 80°F (26.7°C).

A stainless steel centrifugal pump is suggested for transfer service. Spiral-wound stainless steel with TEFLON® is suitable for gaskets and packing.

LIMITED WARRANTY AND DISCLAIMER

Seller warrants that the product conforms to its chemical description as contained on this label and is reasonably fit for the purposes stated on this label when used in accordance with directions under normal conditions of use. THE WARRANTIES MADE IN THIS PARAGRAPH ARE SELLER'S SOLE WARRANTIES WITH RESPECT TO THE PRODUCT AND ARE MADE EXPRESSLY IN LIEU OF AND EXCLUDE ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE AND ALL OTHER EXPRESS OR IMPLIED REPRESENTATIONS AND WARRANTIES.

**BEFORE HANDLING OR USING, READ AND UNDERSTAND
CURRENT MATERIAL SAFETY DATA SHEET FOR THIS
PRODUCT.**

ACCEPTED

OCT 12 2001

Under the Federal Insecticide, Fungicide, and
Rodenticide Act as amended, for the
pesticide, registered under
EPA Reg. No. 464-703



NOTICE

Do Not Ship or Store
with Food, Feeds, Drugs,
or Clothing

**UCARCIDE™ 750
ANTIMICROBIAL**

**A HIGHLY EFFECTIVE MICROBIOCIDAL FOR USE IN PRESERVING AQUEOUS-BASED SOLUTIONS, SLURRIES,
AND EMULSIONS.**

Active Ingredient: Glutaraldehyde 50.0%
Inert Ingredients: 50.0%
100.0%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID

If swallowed:

- Call a poison control center or a doctor immediately for treatment advice.
- DO NOT INDUCE VOMITING.
- Do not give anything to drink.

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- After at least 15 minutes of rinsing or after it is judged that nearly all of the contamination has been removed, contact an Ophthalmologist before attempting to remove the contact lens(es).
- Call a poison control center or a doctor immediately for treatment advice.

If on skin or clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or a doctor for treatment advice.

If inhaled:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth if possible.
- Call a poison control center or a doctor for further treatment advice.

NOTE TO PHYSICIAN: Aspiration may cause lung damage. Probable mucosal damage may contraindicate the use of gastric lavage.

Have the MSDS and, if available, the product container or label with you when calling a poison control center or a doctor, or going for treatment.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



THE DOW CHEMICAL COMPANY

Midland, Michigan 48674 U.S.A.

1-800-258-CHEM

*Trademark of THE DOW CHEMICAL COMPANY

EPA Reg. No. 464-

EPA Est. No. 10352-WV-2

L90209 (H06/01)

Made In USA

PE0601

Net Contents: 5 or 55 gallons

| CONTAINER SIZE | CONTAINER SIZE | SHIPPING NAME | CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS GLUTARALDEHYDE) | |
|-------------------------|--------------------------|-------------------|--|-------|
| 5 GALLONS | 55 GALLONS | | | |
| 46 POUNDS NET WEIGHT | 500 POUNDS NET WEIGHT | HAZARD CLASS 8 | ID NUMBER UN3265 | PG II |

IN CASE OF AN EMERGENCY endangering life or property involving this product, call collect
989-636-4400.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

• PIGMENTS AND FILLER SLURRIES FOR PAPER AND PAPERBOARD (For use in food contact pigments and filler slurries)

• UCARCIDE™ 750 Antimicrobial may be used to control the growth of microorganisms which contaminate various systems used in production of paper and paper products. UCARCIDE™ 750 Antimicrobial should be added at a point of uniform mixing.

Use from 0.1 to 0.6 lbs (1.4 to 8.2 fluid ounces) of UCARCIDE™ 750 Antimicrobial per 1,000 pounds of dry powder, to produce a concentration from 100 to 600 ppm (based on slurry solids) in the mixed slurry.

WATER BASED COATINGS FOR PAPER AND PAPERBOARD. (For use in non-food contact coatings only)

Use from 0.1 to 0.6 lbs. (1.4 to 8.2 fluid ounces) of UCARCIDE™ 750 Antimicrobial per 1,000 pounds of dry powder, to produce a concentration from 100 to 600 ppm (based on slurry solids) in the mixed slurry.

GENERAL PRESERVATIVE APPLICATIONS (Except food contact applications)

UCARCIDE™ 750 Antimicrobial is recommended for use in solutions, emulsions, slurries, adhesives and other aqueous-based liquid products to control the growth of bacteria and fungi.

For effective preservation, add UCARCIDE™ 750 Antimicrobial to the product formulation at a rate of 200 to 2,000 ppm based on the water content of the product (0.2 to 2.0 lbs UCARCIDE™ 750 Antimicrobial/1,000 lbs water content). Mix uniformly.

STORAGE AND DISPOSAL

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or residue is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or your Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal Containers or Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or other procedures approved by state and local authorities. **Plastic Containers:** May be incinerated, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. **Metal Containers:** Must not be incinerated. Do not cut or weld on or near metal containers.