

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER
KEEP OUT OF REACH OF CHILDREN**

Corrosive. Causes irreversible eye damage. Causes skin burns. Harmful if inhaled. May be fatal if swallowed. Harmful if absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Causes asthmatic signs and symptoms in hyper-reactive individuals. Do not get in eyes, on skin, on clothing. Avoid breathing vapor. Do not swallow. Wear goggles, protective clothing, and butyl gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND HANDLING

In its crystalline solid form, UCARCIDE™ P 200 Antimicrobial can be stored in high density polyethylene drums or polyethylene-lined drums at 20-25°C (68-77°F) with no significant oxidation from air. This product melts at 55-56°C (131-133°F). Exposure to elevated temperatures in the presence of air should be avoided. For short storage times (up to about 1 month), temperatures of up to 40°C (104°F) can be tolerated if the product is blanketed with an inert atmosphere of nitrogen or argon. Since this product is light-sensitive it must be stored in opaque containers.

UCARCIDE™ P 200 Antimicrobial can be transferred with any solids handling equipment with the appropriate precautions to avoid prolonged exposure to heat, light, and/or air as described above.

LIMITED WARRANTY AND DISCLAIMER

Seller warrants that the product conforms to its chemical description as contained on this label and is reasonably fit for the purposes stated on this label when used in accordance with directions under normal conditions of use. THE WARRANTIES MADE IN THIS PARAGRAPH ARE SELLER'S SOLE WARRANTIES WITH RESPECT TO THE PRODUCT AND ARE MADE EXPRESSLY IN LIEU OF AND EXCLUDE ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE AND ALL OTHER EXPRESS OR IMPLIED REPRESENTATIONS AND WARRANTIES.

BEFORE HANDLING OR USING, READ AND UNDERSTAND CURRENT MATERIAL SAFETY DATA SHEET FOR THIS PRODUCT.

**UCARCIDE™ P200
ANTIMICROBIAL**

FOR USE BY MANUFACTURERS IN FORMULATING INDUSTRIAL BACTERICIDES AND PRESERVATIVES. FORMULATORS USING THIS PRODUCT ARE RESPONSIBLE FOR PROVIDING DATA FOR THE EPA REGISTRATION OF THEIR FORMULATED PRODUCTS.

Active Ingredient: 1,2-Benzenedicarboxaldehyde 99.8%
(ortho-phthalaldehyde)
Inert Ingredients: 0.2%
100.0%

**KEEP OUT OF REACH OF CHILDREN
DANGER
FIRST AID**

If swallowed:

- Call a poison control center or a doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- DO NOT INDUCE VOMITING.
- Do not give anything by mouth to an unconscious person.

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- After at least 15 minutes of rinsing or after it is judged that nearly all of the contamination has been removed, contact an Ophthalmologist before attempting to remove the contact lens(es).
- Call a poison control center or a doctor immediately for treatment advice.

If on skin or clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or a doctor for treatment advice.

If inhaled:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth if possible.
- Call a poison control center or a doctor for further treatment advice.

NOTE TO PHYSICIAN: Aspiration may cause lung damage. Probable mucosal damage may contraindicate the use of gastric lavage.

Have the MSDS and, if available, the product container or label with you when calling a poison control center or a doctor, or going for treatment.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



THE DOW CHEMICAL COMPANY
Midland, Michigan 48674 U.S.A.
1-800-258-CHEM

*Trademark of THE DOW CHEMICAL COMPANY

EPA Reg. No. 464-
EPA Est. No. 10352-WV-2
L26468 (B 06/01)
Made in USA
PE0601

Not Contained:

CONTAINER SIZE	SHIPPING NAME	TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S. (CONTAINS O-PTHALALDEHYDE)	
NET WEIGHT	HAZARD CLASS 6.1	ID NUMBER UN 2928	PG II

IN CASE OF AN EMERGENCY endangering life or property involving this product, call collect 989-636-4400.



NOTICE

Do Not Ship or Store with Food, Feeds, Drugs, or Clothing

464-713

10-12-2001

1/2

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ACCEPTED

OCT 12 2001

Under the Federal Insecticide, Fungicide, and
Rodenticide Act as amended, for the
pesticide, registered under
EPA Reg. No. 464-713

STORAGE AND DISPOSAL

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or your Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal Containers or Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or other procedures approved by state and local authorities. **Plastic Containers:** May be incinerated, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. **Metal Containers:** Must not be incinerated. Do not cut or weld on or near metal containers.

2/8