

Ro-Neet[®] 10.G GRANULES

20-40 Mesh
U. S. Sieve Series Designation

SELECTIVE HERBICIDE FOR SUGAR BEETS & SPINACH

Active Ingredient:

S-ethyl cyclohexylethylthiocarbamate

10%

Inert Ingredient:

90%

Contains 10 lbs. Active Ingredient per 100 lbs.

100%

Patent Nos. 3,175,897 and 3,181,720

CAUTION

HARMFUL IF SWALLOWED.

Avoid contact with skin, eyes, and clothing. Avoid breathing dust. Wash thoroughly after handling. Avoid contamination of feed and food.

Keep Out of Reach
of Children

WEEDS CONTROLLED

ANNUAL GRASSES

Annual Bluegrass (*Poa annua*)
Annual Ryegrass (*Lolium multiflorum*)
Barley, volunteer (*Hordeum spp.*)
Barnyardgrass (Watergrass)
(*Echinochloa spp.*)
Crabgrass (*Digitaria spp.*)
Foxtails (Yellow, Green, Giant)
(*Setaria spp.*)
Wild Oats (*Avena fatua*)

The above listed annual grasses and broadleaf weeds will be controlled if the application is made when conditions are favorable for germination.

Ro-Neet will not control established weeds

PERENNIAL WEEDS

Yellow Nutsedge (Nuttsedge) (*Cyperus esculentus*)
Purple Nutsedge (Nuttsedge) (*Cyperus rotundus*)

ANNUAL BROADLEAF WEEDS

Black Nightshade (*Solanum nigrum*)
Hairy Nightshade (Ground Cherry)
(*Solanum villosum*)
Herbit (dead nettle) (*Lamium spp.*)
Lambsquarter (*Chenopodium album*)
Nettleleaf Goosefoot (*Chenopodium murale*)
Purslane (*Portulaca oleracea*)
Redroot Pigweed (*Amaranthus retroflexus*)
Shepherdspurse (*Caprifolia bursa-pastoris*)
Small Stinging Nettle (Burning Nettle)
(*Urtica urens*)

GENERAL USE PRECAUTIONS

READ ALL LABEL DIRECTIONS CAREFULLY. Ro-Neet is a selective herbicide for use on sugar beets and spinach. It is not intended for use on other crops. Do not apply to other crops. Do not apply to areas where it will be a hazard to humans, animals, or birds. Do not apply to areas where it will be a hazard to fish or other aquatic life. Do not apply to areas where it will be a hazard to bees or other beneficial insects. Do not apply to areas where it will be a hazard to plants or animals. Do not apply to areas where it will be a hazard to the environment. Do not apply to areas where it will be a hazard to the soil. Do not apply to areas where it will be a hazard to the water. Do not apply to areas where it will be a hazard to the air. Do not apply to areas where it will be a hazard to the land. Do not apply to areas where it will be a hazard to the sky. Do not apply to areas where it will be a hazard to the earth. Do not apply to areas where it will be a hazard to the sun. Do not apply to areas where it will be a hazard to the moon. Do not apply to areas where it will be a hazard to the stars. Do not apply to areas where it will be a hazard to the planets. Do not apply to areas where it will be a hazard to the galaxies. Do not apply to areas where it will be a hazard to the universe.

DIRECTIONS FOR USE

SOLID BROADCAST TREATMENT

DIRECTIONS FOR USE (continued)

APPLICATION: Apply RO-NEET to well worked soil which is dry enough to permit thorough incorporation. Apply uniformly the recommended rate of RO-NEET 10 Granular using equipment designed for application of granular herbicides. Equipment should be carefully calibrated before use and checked frequently during application to be sure equipment is working properly and delivering a uniform distribution pattern. Avoid overlaps that will increase the RO-NEET dosage above the recommended rate because plant injury may occur.

SOIL (MIXING) INCORPORATION APPLICATION: Immediately after application of RO-NEET 10 Granular, mix RO-NEET into the soil to a depth of two to three inches. This will insure proper distribution and weed control. (California files) Do not rotate with other herbicides.

INCORPORATION EQUIPMENT

For Broadcast (Over-All) Application

A HOODED POWER DRIVEN ROTARY TILLER. Set with a 1/2" or 3/4" depth of tillage. Uniformly mix to a depth of two to three inches.

B DISC — Mix to a depth of two to three inches with a disc harrow. Disc harrows may be used on heavy and medium soils. Disc harrows should be set to mix to a depth of two to three inches by harrows for additional incorporation.

For Band (Row) Application: Use a row crop applicator.

A HOODED POWER DRIVEN ROTARY TILLER

B HOODED GROUND DRIVEN ROTARY TILLER

C DISC — Under the disc harrow, the herbicide should be applied to a depth of two to three inches and the planter.

PLANTING

For maximum weed control, plant sugar beets and spinach in a well worked soil. Do not use a drag behind the planter or disc harrow to break up clods or smooth the soil.

CULTURAL PRACTICES FOLLOWING APPLICATION

Ro-Neet is a selective herbicide for use on sugar beets and spinach. It is not intended for use on other crops. Do not apply to other crops. Do not apply to areas where it will be a hazard to humans, animals, or birds. Do not apply to areas where it will be a hazard to fish or other aquatic life. Do not apply to areas where it will be a hazard to bees or other beneficial insects. Do not apply to areas where it will be a hazard to plants or animals. Do not apply to areas where it will be a hazard to the environment. Do not apply to areas where it will be a hazard to the soil. Do not apply to areas where it will be a hazard to the water. Do not apply to areas where it will be a hazard to the air. Do not apply to areas where it will be a hazard to the land. Do not apply to areas where it will be a hazard to the sky. Do not apply to areas where it will be a hazard to the earth. Do not apply to areas where it will be a hazard to the sun. Do not apply to areas where it will be a hazard to the moon. Do not apply to areas where it will be a hazard to the stars. Do not apply to areas where it will be a hazard to the planets. Do not apply to areas where it will be a hazard to the galaxies. Do not apply to areas where it will be a hazard to the universe.

RECOMMENDATIONS

For broadcast treatment, apply 10 lbs. of Ro-Neet 10 Granular per acre. For band application, apply 10 lbs. of Ro-Neet 10 Granular per acre.

SOLID BROADCAST TREATMENT

Apply 10 lbs. of Ro-Neet 10 Granular per acre. Apply uniformly to the soil. Do not apply to areas where it will be a hazard to humans, animals, or birds. Do not apply to areas where it will be a hazard to fish or other aquatic life. Do not apply to areas where it will be a hazard to bees or other beneficial insects. Do not apply to areas where it will be a hazard to plants or animals. Do not apply to areas where it will be a hazard to the environment. Do not apply to areas where it will be a hazard to the soil. Do not apply to areas where it will be a hazard to the water. Do not apply to areas where it will be a hazard to the air. Do not apply to areas where it will be a hazard to the land. Do not apply to areas where it will be a hazard to the sky. Do not apply to areas where it will be a hazard to the earth. Do not apply to areas where it will be a hazard to the sun. Do not apply to areas where it will be a hazard to the moon. Do not apply to areas where it will be a hazard to the stars. Do not apply to areas where it will be a hazard to the planets. Do not apply to areas where it will be a hazard to the galaxies. Do not apply to areas where it will be a hazard to the universe.

BAND APPLICATION

Apply 10 lbs. of Ro-Neet 10 Granular per acre. Apply uniformly to the soil. Do not apply to areas where it will be a hazard to humans, animals, or birds. Do not apply to areas where it will be a hazard to fish or other aquatic life. Do not apply to areas where it will be a hazard to bees or other beneficial insects. Do not apply to areas where it will be a hazard to plants or animals. Do not apply to areas where it will be a hazard to the environment. Do not apply to areas where it will be a hazard to the soil. Do not apply to areas where it will be a hazard to the water. Do not apply to areas where it will be a hazard to the air. Do not apply to areas where it will be a hazard to the land. Do not apply to areas where it will be a hazard to the sky. Do not apply to areas where it will be a hazard to the earth. Do not apply to areas where it will be a hazard to the sun. Do not apply to areas where it will be a hazard to the moon. Do not apply to areas where it will be a hazard to the stars. Do not apply to areas where it will be a hazard to the planets. Do not apply to areas where it will be a hazard to the galaxies. Do not apply to areas where it will be a hazard to the universe.

U

NOTICE: Seller's guarantee shall be limited to the terms of the label and shall not extend to the buyer's assumption of all risk to persons or property arising out of use or handling and accepts the product on these conditions.

WARNING: If swallowed, wash mouth thoroughly after using. MAY BE HARMFUL IF SWALLOWED. **CAUTION:** AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. DO NOT STORE WITH OR NEAR FERTILIZERS, SEEDS, INSECTICIDES, OR FUNGICIDES. It is almost impossible to remove residues of this product from clothing, shoes, or equipment. Wash thoroughly with soap and water. Do not use rubber, polyethylene, or fiber, and the equipment used to measure and apply this weed killer should not be used subsequently for applying other materials to plants or crops.

GURNEY'S LAWN WEED KILLER

Contains 2,4-D in Low-Volatile Esters and SILVEX® (2,4,5-TP)

For Common Chickweed, Mouse-Eared Chickweed, White Clover, Black Medic, and Certain Broadleaf Weeds in Lawns

ACTIVE INGREDIENTS:
2,4-D in low-volatile esters 9.06%
Silvex (2,4,5-TP) 1.26%

INERT INGREDIENTS: 89.68%
Total 100.00% by weight or 10.00 lb. per gallon

CAUTION
KEEP OUT OF REACH OF CHILDREN. See side panels for additional cautions.

CONTAINS 1 LB. SILVEX PER GALLON
Net Contents 8 Oz.
Manufactured for
Gurney Seed & Nursery Co.
YANKTON, SOUTH DAKOTA 57870

CAUTION
Considerable caution must be exercised in using this product to avoid injury to crops and ornamentals. Do not apply to vegetable gardens, flower gardens, fruit trees, shrubs, or other plants. Excessive quantities may cause severe injury during both growing and dormant periods. Apply only when there is no wind or rain. Do not apply to plants which are stressed or which are suffering from other diseases or insect damage. Do not apply to plants which would injure susceptible plants growing nearby. Do not apply excessive quantities. Excessive amounts in the soil may temporarily inhibit seed germination and plant growth. Do not contaminate domestic or irrigating water supplies.

TO MIX

Place about one-half the required amount of water in the spray tank. Add 1/2 gallon Weed Killer and stir to agitate thoroughly. Then add remainder of the water and agitate thoroughly. Provide agitation while spraying to prevent separation in the mixture and to ensure uniform mixture in spray tank. If allowed to stand, re-agitate to uniform mixture before applying the spray.

DIRECTIONS FOR USE — LAWNS

For control of common chickweed, mouse-eared chickweed, white clover, plantain, black medick, dandelion, buckhorn, ragweed, and lambsquarters in established lawns and turf, use 1 1/2 tablespoons (3 3/4 fluid ounces) in 2 gallons of water and apply mixture as a spray to wet uniformly the weed plants on 1,000 sq. ft. (20'x50') of area equivalent to 2 gallons in 20' to 30' gallons of water per acre. **APPLY ONLY IN THE FALL OR EARLY SPRING**, since application during hot, dry weather may cause excessive damage to grass. Do not use on Bermuda grass, August be grass, Bluegrass, Turfgrass, or other lawns. Do not apply to Bermuda or other lawns. Delay re-seeding treated areas for at least 2 weeks. To avoid damage to turf, do not apply to areas of the above listed plants. Do not overlap. Avoid double coverage when backing up and at turns. Do not spray onto the grass when nozzle is not moving such as when cleaning or testing nozzles. Use a positive quick shut-off valve on spraying equipment. **APPLY ONLY TO ESTABLISHED GRASS—THOROUGHLY ROOTED AND TILLED.** Do not apply to newly seeded areas or to seedling lawns.

EPA Reg. No. 165-12 (EPA-MHEP-60)

12-5-68
464-12
HUS-12

109