

ACCEPTED  
JUL 18 1984  
471-9

HENRY FIELD'S  
GLADIOLUS AND BULB DUST

Fungicide -- Insecticide

FOR USE ON BULBS OR CORMS SUCH AS  
TULIPS, DAFFODILS, HYACINTHS, GLADIOLUS,  
NARCISSUS, AND CROCUS.

ACTIVE INGREDIENTS:

Gamma Isomer of Benzene Hexachloride from Lindane. . . . .	1.00%
Thiram (Tetramethylthiuram disulfide). . . . .	5.00%
Zineb(Zinc ethylene bisdithiocarbamate). . . . .	3.90%
INERT INGREDIENTS: . . . . .	90.10%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

(Note-Type size  
same for "Keep Out  
Of Reach of Childre  
and "Storage and  
Disposal")

IF SWALLOWED - Call a physician or Poison Control Center immediately.  
Drink one or two glasses of water and induce vomiting by touching  
the back of throat with finger. Repeat until vomit fluid is clear.  
Do not induce vomiting or give anything by mouth to an unconscious  
or convulsing person.

IF INHALED - Remove victim to fresh air. Apply artificial respiration  
if indicated.

IF ON SKIN - Remove contaminated clothing and wash affected areas with  
soap and water.

IF IN EYES - Flush eyes with plenty of water. Call a physician if  
irritation persists.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Apply Only As Specified On This Label


Manufactured For  
HENRY FIELD SEED & NURSERY CO.  
SHENANDOAH, IOWA 51601

EPA Reg. No. 471-9

EPA Est. 407-1A-7

Net Content: \_\_\_\_\_

BEST DOCUMENT AVAILABLE



You will like this dust gun. It is handy, safe, economical, convenient and efficient when used as directed.



←  
BREAK  
HERE

#### TO REFILL DUST GUN

insert coin in groove at edge and pry off this lid. Refill gun with more Henry Field dust, then replace lid tightly.

#### TO USE THIS HANDY GUN:

1. Twist tube to break label at perforation.
2. Remove seal which covers hole at top of gun.
3. Use pumping stroke to spray.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

BEST DOCUMENT AVAILABLE

#### CAUTION

Harmful if swallowed. Avoid inhaling dust. Avoid contamination of foodstuffs or feed. Avoid contact with skin and eyes. May be absorbed through skin, and dust may irritate nasal membrane. Wash thoroughly after handling and before eating or smoking.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not contaminate water by cleaning of equipment or disposal of waste. This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

#### REGISTRATION INFORMATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**STORAGE:** Store in original container, in a cool, dry, secure area, away from fertilizer, food or feed. Keep container closed.

**DISPOSAL:** Breaks and original container in several layers of newspaper and in trash.

**CONTAINER DISPOSAL:** Do not reuse container. Rinse thoroughly before reusing in trash.

Applicators must wear the following protective clothing during the application process; long-sleeved shirt, long pants, gloves and a disposable paper dust mask.

#### TREATMENT OF BULBS (when planting)

For use on Tulips, Daffodils, Hyacinths, Gladiolus, Narcissus and Crocus.

As an aid in the control of Thrip, Botrytis, Bulb and Root Rot, and Fusarium Rot: before planting, dust the bulbs lightly, coating them with whatever dust will stick to them. Plant immediately. Cover the bulbs with several inches of soil, then sprinkle the soil with dust.

After filling the bulb hole to ground level, coat the soil again with dust and rake the dust into the soil.

5/84

#### GLADIOLUS

Dust twice a week from early stages until spikes begin to open for control of the following insects and diseases: Thrip, Botrytis, Curvularia, Stemphylium leaf spot. Repeat as necessary. Continue dusting every 7 to 10 days as long as insects are present.

#### SPECIAL STORAGE CARE FOR GLADIOLUS

For control of Thrip on the stored corm, apply dust to Gladiolus bulbs or corms after they are cleaned (as you put them in storage) by placing a few bulbs in a strong paper bag, dust a tablespoon of dust on the bulbs, close the opening and shake vigorously.

#### ALSO RECOMMENDED FOR USE ON THESE:

Azaleas, Camellias: To control Petal Blight, apply dust 2 to 3 times a week while flowers are opening. Apply dust also to the soil and litter around the plants while they are in bloom.

Carnations, Chrysanthemums, Hollyhocks, Snapdragons: To control Rust, Leaf Spot, and Anthracnose, apply as soon as it is threatened. Repeat every 7 to 10 days or as often as necessary to keep new foliage protected.

#### NOTICE OF WARRANTY

Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

BEST DOCUMENT AVAILABLE