

Henry Field's



Apply a light even coating of dust to both upper and lower leaf surfaces.

Keep foliage covered completely new growth

TOMATOES - For Early or Late Blight, Anthracnose, Septoria Leaf Spot, Tomato Fruit Worm, Tobacco Hornworm, Yellow Striped Armyworm, Beet Armyworm, Pinworm, Flea Beetle, Leafhopper, Colorado Potato Beetle and Thrip.

Do Not Use on Tomatoes Within Five Days of Harvest.

PEPPERS, EGGPLANTS - For Flea Beetle, Leafhopper, Colorado Potato Beetle, Tarnished Plant Bug, Anthracnose, and Cercospora on peppers; and Phomopsis, Alternaria, and Anthracnose on eggplants.

Do Not Use On Eggplants and Peppers Within Five Days of Harvest.

CAUTION

WASH ALL VEGETABLES THOROUGHLY BEFORE EATING. Harmful if swallowed. May Cause Irritation of Nose and Throat. Avoid Breathing Dust. Avoid contact with eyes, skin or clothing. Wash thoroughly after using. Avoid contamination of feed and feedstuffs.

This product is toxic to fish and wildlife. Keep out of any body of water. Use this product only as specified on this label.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

Packed by weight, not by volume. Product may settle in shipment.

NOTICE

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

EPA Reg. No. 471-11
EPA Est. 407-1A-1

Manufactured for
HENRY FIELD SEED & NURSERY CO.
SHENANDOAH, IOWA 51602 / Since 1892

ACCEPTED
471-11
MAR 25 1975
APPLY UNDER THE FEDERAL INSECTICIDE, FUNGICIDE AND RODENTICIDE ACT
EPA REG. NO. 471-11
EPA EST. 407-1A-1
REGISTERED PRODUCT

ACTIVE INGREDIENTS:	
Zinc (Zinc Ethylene Bisdithiocarbamate)	5.00%
Tebufos®	5.00%
INERT INGREDIENTS:	90.00%
	100.00%

*Technical chlorinated camphene containing 67 to 69% chlorine

CAUTION: Keep out of reach of children. Read all directions carefully. See back panel for additional cautions.

NET WEIGHT ONE POUND



ground or when disease conditions threaten or insects first appear. Apply at 5 to 10 day intervals or more often if disease conditions become severe. Apply a light even coating of dust to both upper and lower leaf surfaces.

IMPORTANT

Keep foliage covered, especially new growth.

USE TOMATO DUST ON:

TOMATOES—For Early or Late Blight, Anthracnose, Septoria Leaf Spot, Tomato Fruit Worm, Tomato Hornworm, Yellow Striped Armyworm, Beet Armyworm, Pinworm, Flea Beetle, Leafhopper, Colorado Potato Beetle and Thrip.

Do Not Use on Tomatoes Within Five Days of Harvest.

PEPPERS, EGGPLANTS—For Flea Beetle, Leafhopper, Colorado Potato Beetle, Tarnished Plant Bug, Anthracnose, and Cercospora on peppers; and Phomopsis, Alternaria, and Anthracnose on eggplants.

Do Not Use On Eggplants and Peppers Within Five Days of Harvest.

CAUTION

WASH ALL VEGETABLES THOROUGHLY BEFORE EATING. Harmful if Swallowed. May Cause Irritation of Nose and Throat. Avoid Breathing Dust. Avoid contact with eyes, skin or clothing. Wash thoroughly after using. Avoid contamination of feed and foodstuffs.

This product is toxic to fish and wildlife. Keep out of any body of water. Apply this product only as specified on this label.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

Packed by weight, not by volume. Product may settle in shipment.

NOTICE

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

EPA Reg. No. 471-11

EPA Est. 407-IA-1

Manufactured for

HENRY FIELD SEED & NURSERY CO.

SHENANDOAH, IOWA 51602/Since 1892

ACCEPTED
471-11
MAR 25 1975
APPLY THE FEDERAL INSECTICIDE
AND FUNGICIDE ACT
REGISTERED UNDER NO. 471-11
SUBJECT TO ATTACHED CONDITIONS

TOMATO DUST

FOR DISEASE AND INSECT CONTROL

ACTIVE INGREDIENTS:

Zineb (Zinc Ethylene Bisdithiocarbamate) 5.00%
Toxaphene* 5.00%

INERT INGREDIENTS: 90.00%
100.00%

*Technical chlorinated camphene containing 67 to 69% chlorine

CAUTION: Keep out of reach of children. Read all directions carefully. See back panel for additional cautions.

NET WEIGHT ONE POUND



