

475-129

11-18-1974

4/2

SNAROL PELLETS



SNAROL® PELLETS



KILLS SNAILS & SLUGS

WARNING KEEP OUT OF REACH OF CHILDREN.
THIS PESTICIDE MAY BE FATAL TO CHILDREN, AND
DOGS OR OTHER PETS IF EATEN. KEEP CHILDREN
AND PETS OUT OF TREATED AREA.

Read and follow all directions. Read warning statement on side panel.

ACTIVE INGREDIENT: Metaldehyde 3.3%
INERT INGREDIENTS 96.7%

NET WT. 2-1/2 LBS.



SNAROL PELLETS

KILLS SNAILS & SLUGS

**SPREAD BEFORE
OR AFTER SPRINKLING**

One pound of SNAROL PELLETS is sufficient to treat about 1200 sq. ft. of surface area. SNAROL is also available in MEAL form.

May be fatal if swallowed. If swallowed, induce vomiting. Call physician immediately. Harmful dust. Avoid breathing dust, contact with skin, eyes and clothing. Wash hands with soap and water after using.

Keep out of reach of children. Keep dogs and other pets, domestic animals or poultry away from treated areas.

Do not apply directly on fruits, vegetables or crops, but apply on ground under plants. Dispose of empty container or any spillage promptly—burn or bury. Store in a cool, dry place.

This product is toxic to wildlife and birds. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

BOYLE-MIDWAY INC.
NEW YORK, NEW YORK 10017
EPA Registration No. 475-129-AA
EPA Est. 475 CA 1
Boyle-Midway Div. Made in U.S.A. SP 8

SNAROL PELLETS



F ■■■
G ■■■
H ■■■
I ■■■
J ■■■
K ■■■

2/2

ACCEPTED
475-129
NOV 18 1974
UNDER THE FEDERAL TRADE COMMISSION
FUNCTIONS AND REGULATIONS ACT
FOR THE PROTECTION OF CONSUMERS
ED UNITED STATES DEPARTMENT OF JUSTICE
TO ANY OTHER COMPANY.

PUNCH
HERE

SNAROL
PELLETS

KILLS
SNAILS & SLUGS

SNAROL PELLETS are a specially prepared bait for the control of snails and slugs. The Metaldehyde in SNAROL PELLETS attracts and kills snails and slugs. These pests are night feeders and inhabit damp, cool places such as flower and vegetable gardens, around fences, hedges and bushes. The presence of snails and slugs can be determined by their shiny mucous-like trails.

DIRECTIONS

Spread SNAROL PELLETS late in the day, before or after thoroughly wetting the areas likely to be infested. Care should be taken when spreading SNAROL PELLETS, to apply them to the soil and not directly on plants.

For cabbage, melons, carrots, celery, kale, peas, beans, corn, tomatoes: apply to soil surface around plants. Do not contaminate edible parts. For strawberries, do not use within 6 days of harvesting.

Continuous watering and high temperatures cause SNAROL PELLETS gradually to lose some of their effectiveness, so during spring and summer months repeat treatment every week or ten days. Such repeated treatment will also serve to control new broods emerging during this period. Three baitings, ten days apart, usually gives control of new hatch. During fall and winter, treatment every 2 weeks is usually satisfactory.