


REPROD

SNAROL
PELLETS



PUNCH
HERE

SNAROL
PELLETS

KILLS
SLUGS & SNAILS

SNAROL
PELLETS



SNAROL
PELLETS

KILLS
SLUGS & SNAILS

SNAROL PELLETS are a specially prepared bait for the control of snails and slugs. The active ingredient in SNAROL PELLETS attracts and kills snails and slugs. These pests are night feeders and inhabit damp cool places such as flower and vegetable gardens, around fences, hedges and bushes. The presence of snails and slugs can be determined by their shiny mucous like trails.

DIRECTIONS

Spread SNAROL PELLETS late in the day before or after thoroughly wetting the areas likely to be infested. Care should be taken when spreading SNAROL PELLETS to apply them to the soil and not directly on plants.

For cabbage, melons, carrots, celery, kale, peas, beans, corn, tomatoes, apply to soil surface around plants. Do not contaminate edible parts. For strawberries, do not use within 6 days of harvesting.

Continuous watering and high temperatures cause SNAROL PELLETS gradually to lose some of their effectiveness, so during spring and summer months repeat treatment every week or ten days. Such repeated treatment will also serve to control new broods emerging during this period. Three baitings, ten days apart, usually gives control of new hatch. During fall and winter, treatment every 2 weeks is usually satisfactory.



WARNING KEEP OUT OF REACH OF CHILDREN.
THIS PESTICIDE MAY BE FATAL TO CHILDREN, AND
DOGS OR OTHER PETS IF EATEN. KEEP CHILDREN
AND PETS OUT OF TREATED AREA.

Read and follow all directions. Read warning statement on side panel.

ACTIVE INGREDIENT: Metaldehyde 13%
INERT INGREDIENTS 87%

NET WT. 2-1/2 LBS.

**SPREAD BEFORE
OR AFTER SPRINKLING**

One pound of SNAROL PELLETS is sufficient to treat about 1200 sq. ft. of surface area. SNAROL is also available in MEAL form.

WARNINGS

May be fatal if swallowed. If swallowed, induce vomiting. Call physician immediately. Harmful dust. Avoid breathing dust. Contact with skin, eyes and clothing. Wash hands with soap and water after using.

Keep out of reach of children.

Keep dogs and other pets, domestic animals or poultry away from treated areas.

Do not apply directly on fruits, vegetables or crops, but apply on ground under plants. Dispose of empty container or any spillage promptly—burn or bury. Store in a cool, dry place. This product is toxic to wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

BOYLE-MIDWAY INC.
NEW YORK, NEW YORK 10017
EPA Registration No. 475-129 AA
EPA Est. 475 CA 1
Boyle-Midway Co. Made in U.S.A. SP 13


SNAROL
PELLETS



F
G
H
I
J
K

REDUCED
40%

SNAROL
PELLETS



PUNCH
HERE

SNAROL
PELLETS


KILLS
SLUGS & SNAILS

SNAROL PELLETS are a specially prepared bait for the control of snails and slugs. The Metaldehyde in SNAROL PELLETS attracts and kills snails and slugs. These pests are night feeders and inhabit damp cool places such as flower and vegetable gardens, around fences, hedges and bushes. The presence of snails and slugs can be determined by their shiny mucous-like trails.

DIRECTIONS

Spread SNAROL PELLETS late in the day, before or after thoroughly wetting the areas likely to be infested. Care should be taken when spreading SNAROL PELLETS to avoid

SNAROL
PELLETS



SNAROL
PELLETS

KILLS
SLUGS & SNAILS


**SPREAD BEFORE
OR AFTER SPRINKLING**

One pound of SNAROL PELLETS is sufficient to treat about 1200 sq. ft. of surface area. SNAROL is also available in MEAL form.

WARNING

May be fatal if swallowed. If swallowed, induce vomiting. Call physician immediately. Harmful dust. Avoid breathing dust, contact with skin, eyes and clothing. Wash hands with soap and water after using.

Keep out of reach of children. Keep dogs and other pets, domestic



KILLS

prepared bait for the control of snails and slugs. The Metaldehyde in SNAROL PELLETS attracts and kills snails and slugs. These pests are night feeders and inhabit damp cool places such as flower and vegetable gardens around fences, hedges and bushes. The presence of snails and slugs can be determined by their shiny mucous-like trails.

SPREADING

Spread SNAROL PELLETS late in the day, before or after thoroughly wetting the areas likely to be infested. Care should be taken when spreading SNAROL PELLETS to apply them to the soil and not directly on plants.

For cabbage, melons, carrots, celery, kale, peas, beans, corn, tomatoes, apply to soil surface around plants. Do not contaminate edible parts. For strawberries, do not use within 6 days of harvesting.

Continuous watering and high temperatures cause SNAROL PELLETS gradually to lose some of their effectiveness, so during spring and summer months repeat treatment every week or ten days. Such repeated treatment will also serve to control new broods emerging during this period. Three barlings, ten days apart, usually gives control of new hatch. During fall and winter treatment every 2 weeks is usually satisfactory.



KILLS SNAILS & SLUGS

WARNING KEEP OUT OF REACH OF CHILDREN.
THIS PESTICIDE MAY BE FATAL TO CHILDREN, AND
DOGS OR OTHER PETS IF EATEN. KEEP CHILDREN
AND PETS OUT OF TREATED AREA.

Read and follow all directions. Read warning statement on side panel.

ACTIVE INGREDIENT: Metaldehyde 2.3%
INERT INGREDIENTS 97.7%

NET WT. 2-1/2 LBS.

One pound of SNAROL PELLETS is sufficient to treat about 1200 sq. ft. of surface area. SNAROL is also available in GEL form.

WARNINGS

May be fatal if swallowed, if used around children, or if used around pets. Avoid breathing dust, contact with skin, eyes and clothing. Wash hands with soap and water after using.

Keep out of reach of children. Keep dogs and other pets, domestic animals or poultry away from treated areas.

Do not apply directly on fruits, vegetables or crops, but apply on ground under plants. Dispose of empty container or any spillage promptly—burn or bury. Store in a cool, dry place. This product is toxic to wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

BOYLE-MIDWAY INC.

NEW YORK, NEW YORK 10017

EPA Registration No. 475-129-AA

EPA Est. 475-CA 1

Boyle-Midway Div. Made in U.S.A. SP 13

SNAROL PELLETS



F
G
H
I
J
K

475-129