

100 0 4 10 12 152
MAR 29 1991

Herbert M. Hohn
Boyle-Midway Household Products, Inc.
1655 Valley Rd.
Wayne, NJ 07016

Dear Mr. Hohn:

Subject: Allethrin Registration Standard
Black Flag Professional Power House & Garden, EPA Reg.
No. 475-209
Black Flag Triple Active Bug Killer, EPA Reg.
No. 475-210
Black Flag Total Release Fogger Formula SD, EPA Reg.
No. 475-215
Submissions dated September 27, 1988

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Submit the flashpoint of the product tested with the propellant or add "Extremely Flammable" under the Physical or Chemical Hazards statement.

For Reg. No. 475-215, the label declaration for the Sumithrin should be "3-phenoxybenzyl-1(1PS, 3RS; 1RS, 3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate" as described in the Sumithrin Registration Standard. Add "Contains petroleum distillate as a substatement to the ingredient statement. Modify your Hazards to Humans and Domestic Animals statement by adding the following after "Harmful if swallowed":

Do not induce vomiting. Vomiting may cause aspiration hazard.

Sincerely,

Rfm
Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

BEST AVAILABLE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs. Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

FOR HOUSEHOLD USE ONLY DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors in area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 8,000 cubic feet of unobstructed area. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

To Kill Ticks: Destroy old pet bedding and replace. Use product as above. Treat dogs and cats with registered tick control product prior to re-entry.

To Kill Fleas: Follow directions for ticks but use one unit per 2,000 cubic feet of room space.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame.

Disposal: Do not re-use empty container. Wrap container and put in trash collection.

BOYLE-MIDWAY, INC., NEW YORK, N.Y. 10017
c Boyle-Midway Div. BF TRF-1-9
EPA Reg. No. 475-215AA
EPA Est No. 475-CA-1, NJ-1, IL-1, GA-1
(See code on bottom)



ACTIVE INGREDIENTS

0-tert-Allylthion	0.300%
Fluorinated compounds	0.623%
1,3-Phenylenebis (4-methyl-5-phenyl-2,2-dimethyl-3-(2-methylprop-1-en-1-yl)butyl)phosphorotriazoles	0.191%
Other esters	0.880%

NET WEIGHT 99.477%

TOTAL 100.000%

*0-tert-Allylthion min. 25% (± 5%)
**Fluorinated compounds min. 75% (± 5%)

CAUTION KEEP OUT OF REACH OF CHILDREN

See back panel for additional precautionary statements

NET WT 9 OZ (255g)

For Use In Rooms,
Apartments, Homes,
Attics, Basements,
Campers, Boats,
Household Storage
Areas, Garages,
Pet Sleeping Areas,
Cabins

KILLS

FLIES

MOSQUITOES

SPIDERS

CENTPEDES

FLEAS

WASPS

TICKS

BLACK
CARPET BEETLES

SAW-TOOTHED
GRAIN BEETLES

RICE WEEVILS

SMALL
FLYING MOTHS

PILL BUGS

CRICKETS
AND SILVERFISH

Kills in larval
stage of cockroaches

ACCEPTED

MAR 29 1991

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under

EPA Reg No. 475-215