02 MAR 1994

Ms. Filomena King Reckitt & Colman Household Products 1655 Valley Road P.O. Box 941 Wayne, NJ 07474-0941

Dear Ms. King:

Subject: Response to PR Notice 91-7

Black Flag Flying Insect Killer 91-7C

EPA Reg. No. 475-217

Submission dated February 7, 1992


The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. One copy of the finished labeling must be submitted prior to releasing the product for shipment.

As new labels are prepared, delete the term "related compounds" from the label ingredients declaration. Unless otherwise substantiated, these isomers should be considered inert. If the "related compounds" are determined to be active, they should be incorporated in the declaration for the active ingredient and not distinguished as "related compounds" or "other isomers". Also, delete the term --General Classification-- since the use of this pesticide has not been classified.

In accordance with the Sumithrin Registration Standard, modify the label declaration for sumithrin to read: "3-phenoxybenzyl~(1RS, 3RS; 1RS, 3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate".

Sincerely,

Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505C)





CAUTION: KEEP OUT OF REACH OF CHILDREN See back panel for additional precautionary statements

NET WT 12 OZ (340g)



## **FLYING INSECT KILLER**

#91-7C

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Avaid breathing vapors. Avoid contact with skin. In case of contact, immediately flush skin with plenty of water.

in the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

## **PHYSICAL HAZARDS**

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE - GENERAL CLASSIFICATION It is violation of Federal law to use this product in a manner inconsistent with its labeling.

## STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame. Disposal: Do not reuse empty container. Wrap container and put in trash collection.

SHAKE BEFORE U.S. HOLD CONTAINER UPRIGHT APPLY IN SHORT BURSTS.

To Kill Flies, Mesquitees, Small Flying Moths, Firsts and Wasps: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room. Keep room closed for 15 minutes after spraying. Membraise from thoroughly before re-entry. Sweep up and destroy talien insects. To Kill Cockmaches, Ants and Erickets: Confact as many insects as possible, with the spray in addition to thorough is praying of all parts of the room suspected of barboring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind sloves and reingerators, food storage areas and wherever these pests are suspected of hiding. To kill ants, treat doors, around window frames, and traits and other areas of entry. Repeat as necessary.

Replace and response to the surface and surfaces are consistent. Since both inherity and

The Kill Corpet Beetles: Directly spray as many insects as possible. Spray both interior and exterior of upholstered furniture. Both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture and wherever these insects are seen or suspected.

insects are seen of suspected. To kill Exposed Ferms at Contissed Flour Beetles, Saw-toothed Grain Beetles, and Rice. Weevils. Find and destroy intested package goods. Remove all other items from gantry. Spray the shelves to kill any of the named insects present. Place clean paper on the shelves and return packages after shelves have dired. Repeat as necessary. To Kill Sowbugs. Certifigedes, Firebrets and Spilders: Contact as many insects as possible with the spray. Also thoroughly spray all parts of the room suspected of harboring these pests. Special attention should be paid so cracks, Crevices, hidden surfaces under anks, behind stoves and refrigerators.

In Kill Figure and Regions the Ticks: Remove and destroy aid not hadden. Exercised to the control of the

Defining stores and retrigerators.

Be Kill Fleas and Brown Dog Ticks: Remove and destroy old pel bedding. Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as necessary. Do not spray animals. Put fresh bedding in pets' quarters after spray has dired. Also treat dogs and cats with a registered Rea and both control. aroduct before allowing them to enter treated area.

REUKIT / Colman Household Pool, NAYME NIJ

Made in U.S.A.

**EPA Registration** No. 475-217. EPA Est. 475 - 6/1-1



(PROPOSED COPY ADDITIONS FOR INSTITUTIONAL LABELING): Authorized by USDA for use in federally inspected meat and poultry plants. NOTE: Use of this product in food processing plants should be confined to times when plants are not in operation. Foods should be removed or covered during treatment. Following treatment, wash all equip ment, benches, utensils, shelves, etc. with a suitable detergent and then rinse with porable

Flying Insects - To kill flies mosquitoes, gnats, small flying moths, wasps, and hornets: Closdoors and windows and spray .rd with waving motion until area is misted. Spray insects dire ly for quick action. Vacate ated area and keep closed for 10 to 15 minutes. Ventilate befo re-occupying. Repeat as necessary. Crawling Insects- To kill ants, roaches, waterbugs, cricket centipedes, spiders, silverfish and earwigs: Spray hiding places such as behind pipes, under sinks and tables, along baseboards, around pallets, in cracks and crevices in floors, woodwork and walls, and in similar areas. Contact as many insects as possible. Do not allow spray to contact stored food or surfaces likely to be contacted by food. Repeat as necessary.

