

Reg # 475-302

PM-10

1971

Always shake can well before spraying

#### DIRECTIONS FOR USE

To Kill Flies, Mosquitoes, Small Flying Moths, Weevils, Clothes Moths, and Gnats. Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5 to 10 seconds for average room. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and destroy fallen insects. Before spraying cover exposed food and utensils.

To Kill Cockroaches, Ants and Crickets. Contact as many insects as possible directly with the spray in addition to thorough spraying of all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigerators, food storage areas and wherever these pests are suspected of hiding. For control of ants treat doors, window sills, ant trails and other areas of entry. Repeat as necessary for control.

To Kill Carpet Beetles. Directly spray as many insects as possible. Spray both interior and exterior of upholstered furniture. Both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture and wherever these insects are seen or suspected. Repeat as necessary.

To Kill Exposed Forms of Confused Flour Beetles, Sawtoothed Grain Beetles, Lesser Grain Flour, and Rice Weevils. Find and destroy infested package goods. Remove all other items from pantry. Spray the shelves to kill any of the named insects present. Place clean paper on the shelves and return packages after shelves have dried. Repeat as necessary.

To Kill Wasps. Contact insects directly with spray. Sweep up and discard fallen wasps. Repeat as necessary.

#### WARNING:

Contents under pressure. Do not puncture. Do not use in stove near heat or open flame. Exposure to temperatures above 130° F may cause bursting. Never throw container into fire or incinerator.

If used in food processing or preparation areas, foods should be removed or covered during treatment. Food processing surfaces should be covered during treatment or thoroughly cleaned before re-use. Do not feed while food processing is underway.

Remove pets, birds and cover fish aquariums before spraying. Do not remain in treated areas. Ventilate the area after treatment is completed.

#### ACTIVE INGREDIENTS

10 trans-chrysanthemum mono-carboxylic acid ester of 2-allyl 4-hydroxy-3-methyl-2-cyclopenten-1-one  
Other isomers  
1,1-dichloro-2,2-bis(4-chlorophenyl) ethane  
1,1-dichloro-2,2-bis(4-chlorophenyl) ethane  
1,1-dichloro-2,2-bis(4-chlorophenyl) ethane


1.00%  
0.14%  
60.00%

#### INERT INGREDIENTS

Total

98.86%  
100.00%

\*S bioallethrin from S BIOC - Roussel Uclaf  
\*\*Equivalent to 4.0% (butylcarbitol) (6 propylperonyl) ether and 12% related compounds  
1 MGK 264 Insecticide Synergist



## CONNECTICUT FLYING INSECT KILLER PRESSURIZED SPRAY .186%

### CAUTION:

Keep out of reach of children  
See additional cautions on back

Net. Wt. 16 oz.

E.P.A. Reg. No. 475-302

E.P.A. Est. No. 475-GA-1

CONNECTICUT AEROSOLS, INC.  
MILFORD, CONN. 06460

BEST AVAILABLE COPY