BEST AVAILABLE COPY

Det. 2119

Hazarde to Humans and Domestic Animals

CAUTION

Harmful if swallowed or absorbed through skin. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, wash with plenty of water, get medical attention if irritation persists.

Avoid contamination of food and feed stuffs. Do not use in commercial food processing, preparation, serving or storage areas. In the house, all food processing services and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame. Disposal: Do not rinse empty container. Wrap container and put in trash collector

DIRECTIONS FOR USE General Classification

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Cover exposed foods, dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE. To lock valve in open position for automatic discharge, press valve but, on all the way down, hooking the catch. Then place fogger on stand or table in center of room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary

The spray mist will kill House Flies, Mosquitos, Small Flying Moths, Black Carpet Beetles, Spiders, Centipedes, Crickets, Silverlish, Firebrats, Bees, Wasps, Homets, Ticks, Waterbugs and Ants. Aids in control of Cockroaches.

TO KILL TICKS: Destroy old pet bedding and replace. Treat dogs and cats with a registered tick product prior to re-entry.

Cai

INDOOR FOGGER SPRAY II

Household Use Industrial Use Pest Control Use Institutional Use

For use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Garages, Pet Sleeping Areas, Storage Areas, Cabins, and non-food areas of Motels, Schools, Washrooms, Hotels, Industrial Plants.

One unit treats up to 6,000 cubic feet.

ACTIVE INGREDIENTS:

d-trans Allethrin (allyl homolog of Cinerin!) .300%
Related compounds .023%
*3-Phenoxybenzyl d-cis and trans **2.2-dimethyl-3- (2-methypropenyl) cyclopropanecarboxylate .191%
*Other isomers .009%

INERT !NGREDIENTS:

Contains Ditroleum distillate
'd-(cis.trans) phenothrin

99.4772

ACCEPTED min. 75% (+ or -) cis

MAY 0 9 1979

Design the Federal Institute.

Proposicio, and Rosentiane Act.

co consuded, for the personal reciprosed tasks:

DA TO TOS 94-3- CAUTION

KEEP OUT OF REACH OF CHILDREN

See back panel for additional precautionary statements

NET WEIGHT: 7.5 oz: E.P.A. Est. No. 475-306 E.P.A. Reg. No. 475-6A-7

•••••