

Incl. 2155

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

Do not use in commercial food processing, preparation, serving or storage areas. For use on non-food areas of institutions and industrial plants. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

General Classification

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage. Store in a cool, dry area away from heat or open flame. Disposal: Do not re-use empty container. Wrap container and put in trash collection.

This product will kill House Flies, Mosquitos, Black Carpet Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Spiders, Centipedes, Fleas, Ticks, Wasps, Pill Bugs, Crickets, Silverfish, Firebrats, Hornets and Ants. Aids in control of Cockroaches and Waterbugs.

TO KILL TICKS: Destroy old pet bedding and replace. Treat dogs and cats with a registered tick product prior to re-entry.

TO KILL FLEAS: Use one container for each 1500 cubic feet. Cover exposed food, dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in center of room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

CAI

INDOOR FOGGER SPRAY III

Household Use
Industrial Use
Pest Control Use
Institutional Use

For use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Garages, Pet Sleeping Areas, Household Storage Areas, Cabins, Motels, Schools, Washrooms, Hotels, Industrial Plants.

One unit treats up to 6,000 cubic feet.

ACTIVE INGREDIENTS:

- Tetramethrin [(1-Cyclohexene - 1, 2-dicarboximido) methyl 2,2 - dimethyl - 3 - (2 - methylpropenyl) cyclopropanecarboxylate] .200%
*3-Phenoxybenzyl d-cis and trans **2,2-dimethyl-3- (2-methylpropenyl) cyclopropanecarboxylate .382%
*Other isomers .018%

INERT INGREDIENTS:

99.40%
100.000%

Contains petroleum distillate

*d-(cis,trans) phenothrin
**cis/trans isomer ratio: max. 25% (+ or -) cis
min. 75% (+ or -) trans

CAUTION

KEEP OUT OF REACH OF CHILDREN

See back panel for additional precautionary statements

NET WEIGHT: 7 1/2 OZ.

Connecticut Aerosols, Inc.
Milford, Conn. 06460

E.P.A. Reg. No. 475-309 EPA Est. No. 475-6A-1

BEST AVAILABLE COPY