

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

SEP 16 1991

Filomena King  
Boyle-Midway Household Products, Inc.  
1655 Valley Road  
Wayne, NJ 07474

Dear Ms. King:

Subject: Updated Labels and Confidential Statements of Formula  
EPA Reg. No.s: 475-309, 475-310, 475-313, 475-314,  
475-316, 475-318  
Submission: August 1, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

1. Delete "General Classification" from all labels.
2. Ensure that you have provided an appropriate "Statement of Practical Treatment" for each product.
4. Ensure that all products state the chemical listing for Sumithrin as:  
  
3-phenoxybenzyl-(1RS,3RS;1RS,3SR)-2,2-dimethyl-3-(2-methylpropenyl) cyclopropane carboxylate
5. Combine the percentage for other isomers of Sumithrin with the figure for that active ingredient. For example, the declaration for Reg. No. 475-309 would be 0.4% ai. Adjust the inert ingredient percentage so that the total for the formulation adds up to 100%. Do not use other isomers separately as an active ingredient (EPA Reg. No. 475-318)
6. Clarify flashpoint/flame extension data on 475-314, 475-318. Current CSF's on these identical products disagree with each other and also with former CSF's.

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

7. Since your data matrix does not provide a dielectrical breakdown voltage, the following statement must be added to the PHYSICAL OR CHEMICAL HAZARDS heading of registrations 475-313, 475-310:

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

8. For Reg. No. 475-313, delete "-allyl homolog of Cinerin I" from the ingredient statement. It no longer accurately describes the allethrin in this formulation.

The formula statements dated August 1, 1991, are acceptable and have been added to the respective files.

Sincerely,

Richard F. Mountfort  
Product Manager 10  
Insecticide/Rodenticide Branch  
Registration Division (H7505C)

CONCURRENCES

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

ACCEPTED  
with COMMENTS  
in EPA Letter Dated  
SEP 16 1991

CAI  
INDOOR FOGGER SPRAY III

HOUSEHOLD USE  
INDUSTRIAL USE  
PEST CONTROL USE  
INSTITUTIONAL USE

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
475-309

For use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats,  
Garages, Pet Sleeping Areas, Household Storage Areas, Cabins, Motels,  
Schools, Washrooms, Hotels, Industrial Plants.

One unit treats up to 6,000 cubic feet.

- (IRS, 3RS; 1RS, 3SR) - ?

ACTIVE INGREDIENTS:

Tetramethrin [1-Cyclohexene - 1,2-dicarboximido) methyl 2,2-dimethyl-3 - (2-methylpropenyl) cyclopropanecarboxylate]	.200% ✓
3-Phenoxybenzyl 2,2-dimethyl-3- (2-methypropenyl) cyclopropanecarboxylate	.382% ✓

INERT INGREDIENTS:

99.418  
100.000%

"This product contains petroleum distillates"

**CAUTION**

KEEP OUT OF REACH OF CHILDREN  
See back panel for additional precautionary statements

NET WEIGHT 7½ OZ.

BOYLE-MIDWAY HOUSEHOLD PRODUCTS

WAYNE, NJ 07474

EPA Reg.No. 475-309

475-GA-1

4 4b 5

BACK PANEL

Precautionary Statements  
Hazards to Humans and Domestic Animals

**CAUTION**

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

Do not use in commercial food processing, preparation, serving or storage areas. For use on non-food areas of institutions and industrial plants. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

General Classification

It is a violation of Federal Law to use this product in a inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame.  
Disposal: Do not re-use empty container. Wrap container and put in trash collection.

This product will kill House Flies, Mosquitos, Black Carpet Beetles, Saw-toothed Grain Beetles, Rich Weevils, Small Flying Moths, Spiders, Centipedes, Fleas, Ticks, Wasps, Pill Bugs, Crickets, Silverfish, Firebrats, Hornets and Ants. Aids in control of Cockroaches and Waterbugs.

TO KILL TICKS: Destroy old pet bedding and replace. Treat dogs and cats with a registered tick product prior to re-entry.

## BACK PANEL (cont'd.)

→ Get high conc  
in enclosed area  
combustion  
concern?

**TO KILL FLEAS:** Use one container for each 1500 cubic feet. Cover exposed food, dishes and food handling equipment. Open cabinets and doors to area to be treated.

Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

**TO OPERATE VALVE:** To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in center of room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.