

SEP 16 1991

Filomena King
Boyle-Midway Household Products, Inc.
1655 Valley Road
Wayne, NJ 07474

Dear Ms. King:

Subject: Updated Labels and Confidential Statements of Formula
EPA Reg. No.s: 475-309, 475-310, 475-313, 475-314,
475-316, 475-318
Submission: August 1, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

1. Delete "General Classification" from all labels.
2. Ensure that you have provided an appropriate "Statement of Practical Treatment" for each product.
4. Ensure that all products state the chemical listing for Sumithrin as:

3-phenoxybenzyl-(1RS,3RS;1RS,3SR)-2,2-dimethyl-3-(2-methylpropenyl) cyclopropane carboxylate
5. Combine the percentage for other isomers of Sumithrin with the figure for that active ingredient. For example, the declaration for Reg. No. 475-309 would be 0.4% ai. Adjust the inert ingredient percentage so that the total for the formulation adds up to 100%. Do not use other isomers separately as an active ingredient (EPA Reg. No. 475-318)
6. Clarify flashpoint/flame extension data on 475-314, 475-318. Current CSF's on these identical products disagree with each other and also with former CSF's.

7. Since your data matrix does not provide a dielectrical breakdown voltage, the following statement must be added to the PHYSICAL OR CHEMICAL HAZARDS heading of registrations 475-313, 475-310:

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

8. For Reg. No. 475-313, delete "-allyl homolog of Cinerin I" from the ingredient statement. It no longer accurately describes the allethrin in this formulation.

The formula statements dated August 1, 1991, are acceptable and have been added to the respective files.

Sincerely,

RFM

Richard F. Mountfort
Product Manager 10
Insecticide/Rodenticide Branch
Registration Division (H7505C)

CAI

**HORNET AND WASP
KILLER III**

This product can be used both indoors
(attics and other places nests are built) and
outdoors on Wasp and Hornet nests.

SHOOTS A STREAM 10 FEET

**INDUSTRIAL, INSTITUTIONAL
AND UTILITY USE**

ACTIVE INGREDIENTS:

d-cis, trans**Allethrin (ally)homolog of Cinerin 1)
*3-Phenoxybenzyl d-cis and trans**2,2-dimethyl-
3-(2-methylpropenyl) cyclopropanecarboxylate

INERT INGREDIENTS:

This product contain petroleum distillates

0.129%

0.120%

99.975%
100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

NET CONTENTS: 12 OUNCES

Boyle-Midway Household Products

WAYNE, NJ 07474

EPA Reg.No. 475-313

EPA Est.No. 475-GA-1

ACCEPTED
with COMMENTS
in EPA Letter Dated
SEP 16 1991

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
475-313

Back Passes

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin and eyes. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists.

Do not use in commercial food processing, preparation, serving or storage areas. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS:

EXTREMELY FLAMMABLE: Cont. under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL:

Storage: Store in a cool area away from heat or open flame. **Disposal:** Do not reuse empty container. Wrap container and put in trash collection.

For Control of Wasps and Hornets: It is preferable to apply this product after dark when all the insects have returned to the nest. Aim valve opening at the nest and depress bottom, continuing to spray until the nest is soaked with the spray. Repeat as necessary.