

PM 13

475-345

124

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460  <b>NOTICE OF PESTICIDE:</b> <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide,          and Rodenticide Act, as amended)</i>	EPA REGISTRATION NO. 475-345	DATE OF ISSUANCE SEP - 6 1994
	TERM OF ISSUANCE Until Reregistration	
	NAME OF PESTICIDE PRODUCT IRON	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

1605467245  
B/I

Reckitt & Colman Household Products  
 1655 Valley Rd.  
 Wayne, NJ 07474

**NOTE:** Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c) (7) (A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c) (5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling change listed below before you release the product for shipment:

a. Add the phrase, "EPA Registration No. <sup>475-345</sup>~~4816-774~~."

b. Under Statement of Practical Treatment add:

IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. Get medical attention.

To the beginning of Precautionary Statements add:

"Harmful if inhaled. Avoid breathing vapor or spray mist. Remove contaminated clothing and wash before reuse.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
---------------------------------	------

Signature 6-1894

- 274
- c. Food processing plants can imply use in U.S. Department of Agriculture (USDA) Meat and Poultry Plants. Therefore, either add the statement "Not for Use in USDA Meat and Poultry Plants" or submit an application requesting use in these areas. If granted, you can then indicate on the label that the product can be used in these areas.
  - d. Under Physical or Chemical Hazards add: "Do not use this product in or on electrical equipment due to the possibility of shock hazard."

3. The upper and lower certified limits for the following components should be reversed under columns 14a and 14b: Pyrethrins, Permethrin, Piperonyl Butoxide (technical), Inerts from concentrate, Odorless mineral spirits and Water.

4. Submit five copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca  
Product Manager 13  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

Enclosures

Reckitt & Colman Household Products  
Co. #475, Proposed Draft Label: IRON

EPA REG. NO. 475-

EPA EST. NO475-GA-1

54487-GA-1

**ACTIVE INGREDIENTS:**

Pyrethrins .....	0.10%
* Piperonyl Butoxide, Technical .....	0.50%
**Permethrin .....	0.20%
<b>INERT INGREDIENTS:</b> .....	<b>99.20%</b>
	<b>100.00%</b>

\*Equivalent to min. 0.4% (butylcarbityl)(6-propyl-piperonyl) ether and 0.1% related compounds.

\*\*((3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

See rear panel for use cautions.

NET CONTENTS: \_\_\_\_\_

Reckitt & Colman Household Products, Division  
A Division of Reckitt & Colman, Inc.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

SEP - 6 1994

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

475-345

- \* Controls Industrial Insects
- \* Seeks Out Bugs Where They Hide
- \* Kills On Contact
- \* For Commercial/Agricultural Use
- \* A Broad Spectrum Insecticide Highly Effective Against Ants (Including Carpenter Ants), Bees, Beetles (Including Carpet, Flour, Grain, and Ground Beetles), Centipedes, Clover Mites, Cockroaches, Crickets (Including Mole Crickets), Earwigs, Firebrats, Fleas, Millipedes, Moths, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks, Wasps, and other pests listed on the label.
- \* Kills Lice and Their Eggs
- \* For Use On Bedding, Furniture and Other Inanimate Objects Infested With Lice.
- \* Non-Staining
- \* No Unpleasant Odor
- \* Water-Based Formula
- \* For Use On Dogs and On Premises To Control Fleas and Ticks.
- \* Controls Fleas and Ticks On Dogs For 14 Days.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held.

Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Do not use in rooms/areas while occupied by patients, the elderly or infirm. Do not apply to classrooms when in use.

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches.

Cluster Flies, House Wasps, Hornets, Bees and Small Flying Moths: spray upward into center. Spray 5-10 seconds for Direct spray to all parts light sources which attract motion. Leave room after spraying. Ventilate room and discard fallen insects.

Cockroaches, Water Fleas, Crickets, Spiders, Sowbugs and as cracks and crevices, and floors, around drains whenever possible. Repeat as necessary.

Ants: Spray trails, nests possible. Repeat as necessary.

Indianmeal Moths, Ant windows, direct spray stored food product of Spray 7 to 10 seconds toward the door. Leave following treatment. Repeat as necessary.

Exposed stages of Carpet Beetles, Drugstore Beetles, Beetles, Rice Weevils: posed adult and larval processing and handling or other areas where as many insects as possible square feet of surface. after treatment. Space of space, moving toward closed for 15 minutes weekly or as necessary disposed of, or treated purpose.

Carpet Beetles: Spray shelves and carpets. Repeat as necessary.

Bedbugs: Spray mattress. Take beds apart and buildings and floors. sprayed articles to dry.

To control *Clothes Moths* and *Carpet Beetles* on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

**Fleas in buildings - Space spray:** Hold can 36 inches above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 100 sq. ft., making sure that all floor, sofa and chair surfaces are contacted. Leave room and keep area closed for 15 minutes. Open and ventilate before reoccupying. Repeat treatment after 7 days or as needed.

**Fleas & Ticks (Adults and Larvae):** Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, or fire floor and floor covering, with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture and mattresses may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.

To control *Fleas, Ticks and Lice* on dogs: Starting at the head, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the hand to insure penetrating the coat. Dampen the fur back to the tail. Repeat application weekly if necessary to control infestations. NOTE: Not recommended for use on puppies less than four weeks old.

To kill *Lice and Louse eggs*: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use.

**In Animal Quarters and Milk Rooms:** For rapid control of *House Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees and Small Flying Moths*, close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed.

**To Treat Livestock:** To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of *Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitoes, and Gnats*: Spray about 3 seconds on each side, being careful to spray back, withers and forelegs thoroughly; To protect from *Face Flies*: spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome.

**For Swine.** Do not ship animals for slaughter within 5 days of last treatment.

To control *Blood Sucking Lice*: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

To control *Poultry Lice*, spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

For control of *Bedbugs and Mites* in poultry houses, spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

#### OUTDOORS:

Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing.

**FLYING INSECTS:** *Flies, Mosquitoes, Gnats, Small Flying Moths, Hornets, Wasps and Yellowjackets.* Allow 1' to drift over area. Direct spray toward bushes or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles. Repeat as necessary.

**Mud Daubers and Wasp Nests:** Spray mist directly on insects and their nests from approximately 2 feet away. Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.

**CRAWLING INSECTS:** *Ants, Cockroaches, including Aalen Cockroaches, Crickets, Mule Crickets, Centipedes, and Silverfish.* Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

#### STORAGE AND DISPOSAL

Store in a cool, dry area. Do not transport or store below 32°F.

Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before spraying. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

#### PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

hsh