

PM 13

475-348

184

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 475-348	DATE OF ISSUANCE SEP - 6 1994
	TERM OF ISSUANCE Until Reregistration	
	NAME OF PESTICIDE PRODUCT IGUANA	

NOTICE OF PESTICIDE: ☐ REGISTRATION
☐ REREGISTRATION
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Reckitt & Colman Household Products
1655 Valley Rd.
Wayne, NJ 07474

1605455829
18/1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling change listed below before you release the product for shipment:
 - a. Add the phrase, "EPA Registration No. 475-348."
 - b. Delete "Do not apply to classrooms when in use." This product is for household use only.
 - c. Under the heading Statement of Practical Treatment add:

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. Get medical attention.

☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL **DATE**

Belmont 6-24-94

d. Revise Precautionary Statements as follows:

Harmful if absorbed through skin or inhaled. Avoid contact with skin, eyes and clothing. Avoid breathing dust or spray mist. In case of contact"

3. Submit three copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager 13
Insecticide-Rodenticide Branch
Registration Division (H7505C)

) Enclosures

Reckitt & Colman Household Products
Co. #475,
Proposed Draft Label: IGUANA

- * FOR HOUSEHOLD USE ONLY
- * CONTROLS RESIDENTIAL AND GARDEN INSECTS
- * A BROAD SPECTRUM INSECTICIDE HIGHLY EFFECTIVE AGAINST ANTS, BEETLES (INCLUDING CARPET BEETLES, FLOUR BEETLES, GRAIN BEETLES, GROUND BEETLES), CENTIPEDES, CLOVER MITES, COCKROACHES, CRICKETS, EARWIGS, FIREBRATS, FLEAS, MILLIPEDES, MOLE CRICKETS, MOTHS, PILLBUGS, SCORPIONS, SILVERFISH, SOWBUGS, SPIDERS, TICKS AND MANY SIMILAR PESTS.
- * WATER-BASED FORMULA
- * NON-STAINING

ACTIVE INGREDIENTS:

*Tetramethrin.....	0.20%
**Permethrin.....	0.20%
***Piperonyl Butoxide, Technical.....	1.00%
INERT INGREDIENTS:.....	98.60%
	100.00%

*1-cyclohexene-1,2-dicarboximidomethyl-2,2-dimethyl-3-(2-methylpropenyloxy)cyclopropanecarboxylate

**O-phenoxyphenylmethyl(+/)-cis/trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate.

Cis/trans ratio: min. 35%(+/)-cis and max.65%(+/)-trans.

***Equivalent to min. 0.80%(butylcarbyl)(6-propylpiperonyl)ether and 0.20% related compounds.

-Contains Petroleum Distillates

EPA REG. NO. 475-

EPA EST. NO. 475-GA-1
54487-GA-1

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Side Panel For Use Cautions

NET CONTENTS

Reckitt & Colman Household Products, Dist.
A Division of Reckitt & Colman Inc.

ACCEPTED
with COMMENTS
in EPA Letter Dated

SEP - 6 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

475-318

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

CAUTION

Avoid contact with skin, eyes and clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before space spraying or surface applications. Do not use in classrooms while in use. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

Environmental Hazards

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

Physical Or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Store in a cool, dry area. Do not transport or store below 32°F.

Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches.

INDOORS:

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs! Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on Ants where possible. Repeat as necessary.

Exposed stages of Confused Flour Beetles, Saw-Toothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary

Exposed stages of *Confused Flour Beetles*, *Saw-Toothed Grain Beetles*, *Red Flour Beetles*, *Rice Weevils*, *Granary Weevils*, *Grain Mites*: Spray into cracks and crevices, around cartons or containers or other areas where these insects tend to congregate. Keep area closed for 45 minutes to 1 hour after treatment. Repeat application as necessary. Infested stored food/feed products in the home should be disposed of.

Carpet Beetles: Spray directly on *Beetles*, floors, baseboards, shelves and carpets. Repeat treatment as necessary.

To control *Fleas* and *Brown Dog Ticks*: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames and localized areas of floor and floor coverings. Fresh bedding should be placed in animal quarters following treatment. Do not spray pets with this product. Treat pets with a product registered for application to pets to control the source of flea infestation.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Repeat treatment as necessary. Allow mattresses and other articles to dry thoroughly before use.

To control *Clothes Moths* and *Carpet Beetles* on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

OUTDOORS:

Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing.

PESTS OUTSIDE SURFACE OF BUILDINGS: For control of building infestation due to *Ants*, *Clover Mites*, *Crickets*, *Earwigs*, *Millipedes* and *Sowbugs (Pillbugs)*. Spray foundation of building where insects are active and may find entrance, up to a height of 2 to 3 feet. Apply as a residual spray to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary.

CRAWLING INSECTS: *Ants*, *Cockroaches*, including *Asian Cockroaches*, *Crickets*, *Centipedes*, and *Silverfish*. Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel *Ants*. Spray ant hills for best control.

***Ants*, *Lone Star Ticks*, *Dog Ticks*, *Crickets*, *Fleas* and *Earwigs*:** Apply thoroughly to infestation in bushes, grass or weeds. For *Ants*, spray freely around ant trails and hills.

FOR THE CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill *Japanese Beetles* hit by spray, as well as *Whiteflies*, *Aphids*, *exposed Thrips*, *Spiders*, *Red Mites* and *Leafminers*.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlia, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against *Whiteflies*, *Aphids*, *Spider and Red Mites*, *exposed Thrips*, *Lace Bugs*, *Japanese Beetles*, *Pavement Ants*, *Clover Mites* and *Army Worms*. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90 °F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.