



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
475-359

Date of Issuance:
15 AUG 1995

NOTICE OF PESTICIDE:
 Registration
 Reregistration

Term of Issuance:
Conditional

Name of Pesticide Product:
BLACK FLAG LAWN SPRAY

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):
RECKITT & COLMAN HOUSEHOLD PRODUCTS
16655 VALLEY ROAD
WAYNE, NJ 07470

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label changes:

- a. Revise the EPA Registration Number to read, "EPA Reg. No.475-359 ".
- b. Is a measuring cup or device included with product? If so then indicate this under directions for use.
- c. Beneath mixing chart add the following precaution:

"Food utensils such as spoons and measuring cups should not be used for food purposes after use in measuring pesticides."

Signature of Approving Official:

George T. LaRocca

George T. LaRocca, Product Manager (13)

Date:

- d. The precautions regarding spraying near fish ponds and plant phytotoxicity should appear under "Building Perimeter Treatment" also.
- e. A referral statement to back panel must appear on front panel, i.e.

"Refer to back panel for additional precautions."

- 3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (7505c)

Enclosure:

Front Panel

USE AS A CONCENTRATE FOR USE ON RESIDENTIAL LAWNS AND AROUND RESIDENTIAL PREMISES ONLY TO KILL FLEAS AND TICKS AND OTHER OUTDOOR PESTS LISTED ON THIS LABEL. ALSO KILLS DEER TICKS AND OTHER IXODID TICKS THAT CARRY AND TRANSMIT LYME DISEASE.

ACTIVE INGREDIENT:

(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate.....

0.44%

*INERT INGREDIENTS.....

99.56%

100.00%

*Contains petroleum distillate

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- IF IN EYES: Flush with plenty of water. Get immediate medical attention.
- IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists.
- IF INHALED: Remove victim to fresh air or if not breathing, give artificial respiration, preferably mouth to mouth, get medical attention.
- IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration pneumonia hazard.

Net Contents _____

Reckitt & Colman Household Products, Dist.
A Division of Reckitt & Colman Inc.

EPA Reg. No.
475--GLO

ACCEPTED
with COMMENTS
in EPA Letter Dated

EPA Est. No.
54487-GA-1

15 AUG 1995

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the product registered under EPA Reg. No.

475-359

BEST COPY AVAILABLE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, absorbed through skin or inhaled, causes moderate eye irritation. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapor or spray mist and contact with skin, eyes or clothing. In case of contact, flush with plenty of water. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not spray plants used for food or feed.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

LAWN FLEA AND TICK CONTROL:

To kill fleas and ticks harboring in lawns and backyards, use this concentrate in a hose-end sprayer. Place required amount of concentrate in sprayer jar (see chart below) and fill with water to the recommended level. Mix well. Attach to sprayer and spray as recommended. For best results, lawn should be mowed a day or two before spraying. Spray using a slow, even sweeping motion, being sure to cover the entire lawn surface where the pets will normally frequent. Spray under ornamentals and trees, but avoid soaking young or flowering plants. Repeat treatments may be necessary at 7 to 14 day intervals. Kills on contact the Ixodes dammini tick (deer tick), which transmits lyme disease. Also kills foraging fire ants upon direct contact. A registered fire ant mound treatment should also be used in conjunction with this product.

Keep pets and children out of the treated area until after the spray has dried. Do not spray animals. Dogs, cats, their kennel or bedding area should also be treated with a registered flea and tick control product in conjunction with this application.

BEST COPY AVAILABLE

545

HOSE END SPRAYER APPLICATION

Amount of Product to use Fluid Ounces*	Amount of Water to Use	Area to be Treated
1 1/3 fluid ounces	3 gallons	500 sq. ft. (50' x 10')
2 2/3 fluid ounces	6 gallons	1,000 sq. ft. (50' x 20')
5 1/3 fluid ounces	12 gallons	2,000 sq. ft. (50' x 40')

NOTE: 1 fluid ounce = 2 Tablespoons = 6 Teaspoons

OR OUTDOOR PESTS:

Mix concentrate in a compressed air sprayer or watering can at the rate of two (2) fluid ounces per one (1) gallon of water to control on contact ants, cockroaches (including German and Asian cockroaches), crickets, palmetto bugs, sowbugs, spiders, and ticks. Use at the rate of one (1) gallon (diluted spray) per 1,000 square feet to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Do not allow spray to contact ornamental plants or shrubs because of possible injury.

Building Perimeter Treatment: To help prevent infestations of buildings by ants, centipedes, crickets, sowbugs, and spiders, treat a 12-18 inch band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance. Use sixteen (16) fluid ounces of concentrate per gallon of water and apply as a coarse wet spray at the rate of one (1) gallon per 1,000 square feet.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL: This container may be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. (DO NOT PUNCTURE!) If recycling is not available, wrap the container and discard in the trash.

BEST COPY AVAILABLE