

USE PRECAUTIONS

Read all precautions and directions carefully before using.

DIRECTIONS FOR USE

Use only for the purposes for which this product is intended. Do not use in a tank with any other insecticide. Do not use in a tank with any other chemical. Do not use in a tank with any other material. Do not use in a tank with any other material. Do not use in a tank with any other material.

RECOMMENDATIONS

Use only for the purposes for which this product is intended. Do not use in a tank with any other insecticide. Do not use in a tank with any other chemical. Do not use in a tank with any other material. Do not use in a tank with any other material.

Maximum permissible rate per acre.

Rinse spray equipment and containers. Discharge liquid waste in pits or non-polluted areas. Do not discharge into water.

DEGRADABLE AND NON-TOXIC CONTAINERS. BRUSH & BLENDING.



LINDANE

AGRICULTURAL INSECTICIDE EMULSIFIABLE LIQUID 1.7-E

ACTIVE INGREDIENTS:

INERT INGREDIENTS:

WARNING

HARMFUL IF SWALLOWED OR INHALED

COMBUSTIBLE

Keep Out of Reach of Children

PROTECT FROM TEMPERATURES BELOW 32°F

GAL. NET

MADE IN U.S.A.

STAUFFER CHEMICAL COMPANY
NEW YORK, NY 10017

RECOMMENDATIONS

VEGETABLES

COLE CROPS

Apply to plants at the following stages of growth:

CUCURBITS

Apply to plants at the following stages of growth:

TOMATOES

Apply to plants at the following stages of growth:



LINDANE

AGRICULTURAL INSECTICIDE EMULSIFIABLE LIQUID

1.7-E

ACTIVE INGREDIENTS:

INERT INGREDIENTS

WARNING

HARMFUL IF SWALLOWED OR INHALED.

Must be used in accordance with the directions on the label. Do not use if the label is missing, torn, or faded. Do not use if the container is damaged or leaking. Do not use if the product is not clearly labeled with the name of the active ingredient and the trade name of the product.

COMBUSTIBLE

Keep Out of Reach
of Children

PROTECT FROM TEMPERATURES BELOW 32°F

GAL. NET

MADE IN U.S.A.

STAUFFER CHEMICAL COMPANY
NEW YORK, NY 10017

RECOMMENDATIONS — Before using read Use Precautions and Directions for Use

VEGETABLE CROPS

COLE CROPS (Broccoli, Brussels Sprouts, Cabbage, Cauliflower) Aphids, Thrips: 1-1.5 part per acre. Do not apply after heading or to plants starting to form heads (30 parts).

CUCURBITS (Cantaloupe, Pumpkin, Melon, Squash, Watermelon, Zucchini) Use 1 part per acre. Leaf Miners, Worms: 2 parts per acre. Do not apply within 1 day of harvest or to plants less than 10 days after application to melons. Do not use on cucumbers or zucchini.

TOMATOES (Greenhouse and Field) Aphids, Leaf Miners, Worms: 1 part per acre. Do not apply to plants less than 10 days after fruit starts to form.

FLY CONTROL

GENERAL EXTERIOR RESIDUAL SPRAY for barns, commercial buildings, and outbuildings. Use 1-2 gal. to each 100 gal. of water. Apply as a coarse spray; thoroughly wet walls, windows, screens, or other places where flies rest or congregate. Never apply so heavily that spray runs off surfaces. For best application when needed diminishes.

NOTICE: Stauffer Chemical Company makes no warranty, express or implied, including the warranties of merchantability and or fitness for any particular purpose, concerning this material, except those which are stated on Stauffer's label.

LOT NO.

