

METHYL PARATHION 2.5 DUST

AN AGRICULTURAL INSECTICIDE

50 LB. NET

ACTIVE INGREDIENT
 *O,O-Dimethyl (O-ethylthio) phosphorothioate
 INERT INGREDIENTS
 *Methyl Parathion

2.5%
 97.5%
 100.0%

USE PRECAUTIONS

To protect bees and other pollinators, use in early morning or late evening. In order that pesticidal residues on food and forage crops will not exceed tolerances established by the Federal Food and Drug Administration, use only at recommended rates and intervals, and do not apply closer to harvest than specified. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals or other adjoining food, fiber or pasture crops. The grower is responsible for residues on his crops, as well as for damages caused by drift from his property to that of others. Consult State Agricultural Experiment Stations or State Agricultural Extension Service for additional information, as the timing, number and rate of applications needed will vary with local conditions.

This product will kill fish and wildlife. Keep out of lakes, streams and ponds. Do not apply when weather conditions favor drift from areas treated.

DIRECTIONS FOR USE

Application should be made only by experienced persons using approved safety equipment by aircraft or ground equipment. Do not apply with hood equipment. Apply at first sign of infestation and repeat at regular intervals when needed to maintain control, but observe use limits given for specific crops.

RECOMMENDATIONS

ALFALFA, YETCH: Spotted Alfalfa Aphid, Armyworm, Leafhoppers, etc. Apply 50 lb. per acre. Do not apply within 20 days of harvest or grazing.

ALFALFA HAY: Alfalfa Weevil Larvae Apply 25 lb. per acre when buds and shears first appear or when larvae count first reaches 25 per square. Alfalfa Weevil apply 25 lb. per acre when 25% of the buds are showing damage. Do not apply within 15 days of harvest. Birds and other wildlife are attracted to treated areas. Do not feed.

BEETS, CARROTS, CELERY, PEAS, PEPERONCINI, ASPARAGUS, FENNEL, etc. Leafhoppers, etc. Apply 25 lb. per acre. Do not apply within 15 days of harvest. 21 days on carrots and beets if tops are to be used for feed.

BEANS (Green & April), Armyworms, Flea beetles, Leafhoppers, Mites Apply 25 lb. per acre. Do not apply within 21 days of harvest.

BEANS (Leaf Green), TOMATOES: Armyworms, Flea beetles, Leafhoppers, etc. Apply 25 lb. per acre. Do not apply within 15 days of harvest.

CABBAGE, BRASSICA, Cauliflower, Broccoli, Brussels Sprouts, etc. Armyworms, Flea beetles, Leafhoppers, Mites Apply 25 lb. per acre. Do not apply within 21 days of harvest.

COTTON: Armyworm, Bollworm, Cotton leafworm, Flea beetle, etc. Apply 25 lb. per acre. Do not apply within 15 days of harvest. Do not apply within 15 days of harvest. Do not apply within 15 days of harvest. Do not apply within 15 days of harvest.

CUCURBITACEAE: Armyworm, Flea beetle, etc. Apply 25 lb. per acre. Do not apply within 15 days of harvest.

EGGPLANT: Armyworm, Flea beetle, etc. Apply 25 lb. per acre. Do not apply within 15 days of harvest.

MALVACEAE: Armyworm, Flea beetle, etc. Apply 25 lb. per acre. Do not apply within 15 days of harvest.

PEPPER: Armyworm, Flea beetle, etc. Apply 25 lb. per acre. Do not apply within 15 days of harvest.

PODEAN: Armyworm, Flea beetle, etc. Apply 25 lb. per acre. Do not apply within 15 days of harvest.



POISON DANGER

Keep Out of Reach of Children

EXTREMELY POISONOUS
 RAPIDLY ABSORBED THROUGH SKIN AND EYES.
 DO NOT SWALLOW. SWALLOWED MATERIAL SHOULD BE INDUCED TO VOMIT. DO NOT INDUCE VOMITING IF CONTAMINATED WITH ACID.

Avoid contact with skin or eyes. Do not breathe dust. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for Methyl Parathion protection. Wear natural rubber gloves, coveralls, protective clothing and goggles.

Wash with soap and water after handling and before drinking, eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

Take bath or shower using plenty of soap and water after work. Keep children and other persons out of operational area. Do not allow children to enter treated area until one hour after spraying is completed.

POISON SYMPTOMS

METHYL PARATHION POISONING IS CHARACTERIZED BY HEADACHE, Dizziness, weakness, blurred vision, weakness, nausea, vomiting, diarrhea, sweating, salivation, convulsions, weakness, and in some cases, paralysis.

ALWAYS CALL A PHYSICIAN IN CASE OF POISONING OR ACCIDENTAL INGESTION.

FIRST AID TREATMENT: If you or anyone else is exposed to this material, immediately remove the person from the contaminated area. If inhaled, move to fresh air. If on skin, wash with soap and water.

IF SWALLOWED: Do not induce vomiting. Give small sips of water. If unconscious, do not give anything by mouth. Call a physician immediately.

INHALATION: Remove to fresh air. Give artificial respiration if necessary.

SKIN: Wash with soap and water. Remove contaminated clothing. Wash with soap and water.

EYES: Flush with water for at least 15 minutes. Call a physician.

INFORMATION FOR PHYSICIAN: Methyl Parathion is a phosphorothioate. It is rapidly absorbed through the skin and mucous membranes. When ingested, it is rapidly absorbed from the gastrointestinal tract. It is metabolized in the liver to dimethyl phosphorothioic acid and other products. The half-life of the parent compound is approximately 10-12 hours. The parent compound is excreted in the urine and feces. The parent compound is not very stable in solution and the parent is indicated for at least 12-24 hours.

NOTICE: Stauffer Chemical Company makes no warranty, express or implied, including the warranties of merchantability and usefulness in any particular purpose concerning this material, except those which have contained on Stauffer's label.

READ LABEL BEFORE USING - DESTROY EMPTY CONTAINER
FORMULATED FOR 1968 SEASON