

PM- 21
476-1286 P. 1/5
CAPTAN-SULFUR 10-50 DUST
An Agricultural Fungicide

ACTIVE INGREDIENTS:

*Captan	9.7%
Related Derivatives	0.2%
Sulfur	50.0%

INERT INGREDIENTS: 40.1%
100.0%

*N-trichloromethylthio-4-cyclohexene-1,2-dicarboximide

KEEP OUT OF REACH OF CHILDREN

PELIGRO

ACCEPTED
Pier Self Cert
SEP 16 1987
D. A. N. G. E. R.
476-1286

PRECAUCION AL USUARIO:
SI USTED NO LEE INGLES,
NO USE ESTE PRODUCTO HASTA
QUE LA ETIQUETA LE HAYA
SIDO EXPLICADA AMPLIAMENTE

CAUSES IRREVERSIBLE EYE DAMAGE

STATEMENT OF PRACTICAL TREATMENT

Immediately start the procedures given below and CONTACT A POISON CENTER, A PHYSICIAN OR THE NEAREST HOSPITAL. Describe the type and extent of exposure, the victim's symptoms, and follow the advice given.

If in eyes: Flush with plenty of water. Call a physician.

If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol.

If inhaled: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

If on skin: Wash with plenty of soap and water. Get medical attention if abnormal reaction occurs.

FOR ADDITIONAL MEDICAL OR TOXICOLOGICAL INFORMATION, CALL COLLECT, DAY OR NIGHT, STAUFFER EMERGENCY MEDICAL ASSISTANCE (203) 226-6602, OR CHEMTREC (800) 424-9300.

READ ALL LABEL DIRECTIONS BEFORE USING

This product is sold only for uses stated on its label. No express or implied license is granted to use or sell this product under any patent in any country except as specified: Country: United States of America.

_____ Lb. Net _____ Kg.

EPA Reg. No. 476-1286
EPA Est. No. 476-CA-1

RS-870910

Made in U.S.A. by
STAUFFER CHEMICAL COMPANY
Westport, CT. 06881-0854

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS****DANGER**

Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Avoid inhalation of dust. Remove and separately launder clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

OBSERVE THE FOLLOWING PRECAUTIONS; USE ONLY ON CROPS RECOMMENDED

Sulfur will cause severe fruit and leaf injury to sulfur-sensitive crops. Do not apply to apricots, Anjou and Comice pears, cranberries, cucurbits (cucumbers, cantaloupes, melons, squash), walnuts or to other sensitive plants. Do not use sulfur on any crop unless local use has proved safe. Sulfur may burn foliage and fruit during periods of high temperature and under certain other climatic conditions. Do not apply sulfur to sensitive crops when shade temperatures exceed or are likely to exceed 90°F.

In order that pesticide residues on food and forage crops will not exceed Federal tolerances, use only at recommended rates and intervals, and do not apply closer to harvest than specified. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals or onto adjoining food, fiber or pasture crops. The grower is responsible for residues on his crops as well as for damages caused by drift from his property to that of others. Consult State Agricultural Experiment Stations or the State Agricultural Extension Service, as the timing of applications needed will vary with local conditions.

Unless otherwise specified, apply at first sign of infestation and infection by ground equipment or aircraft. Unless otherwise stated repeat at 5 to 10 day intervals as needed to maintain control.

USE PRECAUTIONS

Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse.

A dust mask must be worn when mixing and loading this product.

Mixers/loaders when mixing and loading this product must wear a long sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and a chemically resistant apron.

Fieldworkers and harvesters must wear chemical resistant gloves. Leather or fabric gloves are not acceptable.

During application only, from a tractor with a completely enclosed cab or from an aircraft with an enclosed cockpit, a long sleeved shirt and long legged pants must be worn. Chemically resistant gloves must be available in the cab or cockpit and worn while exiting.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

REENTRY

- . Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.
- . Do not allow persons to enter treated areas within 4 days following application unless a long-sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet and chemically resistant gloves are worn. Conspicuously post reentry information at site of application.
- . Certain states may require more restrictive reentry intervals for various crops treated with this product. Consult your State Department of Agriculture for further information.
- . Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers.

RECOMMENDATIONS

GRAPES: Botrytis (Bunch rot), powdery mildew and silver mite -- Apply 40 to 50 lb. per acre. Begin application while clusters are still loose and make four dustings at 3-4 week intervals or as needed prior to rainfall.

GRAPES: Storage rot -- Apply with ground duster using 25 to 30 lb. per acre driving every row. Direct dust into bunches. Consult State Agricultural Experiment Stations or the State Agricultural Extension Service for additional information, as the timing of applications needed will vary with local conditions.

PEACHES: Brown rot, mildew, peach silver mite, rust -- Begin treatment when fruit begins to color. Repeat application at 5-7 day intervals as needed to maintain control. Apply 50 lbs. per acre up to day of harvest; 60 lbs. per acre can be applied up to 1 day of harvest.

STRAWBERRIES: Botrytis, powdery mildew -- Apply 38 lb. per acre when new growth starts in the spring before fruit forms. Repeat dustings at weekly intervals.

TOMATOES: Anthra . . . , russet mite, septoria leaf spot, early and late blight -- Apply 25 to 35 lb. per acre on young plants and 40 to 50 lb. per acre on mature plants.

STORAGE AND DISPOSAL**PROHIBITIONS:**

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Do not reuse empty container.

STORAGE: Keep pesticide in original container. Protect from excessive heat. Store in a cool, dry place.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Do not reuse container. Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE - READ CAREFULLY

CONDITIONS OF SALE: Stauffer (and seller) offer(s) this product for sale subject to, and buyer and all users are deemed to have accepted, the following conditions of sale and warranty which may only be varied by written agreement of a duly authorized representative of Stauffer.

WARRANTY LIMITATION: Stauffer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use on the label, subject to the inherent risks referred to below. Stauffer makes no other express warranties; THERE IS NO IMPLIED WARRANTY OF MERCHANTABILITY and there are no warranties which extend beyond the description on the label hereof.

INHERENT RISKS: The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks associated with use. Buyer assumes all risks associated with use or application of this product contrary to label instructions or resulting from extraordinary weather conditions.

LIMITATION OF LIABILITY: In no case shall Stauffer (and/or Seller) be liable for special, indirect, or consequential damages resulting from the use or handling of this product and no claim of any kind shall be greater in amount than the purchase price of the product in respect of which such damages are claimed.