



CAPTAN-METHOXYCHLOR 75-2 SEED PROTECTANT

SLURRY APPLICATION FOR SEED DISEASE AND INSECT CONTROL

DYE ADDED

CAPTAN-METHOXYCHLOR 75-2 SEED PROTECTANT is a special wettable powder formulation for the slurry treatment of seeds, prior to planting, for protection against certain fungus diseases and insects.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SLURRY SEED TREATMENT: Pre-mix the recommended amount of this material with a little water in a bucket and make a thin paste. Stir this paste into the required amount of water for the slurry equipment to be used.

NOTE: Seed treated by the slurry method should not be bagged until such time as the seed has had an opportunity to dry. Store in well ventilated areas. If seed is bagged when wet, heat is developed and impairs seed germination.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide spray mixture or residue that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: Dispose of empty containers in a way approved for pesticide containers or by a safe procedure.

GENERAL: Consult federal, state or local officials for approved alternative procedures such as incineration, etc.

NOTICE - READ CAREFULLY

CONDITIONS OF SALE: Stauffer and its agents offer this product for sale subject to the following conditions. Stauffer does not accept liability for the following conditions. This product is sold as a fungicide and insecticide only as varied by written agreement. The product is sold as a fungicide and insecticide only as varied by written agreement. The product is sold as a fungicide and insecticide only as varied by written agreement.

WARRANTY LIMITATION: Stauffer warrants that this product conforms to the chemical description on the label and is suitable for the purposes referred to thereon. This warranty is given subject to the inherent risks referred to in the label. Stauffer does not make any other express warranty. **THIS IS NOT A WARRANTY OF MERCHANTABILITY.** The product is sold as a fungicide and insecticide only as varied by written agreement.

INHERENT RISKS: The use of this product may be hazardous to humans, animals, and the environment. It may be necessary to wear protective clothing and equipment. It may be necessary to avoid contact with the product. It may be necessary to avoid contact with the product.

LIMITATION OF LIABILITY: Stauffer and its agents shall not be liable for any damages, including consequential damages, arising out of the use of this product, even if such damages were foreseeable.

ACTIVE INGREDIENTS:

Captan, 75% (trichloromethylthio-4-cyclohexene 1,2-dicarboximide) 70.92%
Related derivatives 4.08%
Methoxychlor 2.00%

INERT INGREDIENTS:

100.00%
Equivalent to 176.00 lbs. dimethoxyphenyl 1,1,1-trichloroethane and 2.4-dichlorobenzene and related compounds.

Keep Out of Reach of Children

CAUTION

Harmful if swallowed, inhaled, or absorbed through skin.
Avoid inhaling dust - wear respirator
Avoid contact with skin
Wash with soap and water after handling
Do not contaminate feed or food

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (& Domestic Animals) CAUTION

Read All Directions Before Using and Use Only as Specified on This Label

ENVIRONMENTAL HAZARD:

Toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.
Dispose of excess treated seed by burning with wastes.

IMPORTANT: Treated seed must not be used for human consumption nor as animal feed. Do not use treated seed for animal feed.

TREATED SEED

DO NOT USE FOR FEED, FOOD OR OIL PURPOSES

The Federal Government and some State Governments regulate the application of this product. Labels are to be affixed to bags containing treated seed.

RECOMMENDATIONS

For control of many seed rots, seedling rots, root rots, fungi, kernel smut of sorghum, and for protection of stored seed against Cadelle, Confused Flour Beetle, Flat Grain Beetle, Granary Weevil, Lesser Grain Borer, Red Flour Beetle, Rice Weevil, and Saw Toothed Beetle.

AMOUNT OF CAPTAN-METHOXYCHLOR 75-2 TO USE ON SEEDS

| SEED | SLURRY |
|---|-------------------|
| Alfalfa, Clover, Lespedeza, Trefoil | 5 1/2 oz. 100 lb. |
| Barley, Oats, Wheat | 2 3/4 oz. bu. |
| Beans (dry snap, lima), Cowpeas, Peas | 1 oz. bu. |
| Beets (garden) | 8 oz. 100 lb. |
| Cantaloupe, Cucumber | 2 oz. 100 lb. |
| Cole crops (broccoli, Brussels sprouts, cabbage, cauliflower) | 1 oz. 100 lb. |
| Corn - Field | 2 3/4 oz. bu. |
| Sweet | 2 1/2 oz. 100 lb. |
| Waxy | 2 oz. 100 lb. |
| Waxy | 3 oz. 100 lb. |
| Waxy | 1 oz. 100 lb. |
| Waxy | 1 1/2 oz. bu. |
| Waxy | 5 1/2 oz. 100 lb. |
| Waxy | 1 1/2 oz. 100 lb. |
| Waxy | 1 1/2 oz. bu. |
| Waxy | 1 oz. bu. |
| Waxy | 4 oz. 100 lb. |
| Waxy | 1 oz. 100 lb. |
| Waxy | 8 oz. 100 lb. |
| Waxy | 8 oz. 100 lb. |

Further specific information on this subject may be obtained from State and Federal Experiment Stations or the State Agricultural Extension Service.

For more information on this product, contact Stauffer Chemical Company, Westport, CT 06894.

REG. U.S. PAT. & TM. OFF. EPA REG. NO. 47-1681
25 LB. NET

PROTECT FROM EXCESSIVE HEAT • STORE IN A COOL DRY PLACE

STAUFFER CHEMICAL COMPANY

WESTPORT, CT