

PARATHION-SULFUR 1.5-75 DUST

PEACH DUST

50 LB NET

ACTIVE INGREDIENTS

Parathion (O, O-diethyl O-p-nitrophenyl phosphorothioate) 75%
Sulfur 1.5%

INERT INGREDIENTS: 22.5%

OBSERVE THE FOLLOWING USE PRECAUTIONS

In order that pesticidal residues on food and forage crops will not exceed tolerances established by the Federal Food and Drug Administration, use only at recommended rates and intervals and do not apply closer to harvest than specified. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals or onto adjoining food, fiber or pasture crops. The grower is responsible for residues on his crops as well as for damages caused by drift from his property to that of others.

Toxic to fish and wildlife. Do not contaminate any body of water or apply to any area not specified on the label.

To protect bees, do not apply when crops are in bloom. Remove or cover hives if application is necessary during bloom.

Sulfur will cause severe fruit and leaf injury to sulfur-sensitive crops. Do not apply to apricots, Anjou and comice pears, cranberries, cucurbits (cucumber, cantaloupes, melons, squash), walnuts or to other sensitive plants.

Sulfur may burn foliage and fruit during periods of high temperature and under certain other climatic conditions. Do not apply sulfur to sensitive crops when shade temperatures exceed or are likely to exceed 90°F.

Consult State Agricultural Experiment Stations or State Agricultural Extension Service for additional information, as the timing, number and rate of applications needed will vary with local conditions.


DIRECTIONS FOR USE

Application should be made only by trained personnel using approved protective equipment. Apply the specified amounts of this product uniformly to the foliage when air is calm, using ground equipment or aircraft. Do not apply with hand equipment. Apply at the first sign of infestation and infection and repeat at 5 to 10 day intervals, depending on severity of disease and insect conditions.

For the control of diseases persisting after the prescribed time limits have expired, an effective fungicide should be used alone in such a manner which will not leave residues in excess of established tolerances.

RECOMMENDATIONS

PEACHES: Aphids, Carfacing Insects, Mites, Scale and Brown Rot. Use 20 to 40 lb. per acre, beginning in shuck-split and repeating at 5 to 7 day intervals as needed. **AREAS OTHER THAN CALIFORNIA:** Do not apply within 14 days of harvest. Do not apply more than 5 lbs. actual parathion per acre per year. **CALIFORNIA:** Do not apply within 21 days of harvest. Do not apply more than once after bloom. Do not apply more than 5 lbs. actual parathion per acre between January 1 and harvest.



Always wear protective clothing when handling this product. Wash with soap and water after handling and before drinking, eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Take bath or shower using plenty of soap and water after work. Keep all unprotected persons out of operational area or vicinity where there may be danger of drift until one hour after spraying is completed.

POISON SYMPTOMS

PARATHION is a highly toxic cholinesterase inhibitor. Symptoms include: Headache, blurred vision, weakness, nausea, discomfort in chest, vomiting, abdominal cramps, diarrhea, salivation, sweating and pin point pupils.

ALWAYS CALL A PHYSICIAN IN CASES OF SUSPECTED POISONING

ATROPINE IS ANTIDOTAL

FIRST AID TREATMENT: If victim has stopped breathing, immediately remove from contaminated area, then start artificial respiration, preferably by mechanical means.

IF SWALLOWED, and victim is conscious, induce vomiting immediately. Give tablespoon of salt in glass of warm water. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet.

INHALATION: Remove patient from contaminated area.

SKIN: In case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water, avoid abrasion. When skin appears clear, bathe or swab with ethyl alcohol (for water-soluble compounds only).

EYES: In case of contact, flush immediately with water for at least 15 minutes.

INFORMATION FOR PHYSICIAN: Initial measures include removal of secretions, maintenance of a patent airway and, if necessary, artificial respiration. When cyanosis has been relieved, atropine may be administered in large therapeutic doses repeated as necessary to the point where all respiratory symptoms warrant further treatment. Protopin chloride (Pralidoxime chloride, PROTOPIN) has shown utility as adjunctive therapy. Never use morphine. Continued atropine administration may occur and fatal relapses have been reported after initial improvement. Very close supervision of the patient is indicated for at least 48-72 hours.

NOTICE: Stauffer Chemical Company makes no warranty, express or implied, including the warranties of merchantability and/or fitness for any particular purpose, concerning this material, except those which are contained on Stauffer's label.

USDA Reg. No. 476-1334

MADE IN U.S.A.
Stauffer Chemical Co., New York

W.W.F. 680193 SW

BEFORE USING STUDY SAFETY DIRECTIONS -- DESTROY EMPTY CONTAINER -- BURY OR BURN -- STAY OUT OF SMOKE AND FUMES