

August 1st, 1969

ACCEPTED

John C. Smith

John C. Smith

John C. Smith

Formulation  
100% Oxyfluorfen + 10% Ammonium Nitrate  
Oxyfluorfen ..... 40.0  
Ammonium Nitrate ..... 40.0  
Water ..... 20.0  
Total ..... 100.0

Method of Application: Dissolve 1/2 pint of oxyfluorfen, ammonium nitrate, and water in sufficient water for thorough coverage. Apply 1/2 pint per acre for the control of the meadow spittlebug. Do not apply more than one application per cutting. Do not graze or cut hay within 10 days after application.

Method of Application: Dissolve 1/2 pint of oxyfluorfen, ammonium nitrate, and water in sufficient water for thorough coverage. Apply 1/2 pint plus 1 to 2 gallons of water per acre for the control of the meadow spittlebug. Do not apply more than one application per cutting. Do not graze or cut hay within 10 days after application.

Method of Application: Dissolve 1/2 pint of oxyfluorfen, ammonium nitrate, and water in sufficient water for thorough coverage. Apply 1/2 pint per acre for the control of the meadow spittlebug. Do not apply more than one application per cutting. Do not graze or cut hay within 7 days after application.

Method of Application: Dissolve 1/2 pint of oxyfluorfen, ammonium nitrate, and water in sufficient water for thorough coverage. Apply 1/2 pint per acre for the control of the meadow spittlebug. Do not apply more than one application per cutting. Do not graze or cut hay within 10 days after application.

Method of Application: Dissolve 1/2 pint of oxyfluorfen, ammonium nitrate, and water in sufficient water for thorough coverage. Apply 1/2 pint per acre for the control of the meadow spittlebug. Do not apply more than one application per cutting. Do not graze or cut hay within 10 days after application.

Method of Application: Dissolve 1/2 pint of oxyfluorfen, ammonium nitrate, and water in sufficient water for thorough coverage. Apply 1/2 pint per acre for the control of the meadow spittlebug. Do not apply more than one application per cutting. Do not graze or cut hay within 10 days after application.

Method of Application: Dissolve 1/2 pint of oxyfluorfen, ammonium nitrate, and water in sufficient water for thorough coverage. Apply 1/2 pint per acre for the control of the meadow spittlebug. Do not apply more than one application per cutting. Do not graze or cut hay within 10 days after application.

Method of Application: Dissolve 1/2 pint of oxyfluorfen, ammonium nitrate, and water in sufficient water for thorough coverage. Apply 1/2 pint per acre for the control of the meadow spittlebug. Do not apply more than one application per cutting. Do not graze or cut hay within 10 days after application.

TRITRION 4-E  
476-1376  
(Cont'd)

2000)

for 1000 ml. days after application.

-----