



DANGER - POISON - PRECAUTIONS ☠




POISONOUS IF SWALLOWED

Even in small amounts!



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothes (liquid goes through clothes).



POISONOUS IF BREATHED

Poisonous if vapor or mists from sprays are breathed. Vapors are not visible. Never work with parathion or in parathion treated areas without protective clothing and equipment.

POISONOUS TO FISH & WILDLIFE: Toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

UNDER THE FEDERAL INSECTICIDE AND RODENTICIDE ACT
 FOR ENVIRONMENTAL PROTECTION
 REGISTERED UNDER NO. 476-1430

Comments
POISON

See Side Panels for Antidote & Precautions

STOP - READ THE LABEL



DANGER

Keep Out of Reach of Children

WORK
 USE ONI
 TECTIVE
 proof pan
 (2) Wear
 proved by
 tion. (4) V

Keep unp
 ed area oi

Do not ru
 Before rer
 If you feel
 away. Tel
 physicia

ALWAYS
 ter be fore

AFTER W
 Shower,
 when lea
 clothing.

All protec
 with soap
 be clean
 included w

☠ **PO**

Parathion i
 the body c
 by contact
 shows any
 imm. date

Signs and
 sea, vomiti
 tightness of
 ness, sweat
 of mouth at

POSTING TI
 agencies fo

PARATHION 8-F

EMULSIFIABLE LIQUID

ORGANOPHOSPHORUS INSECTICIDE

NOT FOR HOME USE

Active Ingredient — Parathion:
 O,O-diethyl O-p-nitrophenyl phospho-
 thioate 79.77%
 Inert Ingredients 20.23%
 Contains 8 lb. Parathion/Gal.

See side panels for poison precautions, symptoms, first aid treatment, information for physician and posting treated areas.

NOTE: Stauffer Chemical Company makes no warranties, express or implied, including the warranties of merchantability and/or fitness for any particular purpose concerning this material, except those which are contained on Stauffer's label. A/R 710401

Read Label Folder for additional use precautions, directions for use, recommendations and container disposal. USDA Reg. No. 476-1430

Made in USA By



STAUFFER CHEMICAL COMPANY
 NEW YORK, NY 10017

____ GAL. NET

ACCEPTED WITH COMMENTS

RECEIPT

Aug 10 1971

UNDER THE FEDERAL INSECTICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTRATION NUMBER NO. 476-1430

Comments

POISON

See Side Panels for Antidote & Precautions

STOP — READ THE LABEL



DANGER

Keep Out of Reach of Children

PARATHION 8-F

EMULSIFIABLE LIQUID

ORGANOPHOSPHORUS INSECTICIDE

NOT FOR HOME USE

Active Ingredient — Parathion:

O,O-diethyl O-p-nitrophenyl phosphorothioate	79.77%
Inert Ingredients	20.23%
Contains 8 lb. Parathion/Gal.	

See side panels for poison precautions, symptoms, first aid treatment, information for physician and posting treated areas.

NOTICE: Stauffer Chemical Company makes no warranties, express or implied, including the warranties of merchantability and/or fitness for any particular purpose concerning this material, except those which are contained on Stauffer's label. AIC 710401

Read Label Folder for additional use precautions, directions for use, recommendations and container disposal. USDA Reg. No. 476-1430

Made in USA By



STAUFFER CHEMICAL COMPANY

NEW YORK, NY 10017 _____ GAL. NET

WORK SAFETY RULES

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT: (1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection. (4) Wear heavy duty natural rubber gloves.

Keep unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. Do not smoke. Before removing gloves, wash them with soap and water. If you feel sick in any way STOP work and get help right away. Tell foreman or have someone call him. Call a physician clinic or hospital immediately.

ALWAYS wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. **DO NOT** wear contaminated work clothing.

All protective clothing and equipment should be washed with soap and water after each use. Respirators should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces, eyes and by contact with skin through wet clothes. Worker who shows any of the following poisoning signs must receive immediate medical treatment or he may die.

Signs and Symptoms of Poisoning Are: Headache, nausea, vomiting, cramps, blurred vision, pin-point pupils, tightness of chest, labored breathing, weakness, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

POSTING TREATED AREA: Consult state regulatory agencies for posting regulations and requirements.

FIRST AID TREATMENT

Speed is essential to stop absorption of poison. If possible, one person should make telephone calls while another begins treatment.

Call a physician, clinic or hospital immediately in all cases of suspected poisoning. Explain victim exposed to parathion; describe his condition. **Until medical help is available take following steps.**

IF BREATHING HAS STOPPED, start artificial respiration immediately and continue until physician sees victim.

IF SWALLOWED and victim is awake (conscious) make him vomit quickly. First, give soapy water or strong salty water to drink then stroke back of throat with finger to make victim vomit. Repeat by giving more water and make vomit again until vomit fluid is clear. **Never give anything by mouth to an unconscious person.** Have victim lie down and keep quiet.

IN CASE OF SKIN CONTACT, immediately remove wet clothing and shoes and flush skin with water for at least 15 minutes.

EYE CONTACT: If splashed in eyes, immediately flush eyes with water for at least 15 minutes.


After first aid is given and physician can not come take victim to clinic or Hospital. Bring "Label Folder." Give to physician.

NOTE TO PHYSICIAN

ANTIDOTE—Administer **atropine sulfate** in large doses, 2.0 to 4.0 mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. **2-PAM chloride** is also antidotal and may be administered in conjunction with atropine. **Do not give morphine or tranquilizers.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous system, producing cardiac and respiratory depression.

At first signs of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. Very close supervision is indicated for at least 48 to 72 hours.

DANGER — POISON — PRECAUTIONS ☠



POISONOUS IF SWALLOWED

Even in small amounts!



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothes (liquid goes through clothes).



POISONOUS IF BREATHED

Poisonous if vapor or mists from sprays are breathed. Vapors are not visible. Never work with parathion or in parathion treated areas without protective clothing and equipment.

POISONOUS TO FISH & WILDLIFE: Toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where run-off is likely to occur.

STOP — READ THE LABEL

POISON
See Side Panels
for Antidote &
Precautions



DANGER
Keep Out of
Reach of
Children

PARATHION 8-F EMULSIFIABLE LIQUID

ORGANOPHOSPHORUS INSECTICIDE

Active Ingredient — Parathion:
O,O-diethyl O-p-nitrophenyl phosphorothioate 79.77%
Inert Ingredients 20.23%
Contains 8 lb. Parathion Gal.

Read Label Folder for additional use precautions, directions for use, recommendations and container disposal. USDA Reg. No. 476-1430

NOT FOR HOME USE

See side panels for poison precautions, symptoms, first aid treatment, information for physician and posting treated areas.

NOTICE: Stauffer Chemical Company makes no warranties, express or implied, including the warranties of merchantability and/or fitness for any particular purpose concerning this material, except those which are contained on Stauffer's label. ARC 710401

Made in USA By



STAUFFER CHEMICAL COMPANY
NEW YORK, NY 10017

____ GAL. NET

WORK SA
USE ONLY WH
TECTIVE CLOT
proof par. coa
(2) Wear safety
proved by the U
tion. (4) Wear h

Keep unprotecte
ed area or when

Do not rub eye
Before removing
if you feel sick
away. Tell fore
physician, clinic

ALWAYS wash
ter before smok

AFTER WORK,
Shower, using
when leaving
clothing.

All protective c
with soap and
be cleaned and
included with re

☠ **POISON**

Parathion is a
the body on c
by contact with
shows any of th
immediate med

Signs and Sym
sea, vomiting,
tightness of che
ness sweating
of m h and n

PCS ING TREA
agencies for po

STOP — READ THE LABEL



POISON
See Side Panels
for Antidote &
Precautions

DANGER
Keep Out of
Reach of
Children

PARATHION 8-F EMULSIFIABLE LIQUID

ORGANOPHOSPHORUS INSECTICIDE

Active Ingredient — Parathion:
O,O-diethyl O-p-nitrophenyl phospho-
thioate 79.77%
Inert Ingredients 20.23%
Contains 8 lb. Parathion Gal.

Read Label Folder for additional use precautions,
directions for use, recommendations and container
disposal. USDA Reg. No. 476-1430

NOT FOR HOME USE

See side panels for poison precautions, symptoms,
first aid treatment, information for physician and
posting treated areas.

*NOTICE: Stauffer Chemical Company makes no war-
ranties, express or implied, including the warranties
of merchantability and/or fitness for any particular
purpose concerning this material, except those which
are contained on Stauffer's label. ARC 710401*

Made in USA By



STAUFFER CHEMICAL COMPANY
NEW YORK, NY 10017 _____ GAL. NET

WORK SAFETY RULES

**USE ONLY WHEN WEARING THE FOLLOWING PRO-
TECTIVE CLOTHING AND EQUIPMENT:** (1) Wear water-
proof pants, coat, hat, rubber boots or rubber overshoes.
(2) Wear safety goggles. (3) Wear mask or respirator ap-
proved by the U. S. Bureau of Mines for parathion protec-
tion. (4) Wear heavy duty natural rubber gloves.

Keep unprotected persons and children away from treat-
ed area or where there is danger of drift.

Do not rub eyes or mouth with hands. Do not smoke.
Before removing gloves, wash them with soap and water.
If you feel sick in any way STOP work and get help right
away. Tell foreman or have someone call him. Call a
physician, clinic or hospital immediately.

ALWAYS wash hands, face and arms with soap and wa-
ter before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes.
Shower, using soap and water. Wear only clean clothes
when leaving job. **DO NOT** wear contaminated work
clothing.

All protective clothing and equipment should be washed
with soap and water after each use. Respirators should
be cleaned and filter replaced according to instructions
included with respirator.



POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters
the body on contact with all skin surfaces, eyes and
by contact with skin through wet clothes. Worker who
shows any of the following poisoning signs must receive
immediate medical treatment or he may die.

Signs and Symptoms of Poisoning Are: Headache, nau-
sea, vomiting, cramps, blurred vision, pin-point pupils,
tightness of chest, labored breathing, weakness, nervous-
ness, sweating, watering of eyes, drooling or frothing
of mouth and nose, muscle spasms and coma.

POSTING TREATED AREA: Consult state regulatory
agencies for posting regulations and requirements.

FIRST AID TREATMENT

*Speed is essential to stop absorption of poison.
If possible, one person should make telephone
calls while another begins treatment.*

Call a physician, clinic or hospital immediately in all
cases of suspected poisoning. Explain victim exposed
to parathion; describe his condition. **Until medical help
is available take following steps.**

IF BREATHING HAS STOPPED, start artificial respiration
immediately and continue until physician sees victim.

IF SWALLOWED and victim is awake (conscious) make
him vomit quickly. First, give soapy water or strong
sal/v water to drink then stroke back of throat with
finger to make victim vomit. Repeat by giving more water
and make vomit again until vomit fluid is clear. **Never
give anything by mouth to an unconscious person.** Have
victim lie down and keep quiet.

IN CASE OF SKIN CONTACT, immediately remove wet
clothing and shoes and flush skin with water for at least
15 minutes.

EYE CONTACT: If splashed in eyes, immediately flush
eyes with water for at least 15 minutes.

*After first aid is given and physician can
not come take victim to clinic or Hospital.
Bring "Label Folder." Give to physician.*

NOTE TO PHYSICIAN

ANTIDOTE—Administer **atropine sulfate** in large doses,
2.0 to 4.0 mg. intravenously or intramuscularly as soon
as cyanosis is overcome. Repeat at 5 to 10 minute inter-
vals until signs of atropinization appear. **2-PAM chloride**
is also antidotal and may be administered in conjunction
with atropine. **Do not give morphine or tranquilizers.**

Parathion is a strong cholinesterase inhibitor affecting
the central and peripheral nervous system, producing
cardiac and respiratory depression.

At first signs of pulmonary edema, the patient should be
given supplemental oxygen and treated symptomatically.
Continued absorption of the poison may occur and fatal
relapses have been reported after initial improvement.
Very close supervision is indicated for at least 48 to
72 hours.

