with Comments

OBSERVE THE FOLLOWING USE PRECAUTIONS

Read and follow all precautions and directions given on this label as well as those given on the Captan seed protectant label affixed to the outer container.

DO NOT RE-USE BOTTLE.

DESTROY BY CRUSHING AND BURYING WITH WASTES.

RECOMMENDATIONS

This bottle of CYTHION 8 F is included inside this drum which contains one of the following Stauffer registered products: Captan 75, Captan 80, Captan-Methoxychlor 65-10, Captan-Methoxychlor 70-5, Captan-Methoxychlor 75-2 or Captan-Methoxychlor 75 5 seed protectants. It is to be combined with the Captan Seed Protectant in the slurry treatment of seeds that will be stored after treatment until planting. When combined with a Captan Seed Protectant, CYTHION 8-F protects the treated seed against the following stored grain insects: Confused Flour Beetle, Flat Grain Beetle, Granary Weevil, Indian Meal Moth, Lesser Grain Borer, Red Flour Beetle, Rice Weevil, Rusty Grain Beetle, Saw-Toothed Beetle.

Stauffer CHEMICALS

CYTHION® 8-F

8 OZ NET

CONTAINS CYTHION

For use in combination with Captan [illegible] for protection of treated seed against [illegible] stored grain pests [illegible] planting

ACTIVE INGREDIENTS

INERT INGREDIENTS

Contains [illegible]

CAUTION **Keep Out of Reach of Children**

HARMFUL IF SWALLOWED OR INHALED. [illegible] Avoid contact with skin. Wash [illegible] Wash contaminated clothing [illegible]

NOTE TO PHYSICIAN: Mild [illegible] Atropine Sulfate [illegible] Pralidoxime Chloride (2-PAM) [illegible] Therapy.

Minimum [illegible] Temperature [illegible]

Manufactured By
STAUFFER CHEMICAL COMPANY
WESTPORT, CT. 06880

DIRECTIONS FOR USE

Pre-Mix the recommended amount of the Captan Seed Protectant with sufficient water to make a thin paste. The amount of the Captan Seed Protectant necessary for specific seeds is given in the Recommendations section of the label affixed to the outer container. Combine CYTHION 8-F to the paste at the rate of 3 fl oz ounces for every 100 pounds of the Captan seed protectant. Stir the paste into the required amount of water for the slurry equipment to be used.

"NOTICE: Stauffer Chemical Company makes no warranty, express or implied, including the warranties of merchantability and/or fitness for any particular purpose, concerning this material, except those which are contained on Stauffer's label."

EPA Reg. No. 476-168.

7 1104 25
0-72042 73

ACCE

with Comments

OBSERVE THE FOLLOWING USE PRECAUTIONS

Read and follow all precautions and directions given on this label as well as those given on the Captan seed protectant label affixed to the outer container.

DO NOT RE-USE BOTTLE.

DESTROY BY CRUSHING AND BURYING WITH WASTES.

RECOMMENDATIONS

This bottle of CYTHION 8-F is included inside this drum which contains one of the following Stauffer registered products: Captan 75, Captan 80, Captan-Methoxychlor 65-10, Captan-Methoxychlor 70-5, Captan-Methoxychlor 75-2 or Captan-Methoxychlor 75-5 seed protectants. It is to be combined with the Captan Seed Protectant in the slurry treatment of seeds that will be stored after treatment until planting. When combined with a Captan Seed Protectant, CYTHION 8-F protects the treated seed against the following stored grain insects: Confused Flour Beetle, Flat Grain Beetle, Granary Weevil, Indian Meal Moth, Lesser Grain Borer, Red Flour Beetle, Rice Weevil, Rusty Grain Beetle, Saw-Toothed Beetle.

Stauffer CHEMICALS

8 OZ NET

CYTHION® 8-F

CONTAINS CYTHION

For use in combination with specified Captan seed protectants for protection of treated seed against certain storage pests prior to planting

ACTIVE INGREDIENTS

INERT INGREDIENTS

Contains 1 Pound Premium Grade Malathion Per Pint

CAUTION **Keep Out of Reach of Children**

HARMFUL IF SWALLOWED OR INHALED Avoid breathing vapor or spray mist. Avoid contact with skin. Wash thoroughly after handling. Wash contaminated clothing before re-use. Do not contaminate food or feed.

NOTE TO PHYSICIANS Malathion may cause cholinesterase inhibition. Atropine is antidotal. If symptoms warrant further treatment Protopam Chloride (Pralidoxine Chloride) 2 PAM Chloride has shown utility as adjunctive therapy.

Minimum Storage Temperature 30 F

Made in U.S.A. By

STAUFFER CHEMICAL COMPANY

WESTPORT, CT. 06880

DIRECTIONS FOR USE

Pre-Mix the recommended amount of the Captan Seed Protectant with sufficient water to make a thin paste. (The amount of the Captan Seed Protectant necessary for specific seeds is given under the "Recommendations" section of the label affixed to the outer container.) Combine CYTHION 8-F into the paste at the rate of 3 1/5 ounces for every 10 pounds of the Captan Seed Protectant. Stir this paste into the required amount of water for the slurry equipment to be used.

"NOTICE: Stauffer Chemical Company makes no warranty, express or implied, including the warranties of merchantability and/or fitness for any particular purpose, concerning this material, except those which are contained on Stauffer's label."

711104-23

EPA Reg. No. 476-1687 (O-720421-23)