
(STAUFFER SHIELD)

KELTHANE*-SULFUR 4-50 DUST AGRICULTURAL MITICIDE



ACTIVE INGREDIENTS:		4	7	lo.	 1732
1.1-BIS(P-CHLOROPHENYL)-2.2.2-TRICHLOROETHANOL SULFUR					
INERT INGREDIENTS:	•	•	•	•	46 % 100%

*TRADE MARK OF ROHM AND HAAS COMPANY

CAUTION

KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED.

AVOID BREATHING DUST.

AVOID CONTACT WITH SKIN.

WASH THOROUGHLY AFTER USING.

DO NOT CONTAMINATE FOOD OR FEED.

BURY EMPTY CONTAINER IN A SAFE PLACE.

USDA REG. NO. 476-1732 ·

ARC 710405

MADE IN U.S.A.

STAUFFER CHEMICAL COMPANY NEW YORK, NEW YORK 10017

OBSERVE THE FOLLOWING USE PRECAUTIONS

REAL AL'L LABEL DIRECTIONS BEFORE USING.

USE ONLY FOR CROPS LISTED AND ONLY AS RECOMMENDED ON THIS LABEL.

EXCEPT ON COTTON, DO NOT APPLY WHEN SHADE TEMPERATURES EXCEED OR ARE LIKELY TO EXCEED 90°F. SULFUR MAY BURN FOLIAGE AND FRUIT DURING PERIODS OF HIGH TEMPERATURES AND UNDER CERTAIN CLIMATIC CONDITIONS.

IF THE CROP TO BE TREATED WILL BE USED FOR CANNING OR FREEZING PURPOSES, CONSULT FOOD PROCESSOR BEFORE APPLYING SULFUR.

IN ORDER THAT PESTICIDAL RESIDUES ON FOOD AND FORAGE CROPS WILL NOT EXCEED TOLERANCES ESTABLISHED BY THE FEDERAL FOOD AND DRUG ADMINISTRATION, USE ONLY AT RECOMMENDED RATES AND INTERVALS AND DO NOT APPLY CLOSER TO HARVEST THAN SPECIFIED. DO NOT APPLY OR ALLOW TO DRIFT TO AREAS OCCUPIED BY UNPROTECTED HUMANS OR BENEFICIAL ANIMALS OR ONTO ADJOINING FOOD, FIBER OR PASTURE CROPS. THE GROWER IS RESPONSIBLE FOR RESIDUES ON HIS CROPS AS WELL AS FOR DAMAGES CAUSED BY DRIFT FROM HIS PROPERTY TO THAT OF OTHERS.

CONSULT STATE AGRICULTURAL EXTENSION SERVICE OR STATE AGRICULTURAL EXPERIMENT STATIONS FOR ADDITIONAL INFORMATION, AS THE TIMING, NUMBER, AND RATE OF APPLICATIONS NEEDED WILL VARY WITH LOCAL CONDITIONS.

FISH AND WILDLIFE CAUTIONS: THIS PRODUCT IS TOXIC TO FISH AND WILDLIFE. DO NOT CONTAMINATE ANY BODY OF WATER BY DISPOSAL OF WASTES OR APPLICATION WHERE RUN-OFF IS LIKELY TO OCCUR.

DIRECTIONS FOR USE

APPLY WHEN AIR IS CALM USING POWER DUSTING EQUIPMENT OR AIRCRAFT. FOR GOOD CONTROL MAKE COMPLETE COVERAGE OF PLANT SURFACES, TREATING BOTH UPPER AND LOWER LEAF SURFACES. APPLY AT THE FIRST SIGN OF INFESTATION AND INFECTION AND REPEAT AT 7-10 DAY INTERVALS, OR AS NEEDED TO MAINTAIN CONTROL, BUT DO NOT USE CLOSER TO HARVEST THAN SPECIFIED.

RECOMMENDATIONS

MAXIMUM PERMISSIBLE RATES PER ACRE OF KELTHANE-SULFUR 4-50 DUST ARE GIVEN IN PARENTHESIS (), AFTER EACH CROP.

ALFALFA, CLOVER (FOR SEED): TWO-SPOTTED, STRAWBERRY (ATLANTIC), CARMINE AND PACIFIC MITES - - APPLY 25 TO 35 LBS, PER ACRE FOR USE ON SEED CROPS ONLY. DO NOT USE ON CROPS TO BE GRAZED OR HARVESTED FOR FORAGE. DO NOT FEED STRAW OR THRESHINGS TO DAIRY ANIMALS OR ANIMALS BEING FINISHED FOR SLAUGHTER. (NO LIMITATION)

BEANS: TWO-SPOTTED, STRAWBERRY (ATLANTIC) AND SIX-SPOTTED MITES; POWDERY MILDEW, RUST - - APPLY 20 to 30 LBs. PER ACRE. DO NOT FEED TREATED VINES, FORAGE OR CROP RESIDUES TO MEAT OR DAIRY ANIMALS. DO NOT APPLY WITHIN 7 DAYS OF HARVEST. (37-1/2 LBs.)

CANEBERRIES (RASPBERRIES, DEWBERRIES, LOGANBERRIES, BLACKBERRIES):
BROWN ALMOND (CLOVER), TWO-SPOTTED, EUROPEAN RED, PACIFIC, MC DANIEL,
WILLAMETTE AND YELLOW MITES; POWDERY MILDEW - - APPLY 15 TO 30 LBS.
PER ACRE. DO NOT APPLY WITHIN 2 DAYS OF HARVEST. (30 LBS.)

COTTON: ATLANTIC (STRAWBERRY), PACIFIC, DESERT AND TWO-SPOTTED MITES. APPLY 15 TO 35 LBS. PER ACRE. DO NOT APPLY WITHIN 14 DAYS OF HARVEST NOR FEED TREATED FORAGE TO MEAT OR DAIRY ANIMALS. (40 LBS.)

GRAPES: BROWN ALMOND (CLOVER), EUROPEAN RED, MC DANIEL, PACIFIC, TWO-SPOTTED, WILLAMETTE AND YELLOW MITES; POWDERY MILDEW - - APPLY 25 TO 35 LBS. PER ACRE. DO NOT APPLY WITHIN 7 DAYS OF HARVEST. (37-1/2 LBS.)

STRAWBERRIES: CYCLAMEN, TWO-SPOTTED, STRAWBERRY (ATLANTIC) AND SIX-SPOTTED MITES; POWDERY MILDEW - - APPLY 25 TO 35 LBS, PER ACRE. DO NOT APPLY WITHIN 2 DAYS OF HARVEST. (60 LBS.)

TOMATOES: PACIFIC, TROPICAL, TOMATO RUSSET AND TWO-SPOTTED MITES. APPLY 20 to 35 LBs. PER ACRE. DO NOT APPLY WITHIN 2 DAYS OF HARVEST. (37-1/2 LBs.)

NOTICE: STAUFFEL CHEMICAL COMPANY MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND/OR FITNESS FOR ANY PARTICULAR PURPOSE, CONCERNING THIS MATERIAL, EXCEPT THOSE WHICH ARE CONTAINED ON STAUFFER'S LABEL.