

ACCEPTED
FERTILIZER
INSECTICIDE
FUNGICIDE
HERBICIDE
MOLYBDENUM

ONE OUNCE MEASURING SCOOP ENCLOSED



20 LB. Net

Captan - MOLY

PRODUCT INFORMATION

CAPTAN - MOLY is especially formulated for planter box treatment of soybean seed to control seed and soil-borne diseases including damping-off, seed decay organisms and seedling blight, and to provide essential Molybdenum for plant growth where soils have been found to be deficient in available Molybdenum. Molybdenum helps the nodule bacteria and plants make more efficient use of nitrogen. It is prepared for use directly in the planter box, thereby eliminating seed handling or heavy seed treated. A non-lubricant has also been added to help prevent cracking and splitting of the seed so they will flow easily and evenly from the planter box.

This material provides adequate coverage of seed and any excess flows with the seed into the furrow, giving additional protection against soil-borne diseases.

DO NOT USE TREATED SEED FOR FOOD, FEED OR OTHER PURPOSES.

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

CONTAINER SHOULD BE DISPOSED BY CRUSHING AND BURYING WITH WASTES.

ACCEPTED

PRODUCT DISCOLORED

SOYBEAN SEED PROTECTANT WITH MOLYBDENUM
15% Non-Oil Lubricant Added

ACTIVE INGREDIENT: Captan* 25%
INERT INGREDIENTS** 75%
100%

*N-(1-trichloromethylthio)-4-cyclohexene-1,2-dithiolane
**Added ingredient: Molybdenum 4.75%

Not licensed for use in countries where valid patents still exist.

CAUTION Keep Out of Reach of Children
HARMFUL IF SWALLOWED
Avoid inhaling dust. Wear respirator. Avoid prolonged or repeated contact with skin. Wash with soap and water after handling. Avoid contamination of feed and food.

Protect From Excessive Heat • Store in a Cool, Dry Place.

STAUFFER CHEMICAL COMPANY

WESTPORT, CT 06880

RECOMMENDATIONS

Use CAPTAN-MOLY as a planter box treatment at the rate of 4 ounces per bushel of seed. Plant soybeans at the rate of at least one bushel per acre, or the amount of Molybdenum applied to each acre will not be adequate.

PLANTER BOX RATES ARE AS FOLLOWS

Size of Planter Box	Number of 1-oz. Scoops per Planter Box
1/2 bushel	2 Heaping Scoops
1 bushel	4 Heaping Scoops

Plant at the rate of one bushel soybeans per acre.

For further specific information consult the State Agricultural Experiment Station or the State Agricultural Extension Service.

NOTICE: Stauffer Chemical Company makes no warranty, express or implied, including the warranties of merchantability and/or fitness for any particular purpose, concerning this material, except those which are contained on Stauffer's label.

EPA Reg. No. 476-1786-AA

ARC 91116-F
W-730309

Made in U.S.A.

ACCEPTED WITH COMMENTS

FEDERAL INSECTICIDE
ACT
REGISTERED
SUBJECT

ONE OUNCE MEASURING SCOOP ENCLOSED



20 LB.

PRODUCT INFORMATION

CAPTAN - MOLY is especially formulated for planter box treatment of soybean seed to control seed and soil-borne diseases, including damping-off, seed decay organisms and seedling blights and to provide essential Molybdenum for plant growth where soils have been found to be deficient in available Molybdenum. Molybdenum helps the nodule bacteria and plants make more efficient use of nitrogen. It is prepared for use directly in the planter box, thereby eliminating seed handling to have seed treated.

A non-oil lubricant has also been added to help prevent cracking and splitting of the seed so they will flow easily and evenly from the planter box.

This material provides adequate coverage of seed and any excess flows with the seed into the furrow, giving additional protection against soil-borne diseases.

DO NOT USE TREATED SEED FOR FOOD, FEED OR OIL PURPOSES

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

CONTAINER SHOULD BE DISPOSED BY CRUSHING AND BURYING WITH WASTES.

Captan - MOLY

ACCEPTED SOYBEAN SEED PROTECTANT WITH MOLYBDENUM
15% Non-Oil Lubricant Added

PRODUCT DISCOLORED

ACTIVE INGREDIENT: Captan*	25%
INERT INGREDIENTS**	75%
	100%

*N-[(trichloromethyl)thio]-4-cyclohexene-1,2-dicarboximide
 **Added ingredient: Molybdenum 4.75%

Not licensed for use in countries where valid patents still exist.

CAUTION Keep Out of Reach of Children
HARMFUL IF SWALLOWED
 Avoid inhaling dust. Wear respirator. Avoid prolonged or repeated contact with skin. Wash with soap and water after handling. Avoid contamination of feed and food.

Protect From Excessive Heat • Store in a Cool, Dry Place.

STAUFFER CHEMICAL COMPANY

WESTPORT, CT 06880

INSECTICIDE
ACT
SUBJECT

CLOSED



20 L.B. Net

Captan - MOLY

PRODUCT DISCOLORED

SEED PROTECTANT WITH MOLYBDENUM
15% Non-Oil Lubricant Added

ACTIVE INGREDIENT: Captan*	25%
INERT INGREDIENTS**	75%
	100%
N-[(trichloromethyl)thio]-4-cyclohexene-1,2-dicarboximide	
Added ingredient: Molybdenum.....	4.75%

Not licensed for use in countries where valid patents still exist.

CAUTION Keep Out of Reach of Children

HARMFUL IF SWALLOWED

Avoid inhaling dust. Wear respirator. Avoid prolonged or repeated contact with skin. Wash with soap and water after handling. Avoid contamination of feed and food.

Protect From Excessive Heat • Store in a Cool, Dry Place.

STAUFFER CHEMICAL COMPANY

WESTPORT, CT 06880

RECOMMENDATIONS

Use CAPTAN-MOLY as a planter box treatment at the rate of 4 ounces per bushel of seed. Plant soybeans at the rate of at least one bushel per acre, or the amount of Molybdenum applied to each acre will not be adequate.

PLANTER BOX RATES ARE AS FOLLOWS

Size of Planter Box	Number of 1-oz. Scoops per Planter Box
1/2 bushel	2 Heaping Scoops
1 bushel	4 Heaping Scoops

Plant at the rate of one bushel soybeans per acre

For further specific information consult the State Agricultural Experiment Station or the State Agricultural Extension Service.

NOTICE: Stauffer Chemical Company makes no warranty, express or implied, including the warranties of merchantability and/or fitness for any particular purpose, concerning this material, except those which are contained on Stauffer's label.

EPA Reg. No. 476-1786-AA

ARC 71116-5
(W-730309)

Made in U.S.A.

AGREED WITH M...