



# CAPTAN

Aqueous Suspension  
Agricultural Fungicide **4 FLOWABLE**

**ACTIVE INGREDIENT:**  
CAPTAN M (trichloromethyl-2-thio-1,3-dioxane-1,1-dioxide) 92.5%

**INERT INGREDIENTS** 7.5%

Not licensed for use in a state where valid patents still exist.  
© 1969 Stauffer Chemical Company

**CAUTION** Keep Out of Reach of Children  
**HARMFUL IF TAKEN INTERNALLY**  
Do not feed or give milk to animals that have received this product.  
Do not contaminate feed and feed.

PRODUCT FREEZING TEMPERATURE 32°F  
DO NOT REUSE CONTAINER. WASH THOROUGHLY AND DISCARD IN A SAFE PLACE

ONE GAL. NET  
**STAUFFER CHEMICAL COMPANY**  
NEW YORK, NY 10017

### APPLIC. INFORMATION

### RECOMMENDATIONS

### DIRECTIONS FOR USE

### PRECAUTIONS

**ALMONDS:** Brown rot, scab, shot hole

**APPLES (Western Areas):** Apple Scab  
Apply to wet foliage. Repeat at 7-10 day intervals.  
Apply to fruit at 7-10 day intervals.

**APRICOTS:** Brown rot, blight, jacket rot

**CHERRIES (Western Areas):** Brown rot, cherry leaf spot

**CITRUS (Grapefruit, Lemon, Lime, Orange):** Brown rot

12-4-69  
476-1839

GRAPES (Western Areas)  
Blight, rot, downy mildew  
NECTARINES  
Blight, brown rot  
PLUMS (European)  
Blight, rot  
STRAWBERRIES  
Blight, rot  
ASPARAGUS  
Blight  
PEARS (European)  
Blight, rot  
CANTALOUPE  
Blight, rot  
DWARF TOMATOES  
Blight, rot



# CAPTAN

Aqueous Suspension  
Agricultural Fungicide **4 FLOWABLE**

**ACTIVE INGREDIENT:**

**CAPTAN N**-trichloro-methyl-thio-4-yl-pyridine-2,6-dicarboximide

50.5  
49.5

**INERT INGREDIENTS**

Not licensed for use in countries where valid patents still exist.

**CAUTION**  
HARMFUL IF TAKEN INTERNALLY

Keep Out of Reach of Children

Do not use in residential areas.  
Do not use on lawns, lawns, or ornamental plants.  
Do not use on food crops unless specifically labeled for such use.

PRODUCT FREEZING TEMPERATURE 32 F

DO NOT REUSE CONTAINER. WASH THOROUGHLY AND DISCARD IN A SAFE PLACE.

ONE GAL. NET

**STAUFFER CHEMICAL COMPANY**  
NEW YORK, NY 10017

**GRAPES** - Western Areas: Grape Dead Arm Disease, in California  
and other areas: Grape Downy Mildew, in California and other areas.  
Brown Rot

**NECTARINES, PEACHES** - Brown rot, scab, and other diseases.  
Brown rot

**PLUMS, PRUNES** - Brown rot

**STRAWBERRIES** - Brown rot

**ASPARAGUS** - Damping off

**BEANS, PEAS** - Damping off

**CANTALOUPE, CUCUMBER, PUMPKIN** - Damping off

**CRUCIFEROUS** - Damping off

**POTATO** - Diseases: Early and Late Blight, Gray Leaf Spot, Septoria Leaf Spot, and other diseases.

**SPINACH** - Damping off

**POTATOES** - Anthracnose, Early and Late Blight, Gray Leaf Spot, Septoria Leaf Spot, and other diseases.

**POTATO** - Damping off

**POTATO** - Damping off

**POTATO** - Damping off

**NOTICE** - Stauffer Chemical Company makes no warranty, express or implied, as to the accuracy of the information on this label.