WEEDS CONTROLLED

Annual Bluegrass Poa annua
Barnyardgrass Watergrass Echinochloa spp
Deadnettle (Henbit) Lamium spp.
Foxtails Setaria spp
Goosegrass Eleusine indica
Hairy Crabgrass Digitaria sanguinalis
Lambsquarters (Chenopodium album)
Redroot Pigweed Amaranthus retroflexus
Shepherdspurse (Capsella bursa-pastoris)
Smooth Crabgrass Digitaria ischaemum

GENERAL USE PRECAUTIONS

BETASAN 2.9-E should be used only for recommended uses and at recommended rates.
Apply when there is little or no wind to avoid drift.
Clean up spills on walks or patios by covering with dry soil or absorptive material. Bury sweepings and hose area.
Do not allow children or pets on treated lawns until **BETASAN 2.9-E** has been watered into the soil and grass is completely dry.
Avoid contamination of food and feed.
This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate any body of water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PRODUCT INFORMATION

BETASAN 2.9-E is recommended for use on home lawns, parks and golf courses, on ornamental plants and on ground covers for control of crabgrass, annual bluegrass and other annual weeds listed.

DIRECTIONS FOR APPLICATION

Application of **BETASAN 2.9-E** must precede emergence of weeds from the soil. Crabgrass will emerge from the soil from four to six weeks before it is visible above lawn soil. If weeds are visible above the soil, it is too late to apply **BETASAN 2.9-E**. Remove leaves, dead grass and other debris or thoroughly work them into the soil before applying **BETASAN 2.9-E**.
BETASAN 2.9-E is recommended for use on mineral soils only.
Do not apply peat moss to lawn, ground covers or established ornamentals before treating with **BETASAN 2.9-E**.

TIMING OF APPLICATION General Comments

GRASS LAWNS: BETASAN 2.9-E should be applied to well established grass lawns. **BETASAN 2.9-E** can be used on the following turf grasses:

Bahia	Perennial Ryegrass spp	Pensacola Bahia	Saint Augustine
Bermudagrass spp	Creeping Bent	Perennial Ryegrass	Red Top
Bermudagrass	Fescue spp	Pot Grass	Zoysia

DICHONDRA LAWNS. BETASAN 2.9-E can be applied to Dichondra lawns at the time of seeding or any time thereafter.

ORNAMENTALS AND GROUND COVERS: BETASAN 2.9-E should be applied only to the following well established ornamentals and ground covers:

Alyssum	Daphne	Juniper	Zinnia
Aster	Holly	Monterey Cypress	Rhododendron
Bachelor's Button	Ajuga	Monterey Pine	Tulip
Calendula	Campanula	Myrtle	Periwinkle
Candy Tuft	Gazania	Privet	Sandankwa
Daffodil	Gold Bar	Hypericum	Star Jasmine
Dahlia	Daisy	Ice Plant	Tulip
Flowering	Marigold	Ivy	Xylosma
Abelia	Pansy	Pachysandra	Periwinkle
Azalea	Rhododendron	Stock	Sedum
Aster	Juniper	Sweet Pea	Wild Strawberries
Begonia	Nasturtium	Sun Flower	

Stauffer CHEMICALS

GALLONS NET

Betasan® 2.9-E

A SELECTIVE HERBICIDE FOR PRE-EMERGENCE CONTROL OF CRABGRASS AND ANNUAL BLUEGRASS IN TURF, ORNAMENTALS AND GROUND COVERS

Contains 2.9 Pounds Active Ingredient Per Gallon

ACTIVE INGREDIENT:

S-(*O,O*-diisopropyl phosphorodithioate) ester of *N*-(2-mercaptoethyl) benzenesulfonamide 34.8%

INERT INGREDIENTS: 65.2%

100.0%

U.S. Patent Numbers 3,253,258; 3,268,819

CAUTION **Keep Out of Reach of Children**

HARMFUL IF SWALLOWED. AVOID CONTACT WITH SKIN AND EYES. AVOID CONTAMINATION OF FEED AND FOOD, DRINKING WATER, AND FISH PONDS. WASH THOROUGHLY AFTER USE.
DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

Protect from temperatures below 32° F. Product crystallizes at lower temperatures. Warm or store at higher temperatures and mix to redissolve crystals and assure uniformity before use.

EPA Reg. No. 476-1897

READ ALL DIRECTIONS BEFORE USING

MADE IN U.S.A.

STAUFFER CHEMICAL COMPANY
WESTPORT, CT 06880

ACCEPTED
FUNGICIDE
FEDERAL ACT
SUBJECT

For control of crabgrass, apply **BETASAN 2.9-E** at the recommended rate (see RATES OF APPLICATION) anytime from late fall (September or October) through early spring. For spring and summer control with a late winter or an early spring application, the application must be made prior to crabgrass emergence (see DIRECTIONS FOR APPLICATION).

For control of annual bluegrass and other annual weeds, apply **BETASAN 2.9-E** at the recommended rate (see RATES OF APPLICATION) before the weeds emerge from the soil. Consult weed specialists of the State Agricultural Experiment Station or the State Agricultural Extension Service for additional information as the timing of applications needed will vary with local conditions.

BETASAN 2.9-E should be applied with spray equipment that will provide uniform application such as a hose end sprayer or 1 to 3 gallon pump sprayer.

RATES OF APPLICATION

CRABGRASS: Apply 11½ pints of **BETASAN 2.9-E** in 8-10 gallons of water uniformly on 3,150 square feet.
ANNUAL BLUEGRASS AND OTHER ANNUAL WEEDS: Apply [illegible] of **BETASAN 2.9-E** in 8-10 gallons of water uniformly on 2,500 square feet.

In southern or western states where germination of crabgrass and annual bluegrass and other annual weeds extends into the late summer and early fall, [illegible] **BETASAN 2.9-E** at the recommended rates should be made four to five months after the [illegible].

Sprinkle with water for 30 to 45 minutes after applying the **BETASAN 2.9-E** on the grass and down into the soil where the weed seeds are located.

RE-SEEDING

Any material that provides effective control of annual grasses may affect the germination and growth of the germinate and treatment [illegible] areas to be re-seeded in the three to [illegible] months following [illegible].

The following procedures are suggested in order to minimize any further [illegible] when re-seeding treated areas with **BETASAN**-treated areas:

1. Do not re-seed within four months after application.
2. Reinoculate the area to be re-seeded by mixing the [illegible] into the top [illegible] inches.
3. When turf grasses are physically damaged [illegible] within three months after **BETASAN** application, apply a [illegible] to the area to be re-seeded. Apply the **BETASAN**.

   [illegible] square feet, 3.5 pounds [illegible] gallons of water per acre.

   Avoid application to irrigate the turf with sufficient water to wash the [illegible].

   Re-seed no sooner than 7 days after applying the [illegible].

   [illegible] empty containers. Destroy when empty.

NOTICE: Stauffer Chemical Company makes no warranty, express or implied, including the warranties of merchantability and or fitness for any particular purpose, concerning this material except those which are contained on Stauffer's label.