

476-1917

2-8-1972

4/1

SECTION B

-- IMIDAN 50 WP --

Supplementary Label Claim

Apricots, Nectarines, Prunes and Plums - Apple maggot, Oriental fruit moth, peach twig borer, plum curculio, red banded leafroller - Apply 1 to 1-1/2 lbs per 100 gallons water (or a maximum of 6 lbs per acre per application) as a full cover spray. Use 1-1/2 lbs per 100 gallons for plum curculio. Repeat as necessary in accordance with insect infestations and local or state spray programs. Usually suppresses European red and two-spotted mites when used in a seasonal program. Do not apply to apricots or nectarines within 14 days of harvest; to prunes or plums within 7 days of harvest. 4-6

Cherries - Fruit tree leafroller (Northeast only), Peach twig borer, Plum curculio (Northeast only) - Apply 1 lb per 100 gallons water as a full cover spray. Repeat as necessary in accordance with insect infestations and local or state spray programs. Do not apply more than 3-1/2 lbs per acre per application. Usually suppresses European red and two-spotted mites when used in a seasonal program. Do not apply within 7 days of harvest. 4

ACCEPTED
FEB 8 1972
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROVACENT ACT
FOR ECONOMIC PESTICIDE REGISTERED
ED UNDER NO. SUBJECT
TO ATTACHED COMMENTS.

476-1917