



CHLORINE

Liquified Gas Under Pressure

FOR USE IN BULK STORAGE SITES as a disinfectant, by experienced personnel only in the treatment of municipal water supplies, sewage and waste management plants, and in industrial or commercial swimming pools. Such bulk storage containers must not be left unlabeled or accessible to the general public.

ACTIVE INGREDIENT:

Chlorine 99.5%

INERT INGREDIENTS: 0.5%

100.0%

KEEP OUT OF REACH OF CHILDREN



**DANGER
POISON
FATAL IF INHALED**



LIQUID CAUSES SEVERE BURNS

STATEMENT OF PRACTICAL TREATMENT

FIRST AID: *If inhaled,* remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen, preferably with a physician's advice. Keep warm by covering with a blanket and keep quiet.

In case of skin or eye contact, immediately flush all affected areas with large amounts of running water for at least 15 minutes while removing contaminated clothing and shoes. For eyes, hold eyelids apart during the flushing to ensure rinsing of the entire surface of the eye and lids with water. Call a physician immediately.

Additional Precautionary Statements on Back Panel. →

NET CONTENTS _____ TONS

EPA Reg No 476-1973A-1

A-1

EPA Est 476-LA-1

Made by

STAUFFER CHEMICAL COMPANY

WESTPORT, CT 06881-0850

WT 11-81

ACCEPTED

APR 15 1982

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 476-1973

476-1973

PM 32

1982

CHLORINE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMAN & DOMESTIC ANIMALS DANGER

Fatal if inhaled. Do not breathe vapor. Corrosive to eyes, skin, and mucous membranes in the presence of moisture. Do not get in eyes, on skin or on clothing. Wear goggles, protective clothing and rubber gloves when handling. Do not heat containers.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters, unless in accordance with an NPDES permit. For guidance contact the regional office of the Environmental Protection Agency.

CHEMICAL-PHYSICAL HAZARDS: Chlorine is a non-flammable gas, liquified, under pressure. Do not drop container. Keep away from intense heat or open sunlight. Corrosive to most metals in the presence of moisture.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Have available gas masks approved for chlorine service by the U.S. Bureau of Mines or the National Institute for Occupational Safety and Health. Handle and use only in accordance with practice recommended in the **CHLORINE MANUAL** published by the Chlorine Institute, Inc., New York. Use only in well ventilated areas.

For further information see Stauffer's Product Safety Information Sheet of CHLORINE.

STORAGE & DISPOSAL

STORAGE: Cylinders and ton containers of chlorine should be stored in a dry area away from sources of heat and protected from direct sunlight and precipitation. They should be segregated from other compressed gases and never stored near hydrocarbons, finely divided metals, turpentine, ether, anhydrous ammonia or other flammable materials.

Exercise due caution to prevent damages to or leakage from the container.

DISPOSAL OF CONTAINER: All chlorine containers are returnable and should be returned as promptly as possible when empty. All valves must be closed tight and closures or caps secured. It is illegal to ship a leaking chlorine container.

Made by
STAUFFER CHEMICAL COMPANY
WESTPORT, CT 06881-0850

WT 11-81

222