

(Stauffer Shield)

RO-NEETO 10-G

Granules-Selective Herbicide For Sugar Beets

ACTIVE INGREDIENT:
S-ethyl cyclohexylethylthiocarbamate 10%

INERT INGREDIENTS: 90%
100%

Contains 10 lbs. Active Ingredient per 100 pounds

Keep Out of Reach of Children

CAUTION

STATEMENT of PRACTICAL TREATMENT

If a known exposure occurs or is suspected, immediately initiate the recommended procedures below. If further treatment is required, contact a Poison Center, a physician, or the nearest hospital.

IF SWALLOWED: Immediately give several glasses of water and induce vomiting by gagging the victim with a finger placed on the back of the victim's tongue. Give fluids until vomitus is clear. If victim is unconscious, do not induce vomiting or give anything by mouth.

FOR EYE CONTACT: Hold eyelids apart and flush eyes with large amounts of running water for 15 minutes. Seek medical attention if eye irritation occurs.

FOR SKIN CONTACT: Flush affected areas with plenty of water for several minutes. Seek medical attention if skin irritation occurs.

IF INHALED: Remove to fresh air. Seek medical attention if respiratory irritation occurs or if breathing becomes difficult.

This product is sold only for uses stated on its label. No express or implied license is granted to use or sell this product under any patent in any country except as specified: United States of America.

EPA Est. No. 476-
EPA Reg. No. 476-1978

50 lbs. Net.

RS-830210

Made in U.S.A. by

STAUFFER CHEMICAL COMPANY
Westport, CT 06881-0850

ACCEPTED
MAY 14 1983

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HARMFUL IF SWALLOWED. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Wear goggles, rubber gloves and protective clothing. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS: Keep out of lakes, ponds and streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

GENERAL USE PRECAUTIONS

READ ALL LABEL DIRECTIONS BEFORE USING.

RO-NEET 10-G should be used only at recommended rates (DO NOT OVERDOSE). Applied according to directions, and under normal growing conditions RO-NEET 10-G will not harm the treated crop. During germination and early stages of growth, unusually cold and wet or hot and dry weather, insect or plant disease attack, the use of certain soil applied systemic insecticides, improperly placed fertilizers or soil insecticides may create abnormal conditions that will weaken crop seedlings. RO-NEET 10-G used under these abnormal conditions could result in crop injury. RO-NEET 10-G may cause crop injury on very light sandy soil.

Do not apply in combination with fertilizers, insecticides or fungicides.

Use equipment which has been proven to incorporate thoroughly to the recommended depth.

WEEDS CONTROLLEDANNUAL GRASSES:

Annual bluegrass	(Poa annua)
Annual Ryegrass	(Lolium multiflorum)
Barley, volunteer	(Hordeum spp.)
Barnyardgrass (Watergrass)	(Echinochloa spp.)
Crabgrass	(Digitaria spp.)
Foxtails (Yellow, Green, Giant)	(Setaria spp.)
Wild Oats	(Avena fatua)

ANNUAL BROADLEAF WEEDS:

Black nightshade	(Solanum nigrum)
Hairy nightshade (Ground Cherry)	(Solanum villosum)
Henbit (deadnettle)	(Lamium spp.)
Lambsquarter	(*Chenopodium album)
Nettleleaf goosefoot	(Chenopodium murale)
Purslane	(Portulaca oleracea)
Redroot Pigweed	(Amaranthus retroflexus)
Shepherdspurse	(Capsella bursa-pastoris)
Small Stinging Nettle (Burning Nettle)	(Urtica urens)

The above listed broadleaf weeds will be controlled only if the application is made when conditions are favorable for germination. RO-NEET 10-G will not control established weeds.

PERENNIAL WEEDS:

Yellow Nutgrass (Nutsedge)	(Cyperus esculentus)
Purple Nutgrass (Nutsedge)	(Cyperus rotundus)

Existing stands of nutgrass must be turned under and chopped thoroughly before treatment. Prior to planting, RO-NEET 10-G must be thoroughly mixed into the soil.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

SOIL PREPARATION: Prepare the soil for seeding according to good agricultural practice. All weed growth should be thoroughly worked into the soil before treatment. DO NOT APPLY BEFORE PRE-IRRIGATION.

APPLICATION: Apply RO-NEET 10-G to well-worked soil which is dry enough to permit thorough incorporation. Apply uniformly the recommended rate of RO-NEET 10-G using equipment designed for application of granular herbicides. Equipment should be carefully calibrated before use and checked frequently during application to be sure equipment is working properly and delivering a uniform distribution pattern. Avoid overlaps that will increase RO-NEET 10-G dosage above recommended limits because plant injury may occur.

SOIL (MIXING) INCORPORATION APPLICATION: Immediately (within minutes) after application, thoroughly mix RO-NEET 10-G into the soil to a depth of two to three (2-3) inches. Thorough soil mixing is necessary for good weed control.

INCORPORATION EQUIPMENT

For Broadcast (Over-All) Application

- A. HOODED POWER-DRIVEN ROTARY TILLER - Set teeth close enough together so all soil is picked up. Uniformly mix to a depth of two to three inches.
- B. DISC - Mix to a depth of two to three inches by setting tandem or offset discs at four to six-inch depth. On heavy and medium soils, cross disc (disc twice at right angles). On light soils, disc once followed by harrowing for additional mixing and to level the seed bed.

For Band (Row) Application: Uniformly to a depth of two to three inches.

- A. HOODED POWER-DRIVEN ROTARY TILLERS.
- B. HOODED GROUND-DRIVEN ROTARY TILLERS.

ROLLING - Under most conditions, the treated area should be firmly rolled between the incorporation unit and the planters.

PLANTING

For maximum weed control benefits, crops should be planted or seeded immediately after application. Do not use a drag behind the planter as it may concentrate RO-NEET 10-G over the seed row and cause crop injury.

CULTURAL PRACTICES FOLLOWING APPLICATION

RO-NEET 10-G is not a persistent chemical in the soil and susceptible weeds germinating late in the season will probably not be controlled.

Cultivate to control those susceptible weeds that escape control by treatment as well as those weeds not susceptible to RO-NEET 10-G.

Should cultivation be desirable at any time following application, maximum weed control will be obtained by cultivating shallow, i.e., no deeper than depth of treatment. For banded treatments, use shields to prevent the movement of untreated soil into the treated row.

RECOMMENDATIONS

FOR CONTROL OF WEEDS LISTED IN CROP SHOWN BELOW.
SOLID BROADCAST TREATMENT:

CROP	WHEN TO APPLY	DOSAGE LBS./ACRE	REMARKS
SUGAR BEETS	Pre-Plant	30-40	Use on mineral soils ONLY. Use lower rate on sandy soils. Use higher dosage rate in heavier soils.

BAND APPLICATION: The rates given above are for solid coverage basis. For band application, reduce the amount of RO-NEET 10-G proportionately dependent upon the row spacing and band width to be treated. Do not use band application on rocky ground because thorough incorporation is not possible.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Pesticide Disposal

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state or local procedures.

Container Disposal

Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

NOTICE - READ CAREFULLYCONDITIONS OF SALE

Stauffer (and seller) offer(s) this product for sale subject to, and buyer and all users are deemed to have accepted, the following conditions of sale and warranty which may only be varied by written agreement of a duly authorized representative of Stauffer.

WARRANTY LIMITATION

Stauffer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use on the label subject to the inherent risks referred to below. Stauffer makes no other express warranties; THERE IS NO IMPLIED WARRANTY OF MERCHANTABILITY and there are no warranties which extend beyond the description on the label hereof.

INHERENT RISKS

The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks associated with use. Buyer assumes all risks associated with use or application of this product contrary to label instructions or resulting from extraordinary weather conditions.

LIMITATION OF LIABILITY

In no case shall Stauffer be liable for special, indirect, or consequential damages resulting from the use or handling of this product and no claim of any kind shall be greater than the purchase price of the product in respect of which such damages are claimed.