

476-1995

2-1-72

1071

9993


-- SECTION B --

(Pesticide Petition No. 0F0960)

1000

DYFONATE 10G

SUPPLEMENTARY LABEL CLAIMS



Directions For Use and Recommendations

Asparagus: (California only) For control of garden symphylans, apply 30 to 100 pounds per acre, broadcast. Incorporate into the soil with standard cultivation equipment. Do not apply within 30 days of harvest.

Beans, Green and Dry (except lima beans): For control of garden symphylans apply 20 pounds per acre, broadcast. Incorporate into the soil by discing prior to planting. Do not feed bean forage to livestock.

Cole Crops (Broccoli, Brussels Sprouts, Cabbage, Cauliflower): For control of cabbage maggot prior to and at time of seeding or transplanting. Prior to seeding or transplanting, apply 20 pounds per acre, broadcast, and incorporate into the soil by discing.

Mint (Peppermint, Spearmint): For control of garden symphylans apply 20 pounds per acre, broadcast, and incorporate into the soil by discing prior to planting or on established plantings prior to spring growth. Do not feed mint hay or spent mint hay to livestock.

Strawberries: For control of symphylans apply 20 pounds per acre, broadcast, and incorporate into the soil by discing prior to planting or transplanting.

Sugarcane: For wireworm control apply 40 pounds Dyfonate 10G per acre in a 14-inch band on cane rows 60 inches apart. This is equivalent to 4.6 pounds of Dyfonate 10G per 1,000 linear feet of row.

Apply over the top of sugarcane seed pieces immediately ahead of covering discs.