



ACCEPTED

refar 4-E

BLE LIQUID

ACTIVE HERBICIDE FOR CONTROL OF GRASSES AND BROADLEAF WEEDS

CONTAINS 4 POUNDS ACTIVE INGREDIENT PER GALLON

CAUTION Keep Out of Reach of Children

HARMFUL IF SWALLOWED

AVOID CONTACT WITH THE SKIN, EYES AND CLOTHING. WASH THOROUGHLY AFTER USE. DO NOT CONTAMINATE FOOD OR FEED.

READ ALL LABEL DIRECTIONS BEFORE USING. **COMBUSTIBLE!** Do not use, store, spill or pour near heat or open flame.

1 GAL NET

004-AA

ER CHEMICAL COMPANY
WESTPORT, CT 06880

RECOMMENDATIONS

ALL RATES ARE GIVEN ON A BROADCAST BASIS. REDUCE RATE PROPORTIONATELY FOR BAND TREATMENT.

COTTON

PRE-PLANT: Apply 1/2 to 1 quart per acre 2 to 4 weeks before planting. Apply to the soil in the row with a broadcast or band applicator.

OR

Apply after the first irrigation but before the final seed bed preparation.

OR

Apply after the pre-planting irrigation but before the final seed bed preparation.

OR

PRE-PLANT: Apply 1/2 to 1 quart per acre 2 to 4 weeks before planting.

Apply to the soil in the row with a broadcast or band applicator. Apply after the first irrigation but before the final seed bed preparation.

OR

Apply after the first irrigation but before the final seed bed preparation.

OR

PRE-EMERGENCE: Apply 1/2 to 1 quart per acre 2 to 4 weeks before planting.

CUCURBITS: (cucumbers, summer squash, winter squash, cantaloupes, crenshaw melons, muskmelons, Persian melons, watermelons).

Apply pre-plant or pre-emergence. Apply to the soil in the row with a broadcast or band applicator.

COLE CROPS: (broccoli, cauliflower, cabbage, Brussels sprouts).

Apply pre-plant or pre-emergence. Apply to the soil in the row with a broadcast or band applicator.

FRUITING VEGETABLES: (tomatoes, peppers, eggplants, okra, zucchini, squash).

Apply pre-plant or pre-emergence. Apply to the soil in the row with a broadcast or band applicator.

FRUITING VEGETABLES: (tomatoes, peppers, eggplants, okra, zucchini, squash). Apply pre-plant or pre-emergence. Apply to the soil in the row with a broadcast or band applicator.

LETTUCE (head or leaf): Apply pre-plant or pre-emergence. Apply to the soil in the row with a broadcast or band applicator.

ROOT CROP VEGETABLES: (carrots, bulb onions, rutabagas, turnips, beets, radishes). Apply pre-plant or pre-emergence. Apply to the soil in the row with a broadcast or band applicator.

GRASS: Apply pre-plant or pre-emergence. Apply to the soil in the row with a broadcast or band applicator.

PREFAR 4-E ALANAP TANK MIX DIRECTIONS

Apply 1/2 to 1 quart per acre 2 to 4 weeks before planting. Apply to the soil in the row with a broadcast or band applicator.

ANNUAL GRASSES: (crabgrass, barnyard grass, goosegrass, pigweed, velvetleaf).

Apply pre-plant or pre-emergence. Apply to the soil in the row with a broadcast or band applicator.

ANNUAL BROADLEAF WEEDS: (marestail, chickweed, lambsquarters, pigweed, velvetleaf, Canada thistle, wild radish).

DIRECTIONS FOR USE

SOIL PREPARATION: Apply to the soil in the row with a broadcast or band applicator.

TANK MIXING DIRECTIONS: Apply to the soil in the row with a broadcast or band applicator.

PRE-PLANT APPLICATION AND SOIL INCORPORATION: Apply to the soil in the row with a broadcast or band applicator.

PRE-EMERGENCE APPLICATION: Apply to the soil in the row with a broadcast or band applicator.

NOTICE: Stauffer Chemical Company makes no warranty, express or implied, including the warranty of merchantability and/or fitness for any particular purpose, concerning this material except to the extent which is contained on Stauffer's label.