



Dyfonate® 20·G

GRANULAR SOIL INSECTICIDE

476-2028

ACTIVE INGREDIENT:
O-ethyl S-phenyl ethylphosphonodithioate..... 20.0%

INERT INGREDIENTS:..... 80.0%

Contains 20 pounds active ingredient per 100 pounds. 100.0%

(U.S. Pat. No. 2,988,474)

OBSERVE THE FOLLOWING USE PRECAUTIONS

READ ALL DIRECTIONS BEFORE USING.
Do not apply in any manner not specified on this label.
Not for use or storage in or around the home.
Do not contaminate food and feed.
Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals or onto adjoining food, fiber or pasture crops.
This product will kill fish and wildlife. Keep out of lakes, ponds and streams. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of wastes.

SOIL INSECTS CONTROLLED

Garden symphylan (*Scutigera immaculata*)
Northern corn rootworm (*Diabrotica longicornis*)
Western corn rootworm (*Diabrotica virgifera*)
Seed corn beetle (*Agonoderus lecontei*)
Seed corn maggot (*Hylemya ciliatura*)
Wireworms

DIRECTIONS FOR USE AND RECOMMENDATIONS

CORN (FIELD, SWEET AND POPCORN): For control of northern and western corn rootworms, seed corn beetle and seed corn maggot (recommended for seed corn beetle and seed corn maggot in the central and midwestern corn growing areas only):

Apply 3¾ to 5 pounds DYFONATE 20·G per acre in a 6 to 8 inch band at time of planting over corn rows 38 to 40 inches apart (equivalent to 4.5 to 6 ounces of DYFONATE 20·G per 1,000 linear feet of row based on 40 inch row spacing). Incorporate into the top ½ to 1 inch of soil by making application ahead of the press wheels, or by use of special covering devices, or by dragging a short length of chain behind the press wheels.

For control of wireworms in corn, apply 20 pounds per acre, broadcast, prior to planting and incorporate into the soil by discing.

For control of symphylans in corn, apply 10 pounds per acre, broadcast, prior to planting and incorporate into the soil by discing.

BEFORE USING — STUDY SAFETY DIRECTIONS

Completely empty the contents of bag and bury unused chemical and empty container at least 18 inches deep in an isolated location away from water supplies. Bury bag with wastes.

NOTICE: Stauffer Chemical Company makes no warranty, express or implied, including the warranties of merchantability and/or fitness for any particular purpose, concerning this material, except those which are contained on Stauffer's label.

EPA Reg. No. 476-2028-AA

50 LB. NET
1-ARC-721115-0

11-5-1973



POISON DANGER



Keep Out of Reach of Children

DANGER: POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. RAPIDLY ABSORBED THROUGH THE SKIN. DO NOT GET IN THE EYES, ON SKIN, OR ON CLOTHING.

Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for parathion protection. Wear rubber gloves, protective clothing and goggles. Wash hands, arms, and face thoroughly with soap and water after handling and before eating or smoking. Routinely shower or bathe after work and wash all clothing with soap and hot water before reusing. In case of contact, immediately remove contaminated clothing and wash thoroughly with soap and water. Do not contaminate feed and food.

POISON SYMPTOMS—DYFONATE is a highly toxic cholinesterase inhibitor. Symptoms include headache, blurred vision, weakness, nausea, discomfort in the chest, abdominal cramps, vomiting, diarrhea, salivation, sweating and pinpoint pupils.

ALWAYS CALL A PHYSICIAN IN CASE OF SUSPECTED POISONING.

ATROPINE IS ANTIDOTAL.

FIRST AID—If patient has stopped breathing, immediately remove from contaminated area, then start artificial respiration, preferably by mechanical means. IF SWALLOWED—and patient is conscious, induce vomiting immediately. Give tablespoon of salt in glass of warm water. Repeat until vomit fluid is clear. Never give anything by mouth to unconscious person. Have victim lie down and keep quiet. IF INHALED—Remove patient from contaminated area. FOR SKIN—In case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water. Avoid abrading the skin. FOR EYES—In case of contact, flush immediately with water for at least 15 minutes.

INFORMATION FOR PHYSICIAN—Initial measures include removal of secretions, maintenance of a patent airway and, if necessary, artificial respiration. WHEN CYANOSIS IS RELIEVED, atropine may be administered in large therapeutic doses, repeated as necessary to the point of tolerance. If symptoms warrant further treatment, Protopam chloride (Pralidoxime chloride, 2-PAM chloride) has shown utility as ADJUNCTIVE therapy. Never use morphine. Continued absorption of the poison may occur, resulting in a fatal relapse after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 TO 72 HOURS.

Made in U.S.A. by

STAUFFER CHEMICAL COMPANY

WESTPORT, CT 06880

1/2

ACCEPTED
JAN 5 1973
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER
ED UNDER NO. ~~476,2028~~ SUBJECT
TO ATTACHED COMMENTS.