

(Stauffer Shield)

BETASAN® TECHNICAL

Selective Herbicide For Further
Manufacture of Pesticides Only

ACTIVE INGREDIENT:

S-(0,0-Diisopropyl phosphorodithioate) ester
of N-(2-mercaptoethyl)benzenesulfonamide 92.0%

INERT INGREDIENTS: 8.0%
100.0%

KEEP OUT OF REACH OF CHILDREN

W A R N I N G

EPA Reg. No. 476-2106
EPA Est. No. 476-AL-1

500 Lbs. Net Wt. 226.7 Kg
RS-841219

This product is sold only for uses stated on the label. No
express or implied license is granted to use or sell this
product under any patent in any country except as specified:
Country: United States

Made in U.S.A. by
STAUFFER CHEMICAL COMPANY
WESTPORT, CT. 06881-0850

ACCEPTED
JAN 15 1985
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 476-2106

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS****WARNING:**

Harmful if swallowed, inhaled, or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor, mist, or dust. When handling, wear goggles, face shield, rubber gloves, appropriate NIOSH-approved pesticide respirator, and protective clothing.

Keep out of domestic or animal water supplies. Do not store or transport with food or animal feed.

Statement of Practical Treatment:

If a known exposure occurs or if poisoning is suspected, immediately contact a Poison Center, a physician, or the nearest hospital or call collect, day or night: (203) 226-6602 Stauffer Chemical Company or (880) 424-9300 Pesticide Team Safety Network.

NOTE: Be sure to advise the person contacted that the compound is a cholinesterase inhibitor. Describe the type of exposure, the victim's symptoms, and follow the advice given.

NOTE TO MEDICAL PERSONNEL: Exposure may cause cholinesterase inhibition. Atropine by injection is antidotal. 2-PAM (Protopam Chloride) is also antidotal when administered early and in conjunction with atropine.

If swallowed, immediately give several glasses of water and induce vomiting by placing a finger on the back of the victim's tongue. Give fluids until vomitus is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

In case of contact, immediately flush eyes and skin with large amounts of running water for at least 15 minutes while removing contaminated clothing and shoes. For eyes, hold eyelids apart to ensure rinsing of the entire surface of the eye and lids with water. Get medical attention immediately. Wash clothing before re-use.

If inhaled, remove to fresh air. Seek medical attention if respiratory irritation occurs or if breathing becomes difficult.

ENVIRONMENTAL HAZARDS

Do not discharge into lakes, streams, ponds, or public waters unless in accordance with and NPDES permit. For guidance contact your Regional Office of the EPA.

DIRECTIONS FOR USE

- . It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- . This pesticide is for the further manufacture of formulated herbicides only.
- . Formulators using this product are responsible for obtaining EPA registration for their formulated products.

STORAGE AND DISPOSAL

- . Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store at warm temperatures, but not above 115°F. Some crystallization may occur at 95°F, but product normally super-cools to remain liquid at much lower temperatures.

Use warm water (110°-140°F) on exterior of vented drum(s) to melt any crystallized material. Do not contaminate BETASAN with water. DO NOT USE STEAM. Use jacketed or insulated equipment for bulk transfer and storage to prevent crystallization.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

SPILL OR LEAK: Make sure all personnel involved in spill are aware of the hazards associated with this material.

A small spill can be handled routinely considering the physical and hazardous properties of the product as well as the location of the spill. Use adequate ventilation and wear an air supplied respirator to prevent inhalation contact. Wear protective clothing to prevent skin and eye contact. Soak up pooled liquid as follows:

1. If Betasan is in the liquid state: spread a suitable absorbent such as clay on the liquid.

If Betasan is in the solid state: sweep up the powder being careful not to create dust.

- 2. Place sweepings in an open drum.
- 3. Generously cover the contaminated area with a common household detergent. Using a stiff brush, work the detergent into the spill material adding sufficient water to form a slurry. Brush the slurry into cracks and crevices and allow to stand for 2 to 3 minutes. Be careful to completely avoid skin or eye contact; do not splatter on one's self or bystanders.
- 4. Spread absorbents on the slurried liquid, and shovel the absorbed material into an open drum.
- 5. Repeat if necessary.
- 6. Flush area with water, while observing proper environmental considerations.
- 7. Seal drum and dispose of contaminated material in an approved pesticide dump.

Large spills must be handled according to a predetermined plan. For assistance in developing a plan, contact Stauffer's Agricultural Chemical Division, Westport, CT. 06881-0850. In case of emergency, call collect, day or night: (800) 424-9300, CHEMTREC.

NOTICE: Stauffer Chemical Company makes no warranty, express or implied, including the warranties of merchantability and/or fitness for any particular purpose, concerning this material, except those which are contained on Stauffer's label.

.....