

ACCEPTED
4776-2114
SEP 18 1973

FOR THE FEDERAL INSECTICIDE,
FUNGICIDE AND RODENTICIDE ACT
FOR USE AS A SEED PROTECTANT
REGISTRATION NO. 4776-2114



CAPTAN-DIAZINON 37·5-25

SEED PROTECTANT

PLANTER BOX APPLICATION FOR PROTECTION OF SEEDS AND SEEDLINGS

SPECIAL LUBRICANT ADDED - DISCOLORED

ACTIVE INGREDIENTS:

CAPTAN: N-(4-chloromethyl-3-thienyl)-4-cyano-Piperazine	87.5
2,4-dichloro-N-(dimethylaminomethyl)-N,N-dimethylbenzylamine	25.0
O,O-diethyl O-(2-isopropyl-4-methyl-6-pyrimidinyl)phosphorothioate	2.5

INERT INGREDIENTS:

Graphite

*DIAZINON® is a registered trademark of Ciba-Geigy Corporation.

WARNING

MAY BE HARMFUL OR FATAL IF SWALLOWED.

MAY BE ABSORBED THROUGH THE SKIN.

Do not breathe dust.

Do not get in eyes, on skin or in clothing.

Wash thoroughly with soap and water after handling.

Do not contaminate food or feed.

Keep Out of Reach of Children

PROTECT FROM EXCESSIVE HEAT • STORE IN A COOL DRY PLACE

CONTAINER SHOULD BE DISPOSED BY CRUSHING AND BURYING WITH WASTES

NOTICE: Stauffer Chemical Company makes no warranty, express or implied, including the warranties of merchantability and/or fitness for any particular purpose concerning this material, except those which are contained on Stauffer's label.

EPA Reg. No. 47-2114-AA

OBSERVE THE FOLLOWING USE PRECAUTIONS

Read all directions before using and use only as specified on this label.
Do not use on seed already treated with an insecticide except for Malathion or Methoxychlor used for control of stored grain insects.

Fish and Wildlife Cautions: Toxic to fish and wildlife. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Treated seed on the soil surface will be hazardous to birds and other wildlife. Dispose of excess treated seed by burial.

IMPORTANT: Treated seed must not be used for human consumption or as animal feed. Feed containing treated seed should be labeled:

TREATED SEED.

DO NOT USE FOR FOOD, FEED OR OIL PURPOSES.

The Federal Government and some states have issued regulations for the application of special tags or labels to be affixed to bags containing treated seed. Further specific information on this subject may be obtained from State Agricultural Experiment Stations or the State Agricultural Extension Service.

RECOMMENDATIONS

CAPTAN-DIAZINON 37·5-25 SEED PROTECTANT is a special formulation for the planter box treatment of beans, corn, peas, sorghum and soybeans for the protection of seeds against seed corn beetles, seed corn maggots, damping-off, seed rots, seedling blight and fungal diseases of seeds and seedlings.

DIRECTIONS FOR USE

Beans, Corn, Peas, Sorghum, Soybeans: Planter Box Application: Use one ounce per bushel of seed. Fill the drill box one half full of seed, then treat with one-half the amount of seed protectant and mix well by stirring with a stick or paddle until color is uniform in the seed. Add the remaining seed to drill box and cover with the remainder of the seed protectant. Mix thoroughly as above. Carefully inspect planter plates and clean as required. If the seed protectant increases the friction between seeds, sufficient to reduce the rate of delivery, then add graphite. Add 1 ounce of graphite per bushel of a drill lubricant. Adjust the seed meter to give the required rate of seed delivery with treated seed.

8 OUNCE CONTAINER — TREATS 4 BUSHELS.

ONE OUNCE MEASURING CUP ENCLOSED.

NET WEIGHT 8 OUNCES

MADE IN U.S.A.

STAUFFER CHEMICAL COMPANY

WESTPORT, CT 06880