

MILDUPRUF™

MILDICIDE FOR POSITIVE MILDEW CONTROL

ACCEPTED
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTER-
 ED UNDER NO. 100. SUBJECT
 TO ATTACHED COMMENTS.

476-2127

DANGER! CORROSIVE

CAUSES SEVERE EYE AND SKIN DAMAGE.

HARMFUL IF SWALLOWED.

Do not get in eyes, on skin or on clothing. Avoid breathing vapor. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Keep container closed. Use with adequate ventilation.

COMBUSTIBLE — Keep away from heat and open flame.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.
 Wash empty container thoroughly with water & discard.

FOR INDUSTRIAL USE ONLY

10.000%
8.625%
8.625%
5.750%
5.750%
5.750%
<u>55.500%</u>
100.000%

suggested formula. In the last opera-
 load based upon the dry, clean weight
 z. MILDUPRUF per 40 gallons of water.)

IER USE INSTRUCTIONS.

no warranty, express or implied, in
 or fitness for any particular purpose,
 are contained on Stauffer's label.

STAUFFER CHEMICAL COMPANY
INDUSTRIAL CHEMICAL DIVISION
WESTPORT, CT 06880

LOT NO.

PRINTED IN U.S.A.