

ACCEPTED

476-2129

FEB 10 1975

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO.



CLENESCO®



SANIDINE

EPA REG. NO. 476-2129

U.S. Patent No. 3,028,299

IODINE SANITIZER

ACTIVE INGREDIENTS:

Butoxy polypropoxy polyethoxy ethanol-	
iodine Complex	11.607%
Polyethoxy polypropoxy polyethoxy	
ethanol-iodine Complex	0.347%
(Providing 1.6% Titratable Iodine)	

INERT INGREDIENTS:	88.046%
	<u>100.000%</u>

WARNING!

KEEP OUT OF REACH OF CHILDREN
Do not allow CLENESCO SANIDINE
to come in contact with food.

Harmful if swallowed. Avoid contact with skin and
eyes. In case of contact with eyes, flush immedi-
ately with water; get medical attention.

30 GALLONS NET (113.6 Liters)

STAUFFER CHEMICAL COMPANY

CHEMICAL SYSTEMS DIVISION - WESTPORT, CT 06880

DIRECTIONS FOR USE

EQUIPMENT SANITIZATION

- Clean equipment in normal manner.
- Spray or flush equipment with solution of 1 oz. CLENESCO SANIDINE to 5 gallons water (25 ppm).

TANK AND VAT SANITIZATION

- Clean equipment in normal manner (110°-120° water).
- Spray or flush equipment with solution of 1 oz. CLENESCO SANIDINE to 5 gallons water (25 ppm).
- Allow two minutes contact time, drain.

SANITARY FILLING OPERATIONS

- Thoroughly clean all equipment.
- Rinse well with potable water.
- Sanitize by spraying or flushing all surfaces with a solution of 1 oz. CLENESCO SANIDINE to 5 gallons water (25 ppm).

BOTTLE & CAN TREATMENT

- Spray or rinse with 12.5 ppm solution (1 oz. to 10 gallons) of CLENESCO SANIDINE.

MADE IN U.S.A.
EPA Est. 476-NY-1

CS-2

- Bottles bottle w
- EXPOSED
- Spray s
- solution
- (12.5 p

TITRATA
IODI
25
12.5

CLENESCO
Federal R
potable w
titratable i
RINSE EM
AND DIS

ACCEPTED

76-2129

FEB 10 1975

THE FEDERAL INSECTICIDE
KILLING AND RODENTICIDE ACT
ECONOMIC POISON REGISTER-
NUMBER NO.



CLENESCO®

SANIDINE

EPA REG. NO. 476-2129 U.S. Patent No. 3,028,299

IODINE SANITIZER

ACTIVE INGREDIENTS:

- Butoxy polypropoxy polyethoxy ethanol-iodine Complex 11.607%
- Polyethoxy polypropoxy polyethoxy ethanol-iodine Complex 0.347%
(Providing 1.6% Titratable Iodine)

INERT INGREDIENTS: 88.046%
100.000%

WARNING!

KEEP OUT OF REACH OF CHILDREN
Do not allow CLENESCO SANIDINE
to come in contact with food.

Harmful if swallowed. Avoid contact with skin and eyes. In case of contact with eyes, flush immediately with water; get medical attention.

30 GALLONS NET (113.6 Liters)

STAUFFER CHEMICAL COMPANY

CHEMICAL SYSTEMS DIVISION - WESTPORT, CT 06880

DIRECTIONS FOR USE (Continued)

- Bottles may be treated by proper injection into final rinse in bottle washer.

EXPOSED FILLING SURFACES

- Spray surfaces which come in contact with cans or bottles with solution of 1 oz. CLENESCO SANIDINE to 10 gallons water (12.5 ppm).

DILUTION TABLE

TITRATABLE IODINE	SANIDINE OUNCES	WATER IN GALLONS
25	2	10
12.5	1	10

Consult local health authorities for local regulations.

CLENESCO SANIDINE, when used as directed, qualifies under Federal Regulation 121.2547, eliminating the need for a final potable water rinse at use-dilutions providing up to 25 ppm of titratable iodine.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.

PRINTED IN U.S.A.

LOT NO.