



# Dyfonate

**IN CASE OF SPILL OR LEAK**  
 ISOLATE the spill.  
 HOLD this package, other cargo & vehicles involved.  
 IMMEDIATELY TELEPHONE (24-hour service) for emergency assistance. 800-424-0300

**POISON-DANGER**

**Keep Out of Reach of Children**

Danger! Poisonous if swallowed, inhaled or absorbed through the skin. Rapidly absorbed through the skin. Do not get in the eyes, on skin, or on clothing. Do not breathe spray mist.

See Back Panel for Additional Precautions, Poison Symptoms, First Aid Statement, Antidote and Information for Physician.

Minimum storage temperature: minus 40°F.

Do not use, pour, spill or store near heat or open flame.

See attached booklet for Use Precautions, Directions for Use and Recommendations.

Read all precautions and directions before using.

5 GAL. NET 18.9 L

**4-EC** INSECTICIDE  
EMULSIFIABLE LIQUID

ACTIVE INGREDIENTS:  
 O-ethyl S-phenyl ethylphosphonodithioate\* ..... 47.3  
 Xylene range aromatic hydrocarbon solvent ..... 42.1  
 INERT INGREDIENTS: ..... 10.6  
 100.0%

\*Dyfonate (Contains 4 pounds Dyfonate per gallon)



Rinse spray equipment. Perforate empty metal containers. Bury liquid waste and empty container in a safe place, away from water supplies.

EPA Reg. No. 476-2134-AA

Made in U.S.A. by STAUFFER CHEMICAL COMPANY  
Westport, CT 06880

Do not transport or store Dyfonate 4-EC with food or food intended for human or domestic animal consumption.

**ACCEPTED**  
 APR 18 1979  
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 476-2134



476-2134

4-18-1979

1/2



# Dyfonate

4-EC

## IMPORTANT

⚠️ POISON-DANGER ⚠️

Keep Out of Reach of Children

Danger: Poisonous if swallowed, inhaled or absorbed through the skin. Rapidly absorbed through the skin. Do not get in the eyes, on skin, or on clothing. Do not breathe spray mist.

Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

Wear rubber gloves, protective clothing and goggles.

Wash hands, arms and face thoroughly with soap and water after handling and before eating or smoking. Routinely shower or bathe after work and wash all clothing with soap and hot water before reusing. In case of contact, immediately remove contaminated clothing and wash thoroughly with soap and water.

Poison Symptoms: DYFONATE 4-EC is a highly toxic cholinesterase inhibitor. Symptoms include headache, blurred vision, weakness, nausea, discomfort in the chest, abdominal cramps, vomiting, diarrhea, salivation, sweating and pinpoint pupils.

### ALWAYS CALL A PHYSICIAN IN CASE OF SUSPECTED POISONING

Atropine is Antidotal

First Aid: If patient has stopped breathing, *immediately* remove from contaminated area, then start artificial respiration, preferably by mechanical means. *If swallowed*: Do NOT induce vomiting. Immediately give large quantities of water or milk, if available. If vomiting does occur, give fluids again. Never give anything by mouth to an unconscious person. Call a physician or the nearest Poison Control Center immediately *if inhaled*:

Remove patient from contaminated area. *For skin*: In case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water. Avoid abrading the skin. *For eyes*: In case of contact, flush immediately with water for at least 15 minutes.

Information for Physician: Initial measures include removal of secretions, maintenance of patent airway and, if necessary, artificial respiration. *When cyanosis is relieved*, atropine may be administered in large therapeutic doses, repeated as necessary to the point of tolerance. If symptoms warrant further treatment, protopam chloride (pralidoxime chloride, 2-PAM chloride) has shown utility as *adjunctive* therapy. Never use morphine. Continued absorption of the poison may occur, resulting in a fatal relapse after initial improvement, *very close supervision of the patient is indicated for at least 48 to 72 hours*.

#### NOTICE - READ CAREFULLY

CONDITIONS OF SALE: Stauffer (and seller, offer(s) this product for sale subject to and buyer and all users are deemed to have accepted the following conditions of sale and warranty which may only be varied by written agreement of a duly authorized representative of Stauffer.

WARRANTY LIMITATION: Stauffer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use on the label subject to the inherent risks referred to below. Stauffer makes no other express warranties. THERE IS NO IMPLIED WARRANTY OF MERCHANTABILITY and there are no warranties which extend beyond the description on the label hereof.



INHERENT RISKS: The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks associated with use. Buyer assumes all risks associated with use or application of this product contrary to label instructions or resulting from extraordinary weather conditions.

LIMITATION OF LIABILITY: In no case shall Stauffer be liable for special, indirect, or consequential damages (resulting from the use or handling of this product) and no claim of any kind shall be greater in amount than the purchase price of the product in respect of which such damages are claimed.

EPA Est. 476-NB-1

SCCM-2

A-5



2/8