


DANGER - POISON - PRECAUTIONS ☠

<p>DON'T SWALLOW</p> 	<p>POISONOUS BY SKIN CONTACT Even in small amounts!</p>
<p>DON'T TOUCH</p> 	<p>POISONOUS IF SWALLOWED Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothes (liquid goes through clothes).</p>
<p>DON'T BREATHE</p> 	<p>POISONOUS IF BREATHED Poisonous if vapor or mists from sprays are breathed. Vapors are not visible. Never work with parathion without protective clothing and equipment.</p>

This product is toxic to fish, birds and other wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes.

**STOP - READ THE LABEL
FOR MANUFACTURING USE ONLY**

POISON

See Side Panels
for Antidote &
Precautions



DANGER

Keep Out of
Reach of
Children

ACCEPT
APR 16 1973
UNDER THE FEDERAL INSECTICIDE
ACT AND FIFTH EDITION
FOR ECONOMIC POLICY REGISTER
ED UNDER NO. 476-2139 SUBJECT
TO ATTACHED CONDITIONS

EPA REG. NO. 476-2139

PARATHION TECHNICAL

ORGANOPHOSPHORUS INSECTICIDE

NOT FOR HOME USE

Active Ingredient:

Parathion: O,O-diethyl O-p-nitrophenyl phosphorothioate	98.5%
Inert Ingredients:	1.5%

See side panels for poison precautions, symptoms, first aid treatment, information for physician.

NOTICE: Stauffer Chemical Company makes no warranty, express or implied, including the warranties of merchantability and/or fitness for any particular purpose concerning this material, except those which are contained on Stauffer's label.

ARC 730109



STAUFFER CHEMICAL COMPANY

WESTPORT, CT 06880

GAL. NET

Made in U.S.A. by

DANGER

Keep Out of Reach of Children

ACCEPTED

APR 16 1973

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER ACT SUBJECT TO ATTACHED COMMENTS

WORK SAFETY RULES

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT: (1) Wear waterproof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection. (4) Wear heavy duty natural rubber gloves.

Do not rub eyes or mouth with hands. Do not smoke. Before removing gloves, wash them with soap and water. If you feel sick in any way STOP work and get help right away. Tell foreman or have someone call him. Call a physician, clinic or hospital immediately.

ALWAYS wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. **DO NOT** wear contaminated work clothing.

All protective clothing and equipment should be washed with soap and water after each use. Respirators should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces, eyes and by contact with skin through wet clothes. Worker who shows any of the following poisoning signs must receive immediate medical treatment or he may die.

Signs and Symptoms of Poisoning Are: Headache, nausea, vomiting, cramps, blurred vision, pin-point pupils, tightness of chest, labored breathing, weakness, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Speed is essential to stop absorption of poison. If possible, one person should make telephone calls while another begins treatment.

Call a physician, clinic or hospital immediately in all cases of suspected poisoning. Explain patient exposed to parathion; describe his condition. **Until medical help is available take following steps:**

IF BREATHING HAS STOPPED, start artificial respiration immediately and continue until physician sees patient.

IF SWALLOWED and patient is awake (conscious) make him vomit quickly. First, give soapy water or strong salty water to drink then stroke back of throat with finger to make patient vomit. Repeat by giving more water and make vomit again until vomit fluid is clear. **Never give anything by mouth to an unconscious person.** Have patient lie down and keep quiet.

IN CASE OF SKIN CONTACT, immediately remove wet clothing and shoes and flush skin with water for at least 15 minutes.

EYE CONTACT: If splashed in eyes, immediately flush eyes with water for at least 15 minutes.

NOTE TO PHYSICIAN

ANTIDOTE—administer **atropine sulfate** in large doses, 2.0 to 4.0 mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. **2-PAM chloride** is also antidotal and may be administered in conjunction with atropine. **Do not give morphine or tranquilizers.**

Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous system, producing cardiac and respiratory depression.

At first signs of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. Very close supervision is indicated for at least 48 to 72 hours.

NOTICE TO DRUM HANDLERS: EXTREMELY POISONOUS ON CONTACT

LEAKY &/or DAMAGED DRUMS

INSTRUCTIONS: Report at once any evidence of leaking or damaged drums.

TELEPHONE COLLECT NIGHT OR DAY TO:

STAUFFER CHEMICAL COMPANY

Mt. Pleasant, Tennessee • Area Code 615/379-3257

STORAGE: Keep container closed. Use with adequate ventilation.

DRUM HANDLING: Handle carefully to prevent damage and leakage.

Open drum only when set on end and under a ventilated hood. Unscrew bung slowly to release internal pressure. Then fit both bungs with valves.

To empty drums, connect one valve to an open vent pipe and the other to a closed storage or impregnation system.

In case of spillage, cover with an absorbent such as soda ash, lime, clay or sawdust. Sweep up and bury. Wash area thoroughly with strong lye solution.

EMPTY DRUM DISPOSAL: Never re-use empty drums. Decontaminate by washing with hot 5% caustic solution and a small amount of household detergent. After washing, perforate top, bottom and two sides to prevent re-use. Discard in safe place.

Lot No.

Made in U.S.A.

USE poison precautions, symptoms information for physician.

Chemical Company makes no warranty, including the warranties of merchantability and/or fitness for any particular purpose, on this material, except those which appear on the product label.

ARC 730109

COMPANY
GAL. NET