

(STAUFFER SHIELD)

N-1386 HEXYLENE GLYCOL

A SLIMICIDE/FUNGICIDE  
FOR FORMULATING USE

ACTIVE INGREDIENT:

BIS (TRICHLOROMETHYL) SULFONE . . . . . 34.3%

INERT INGREDIENTS: . . . . . 65.7%  
100.0%

D A N G E R

KEEP OUT OF REACH OF CHILDREN

- . CORROSIVE - CAUSES EYE DAMAGE AND SKIN IRRITATION
- . DO NOT GET IN EYES, ON SKIN OR CLOTHING.
- . WEAR GOGGLES OR FACE SHIELD AND RUBBER GLOVES WHEN HANDLING
- . AVOID CONTAMINATION OF FOOD.

FIRST AID: IN CASE OF SKIN CONTACT, WASH THOROUGHLY WITH SOAP AND WATER. IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. FOR EYES, CALL A PHYSICIAN. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE.

IF SWALLOWED, DRINK PROMPTLY A LARGE QUANTITY OF MILK, EGG WHITES, GELATIN SOLUTION OR IF THESE ARE NOT AVAILABLE, DRINK LARGE QUANTITIES OF WATER. AVOID ALCOHOL. CALL A PHYSICIAN IMMEDIATELY.


NOTE TO PHYSICIAN: PROBABLE MUCOSAL DAMAGE MAY CONTRAINDICATE THE USE OF GASTRIC LAVAGE. MEASURES AGAINST CIRCULATORY SHOCK, RESPIRATORY DEPRESSION AND CONVULSION MAY BE NEEDED.

NOTE: FORMULATORS ARE ADVISED THAT THEY ARE RESPONSIBLE FOR PROVIDING DATA TO SUPPORT REGISTRATION OF PRODUCTS FORMULATED FROM N-1386 HEXYLENE GLYCOL.

SHAKE OR STIR BEFORE USING

468 LB NET WEIGHT

EPA REG. NO. 476-2152  
EPA EST. 476-NY-2



LOT NO. \_\_\_\_\_

(S-2)

MADE IN U.S.A. BY  
STAUFFER CHEMICAL COMPANY  
WESTPORT, CT. 06880

---

ENVIRONMENTAL CAUTIONS: THIS PRODUCT IS TOXIC TO FISH. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES.

DISPOSAL: DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY.

NOTICE: STAUFFER CHEMICAL COMPANY MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND/OR FITNESS FOR ANY PARTICULAR PURPOSE, CONCERNING THIS MATERIAL, EXCEPT THOSE WHICH ARE CONTAINED ON STAUFFER'S LABEL.

