

ACCEPTED
19 MAR 1980
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROUENICIDE ACT
FOR ECONOMIC POISON REGISTE
ED UNDER NO. 476-2185



DIRECTIONS FOR USE
GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

N'GRO™ BTS Water Treatment Microbicide is used to inhibit the growth of algae, bacteria, and fungi in recirculating commercial and industrial cooling water systems. Before treatment with N'GRO™ BTS Water Treatment Microbicide systems must be cleaned to remove algal growth, microbiological slime, and other deposits. Then the system should be treated with an initial slug addition of 5.1 to 10.2 fluid ounces of N'GRO™ BTS Water Treatment Microbicide per 1,000 gallons of water in the system. Repeat the initial dosage until control is evident. Subsequent slug additions of 1.7 to 10.2 fluid ounces of N'GRO™ BTS Water Treatment Microbicide per 1,000 gallons of water should be made every 1 to 5 days or as needed. The required frequency of treatment depends on the relative amount of bleedoff and the severity of the microbiological problem. Slug additions of N'GRO™ BTS Water Treatment Microbicide should be made to the sump of water cooling towers.

NOTICE: Stauffer Chemical Company makes no warranty, express or implied, including the warranties of merchantability and/or fitness for any particular purpose, concerning this material, except those which are contained on Stauffer's label.

EPA Reg. No. 476-2185
EPA Est. No. 476-

Net Contents

CS 1

N'GRO™ BTS
WATER TREATMENT MICROBICIDE

| | |
|-----------------------------------|---------|
| ACTIVE INGREDIENTS: | |
| Disodium cyanodithiocarbamate | 11.66% |
| Potassium N-methyldithiocarbamate | 4.90% |
| | 6.76% |
| INERT INGREDIENTS: | 88.34% |
| | 100.00% |

This product contains 1.03 lbs. of active ingredient per gallon and weighs 8.88 lbs. per gallon.

KEEP OUT OF REACH OF CHILDREN
WARNING

IF SWALLOWED: Give patient doses of powdered charcoal immediately or all he can swallow of raw egg white, milk, gruel, or flour and water. Then induce vomiting with salt, soap, or mustard in warm water. Call physician immediately.

IF ON SKIN: Flush with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before reuse.

IF IN EYES: Immediately, flush eyes with plenty of water for at least 15 minutes. Call a physician immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Made in U.S.A. by
STAUFFER CHEMICAL COMPANY
WESTPORT, CT 06880

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
W
Avoid contact with skin, eyes, nose, mouth, and clothing. Wash thoroughly with soap and water after handling. Wear rubber gloves when handling. Do not eat, drink, or smoke while handling. Harmful or fatal if swallowed, inhaled, or absorbed through skin. Do not use on food, feed, or food containers. Do not use on fish, shellfish, or public waters unless permitted. For guidance, consult the EPA.

STORAGE AND DISPOSAL
(ME)
PROHIBITIONS: Do not store or dispose of in a landfill approved for hazardous waste.
PESTICIDE DISPOSAL: cannot be used or changed in a landfill approved away from water supply.
CONTAINER DISPOSAL: recycling, reconditioning, or incineration in a safe place.
GENERAL: Consult federal and state approved alternative disposal methods.

BEST DOCUMENT AVAILABLE

BEST DOCUMENT AVAILABLE

49

ACCEPTED
 19 MAR 1980
 UNDER THE FEDERAL DISINFECTANT, FUNGICIDE AND ROUENICIDE ACT FOR ECONOMIC POISON REGISTRATION UNDER NO. 476-2185



N'GRO™ BTS
WATER TREATMENT MICROBICIDE

| | |
|-----------------------------------|---------|
| ACTIVE INGREDIENTS: | 11.66% |
| Disodium cyanodithiomidocarbonate | 4.90% |
| Potassium N-methyldithiocarbamate | 6.76% |
| INERT INGREDIENTS: | 88.34% |
| | 100.00% |

This product contains 1.03 lbs. of active ingredient per gallon and weighs 8.88 lbs. per gallon.

KEEP OUT OF REACH OF CHILDREN
WARNING

IF SWALLOWED: Give patient doses of powdered charcoal immediately or all he can swallow of raw egg white, milk, gruel, or flour and water. Then induce vomiting with salt, soap, or mustard in warm water. Call physician immediately.

IF ON SKIN: Flush with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before reuse.

IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Call a physician immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS
 Made in U.S.A. by

STAUFFER CHEMICAL COMPANY
 WESTPORT, CT 06880

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)
WARNING
 Avoid Contamination of Foods
HARMFUL OR FATAL IF SWALLOWED — Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.
ENVIRONMENTAL HAZARDS — This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance contact your regional office of

STORAGE AND DISPOSAL
(METAL CONTAINERS)
PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.
PESTICIDE DISPOSAL: Pesticide, spray, mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.
CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill or bury in a safe place.
GENERAL: Consult federal, state or local disposal authorities for approved alternative procedures.

USE
 ATION
 se this product
 r.
 erobicide is used to
 ia, and fungi in re-
 trial cooling water
 N'GRO™ BTS Water
 st be cleaned to re-
 slime, and other de-
 treated with an initial
 ces of N'GRO™ BTS
 00 gallons of water
 sage until control is
 of 1.7 to 10.2 fluid
 atment Microbicide
 e made every 1 to 5
 quency of treatment
 of bleedoff and the
 blem. Slug additions
 icrobicide should be
 towers.
 y makes nowarranty,
 warranties of mer-
 y particular purpose,
 those which are con-

CS-1

DOCUMENT AVAILABLE

BEST DOCUMENT AVAILABLE

49

50