

**GENERAL USE PRECAUTIONS:**

Read the entire label before using. Use only as directed. Not for claims listed.

During commercial exposure in seed treatment operations, wear goggles, clean synthetic rubber gloves, protective clothing and a pesticide respirator, approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR part 11.

Wash hands, arms and face thoroughly with soap and water after handling and before eating or smoking. Regularly shower or bathe after work and wash all clothing with soap and hot water before reusing.

**SPECIAL USE PRECAUTIONS:**

**IMPORTANT:** Treated seed must not be used for human consumption nor as animal feed. Bags containing treated seed should be labeled.

**TREATED SEED**

**DO NOT USE FOR FEED, FOOD OR FOR FERTILISERS.**  
The Federal Government and some States have regulations for the application of special labels to seed affixed to bags containing treated seed.

**ENVIRONMENTAL HAZARD:**

This product is toxic to fish. Keep out of waterways. Do not contaminate water by cleaning, refilling or emptying of wastes. Bury wastes and empty containers away from areas from water supplies.

**STATEMENT OF PRACTICAL TREATMENT:**

**IN CASE OF EYE CONTACT:** Immediately flush eyes with clean water for at least 15 minutes. Call a physician.

**IN CASE OF SKIN CONTACT:** Wash the affected area with soap and warm water.

**PRODUCT INFORMATION:**

**CAPTAN METHOXYCHLOR 37.5-1.5 FLOWABLE SPR** is a liquid suspension especially formulated for the treatment of seed prior to storage and planting for molds and other fungi causing storage loss and to protect seed from seed-borne and soil-borne fungi which cause seed decay, damping-off and seedling blights. Also for protection of stored seed against Callosa confusoid flour beetle, fat grain beetle, primary weevil, lesser grain borer, red flour beetle, fire weevil and sawtoothed beetle.

**DIRECTIONS FOR USE AND RECOMMENDATIONS:**

Read a combination of State and Federal Laws for directions for use and recommendations with its labels.

Do not use in areas where it is prohibited by law.

**PRECAUTION:** Before using, thoroughly read the label.

**DIRECTIONS:** Thoroughly mix the product with a quantity of water for use. For use on seed, mix with water in a ratio of 1 part of product to 100 parts of water. For use on plants, mix with water in a ratio of 1 part of product to 100 parts of water. For use on soil, mix with water in a ratio of 1 part of product to 100 parts of water.

**Stauffer CAPTAN-METHOXYCHLOR 37.5-1.5 FLOWABLE SPR SEED PROTECTANT — Dye Added Liquid Suspension for Seed Disease and Insect Control**

|                                                                                                                      |       |
|----------------------------------------------------------------------------------------------------------------------|-------|
| <b>ACTIVE INGREDIENTS:</b>                                                                                           |       |
| CAPTAN 37.5 (1,1-dichloro-2,2-bis(4-methoxyphenyl) ethane)                                                           | 37.5% |
| Polystyrene dyes                                                                                                     | 2.0%  |
| Methoxychlor, Technical*                                                                                             | 1.5%  |
| <b>INERT INGREDIENTS:</b>                                                                                            |       |
| *Equivalent to 1.32% of 2,2-bis(p-methoxyphenyl) 1,1,1-trichloroethane and 0.18% other isomers and related compounds |       |
| 61.0%                                                                                                                |       |
| 100.0%                                                                                                               |       |

**CAUTION— Keep Out of Reach of Children**  
• Causes eye and skin irritation.  
• Harmful to fish and other aquatic life if absorbed through skin.  
• Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash with soap and water after handling.  
• Avoid inhaling spray mist.  
• Do not use on stored hay, food or feed.  
See label for additional precautionary statements and statement of practical treatment.

5 GAL. NET  
Made in U.S.A.

**STAUFFER CHEMICAL COMPANY**  
WESTPORT, CT 06880

**SEED TREATMENT**

**SEED**

Alfalfa (winter), Lespedeza  
Beans (snap, dry, cowpea)  
Beets (sugar)  
Cereal grains for seed and  
not for bunt smut  
Barley, rye  
Oats  
Wheat  
Cole crops (broccoli, Brussels  
cabbage, cauliflower)  
Corn  
Field  
Sweet  
Cotton, Ac 3 delinted  
Reginned, fuzzy  
Cucumber, cantaloupe  
Custard apple, Mustard, radish  
Flax  
Grasses  
Milo  
Peanut (unshelled)  
Peas, lentils  
Peppers  
Rice  
Sorghum (red, white)  
Soybeans  
Squash  
Squash (with water)  
Sugarcane, West  
East  
Sunflower  
Sweat apple

Further information  
Get it from State Ag.  
Agricultural Extension Sta.

