



(Stauffer Shield)

DELRINOL® 2-G Ornamental

Selective Herbicide

A Pre-emergence Herbicide for Weed Control in Home Flower Gardens and Landscape Plantings. Use in Deciduous and Evergreen Trees and Shrubs, Ground Covers, Perennial Flowers, Fruit and Nut Crops and Container Grown Plants.

ACTIVE INGREDIENT:

D,N-diethyl-2-(1-naphthalenyloxy)-propionamide . . . 2.0%

INERT INGREDIENTS: 98.0%

Contains 2 Pounds Active Ingredient Per 100 Pounds.

KEEP OUT OF REACH OF CHILDREN
C A U T I O N

STATEMENT OF PRACTICAL TREATMENT

1476 2705

If an adverse reaction occurs after exposure, promptly initiate the recommended procedures below. If further treatment is required, seek medical attention or call collect, day or night: (203) 226-6602 Stauffer Chemical Company or (800) 424-9300 Pesticide Team Safety Network.

In case of contact, flush eyes and skin with plenty of water for several minutes. Get medical attention if eye or skin irritation occurs.

If swallowed, immediately give several glasses of water and induce vomiting by placing a finger on the back of the victim's tongue. Give fluids until vomitus is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

If inhaled, remove to fresh air. Seek medical attention if respiratory irritation occurs or if breathing becomes difficult.

195, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000

EPA Reg. No. 476-~~220~~ 2205 ~~2205~~

RS-831101

This product is sold only for uses stated on its label. No express or implied license is granted to use or sell this product under any patent in any country except as specified: (Country: United States Patent No. 3,411,212; 3,718,455)

Printed in U.S.A.

STAUFFER CHEMICAL COMPANY
MONTICELLO, CT 06041-1000

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: MAY BE HARMFUL IF SWALLOWED. Do not breathe dust. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after use.

.Avoid Contamination of food and feed.

ENVIRONMENTAL HAZARDS

.Do not apply directly to lakes, streams, and/or ponds.

.Do not contaminate irrigation water or water used for domestic purposes

GENERAL PRECAUTIONS

.Read all instructions before using.

.Use only for recommended purposes and at recommended rates. Do not overdose.

WHAT THIS PRODUCT DOES

DEVRINOL 2-G Ornamental controls certain annual grassy and broadleaf weeds as they germinate. It does not control established weeds.

The weeds controlled are listed below:

WEEDS CONTROLLED BY DEVRINOL 2-G

Annual Grasses:

Crabgrass	(<i>Dactyloctenium aegyptium</i>)
Wild Barley	(<i>Hordeum spontaneum</i>)
Annual Bluegrass	(<i>Poa annua</i>)
Proso	(<i>Poa annua</i>)
Cheatgrass	(<i>Pennisetum setaceum</i>)
Downy Proso	(<i>Pennisetum setaceum</i>)
Light Proso	(<i>Pennisetum setaceum</i>)
Soft Proso	(<i>Pennisetum setaceum</i>)
Large (Lumpy) Crabgrass	(<i>Pennisetum setaceum</i>)
Small Crabgrass	(<i>Pennisetum setaceum</i>)
Southwestern Crabgrass	(<i>Pennisetum setaceum</i>)
Proso	(<i>Pennisetum setaceum</i>)
Light Proso	(<i>Pennisetum setaceum</i>)
Downy Proso	(<i>Pennisetum setaceum</i>)
Light Proso	(<i>Pennisetum setaceum</i>)
Soft Proso	(<i>Pennisetum setaceum</i>)
Crabgrass	(<i>Pennisetum setaceum</i>)
Crabgrass	(<i>Pennisetum setaceum</i>)

Wild Oats	(<u>Avena fatua</u>)
Panicums	(<u>Panicum</u>)
Guineagrass	(<u>P. maximum</u>)
Fall Panicum	(<u>P. dichotomiflorum</u>)
Texas Panicum	(<u>P. texanum</u>)
Witchgrass	(<u>P. capillare</u>)
Italian Ryegrass	(<u>Lolium multiflorum</u>)
Sandbur	(<u>Cenchrus spp.</u>)
Red Sprangletop	(<u>Leptochloa filiformis</u>)
Stinkgrass	(<u>Tragrostis ciliaris</u>)

Annual Broadleaf Weeds:

Carpetweed	(<u>Mollugo verticillata</u>)
Common Chickweed	(<u>Stellaria media</u>)
Coast Fiddleneck	(<u>Amesinckia intermedia</u>)
Filaree	(<u>Erodium spp.</u>)
Groundsel	(<u>Senecio spp.</u>)
Prostrate Knotweed	(<u>Polygonum aviculare</u>)
Lambsquarters	(<u>Chenopodium album</u>)
Prickly Lettuce	(<u>Lactuca serriola</u>)
Little Mallow*	(<u>Malva parviflora</u>)
Redroot Pigweed	(<u>Amaranthus retroflexus</u>)
Pineappleweed	(<u>Matricaria matricarioides</u>)
Common Purslane	(<u>Portulaca oleracea</u>)
Horse Purslane	(<u>Trinathema portulacastrum</u>)
Common Ragweed**	(<u>Ambrosia artemisiifolia</u>)
Annual Sowthistle	(<u>Sonchus oleraceus</u>)

*From seed

**Suppression

WEED CONTROL PREVENTION

DIVINOL 2-4 Granular can be applied over small ornamental plants or around larger plants in rose gardens, container plantings, ornamental landscapes and ground covers including dichondra.

Use DIVINOL 2-4 Granular for weed control in the following plants:

Deciduous and Evergreen Trees

Acer	Japanese Birch
Ash	Laburnum
Birch	Malus
Black Alder	Quercus (oaks)
Cedar	Peltandra (Asian linden)
Citrus	Picea
Cornus	Pinus
Cytisus	Salix (willow)
Dogwood	Thuja occidentalis
English Elm	Populus
Euonymus	Prunus
Ficus	Rosa
Fern	Syringa
Gleditsia	
Holly	

Deciduous and Evergreen Shrubs

Abelia	Nandina
Asparagus (Sprengeri)	Natal Plum
Azalea	Oleander
Bottlebrush	Photinia
Bougainvillea	Pittosporum
Buxus	Podocarpus
Camellia	Pyracantha
Cotoneaster	Raphiolepis
Dogwood	Rhododendron
Euonymus	Rosa
Forsythia	Star Jasmine
Hibiscus	Taxus
Hypericum	Xylosema
Ilex	
Juniperus	
Leucothe	
Ligustrum	

Ground Covers

Ajuga	Hypericum
Carpobrotus	Iceplant
Delosperma	Ivy
Dichondra	Lantana
Erysimum	Liriope
Gazania	Osteosperma
Hedera	Pachysandra
	Sedum
	Vinca

CONIFER STUFF

Abelia	Ilex
Ageratum	Juniperus
Agapanthus	Leucothe
Asparagus	Ligustrum
Azalea	Liriope
Bottlebrush	Nandina
Bougainvillea	Pachysandra
Buxus	Palmetto (Washingtonia robusta)
Camellia	Photinia
Cedar	Pittosporum
Cotoneaster	Pittosporum
Cypress	Podocarpus
Dogwood	Pyracantha
Drumstick Tree	Raphiolepis
Eucalyptus	Rhododendron
Euonymus	Rosa
Fern	Sedum
Forsythia	Star Jasmine
Hedera	Thunberg
Hibiscus	Vinca
	Xylosema

Flowers

African Daisy	Daisy
Bird of Paradise	Gladiolus
Chrysanthemum	Petunia
Dahlia	

Fruit & Nuts

Almond	Peach
Apple	Pear
Apricot	Pecan
Cherry	Pistachio
Hilbert	Plum
Grape	Prune
Lenon	Tangerine
Nectarine	Walnut
Orange	

Strawberry:

(Application should be delayed until the desired number of daughter plants have become established. Do not apply from bloom through harvest.)

WHEN TO USE THIS PRODUCT

DEVELROL 2-6 Ornamental should be used before weeds germinate. It will not control established weeds.

Application can be made anytime of the year to weed-free soil. Fall and winter applications will provide excellent weed control the following spring and summer.

In containers, apply after setting and watering the plants.

HOW TO USE THIS PRODUCT

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Apply this product as specified on this label.

DEVELROL 2-6 Ornamental should be spread evenly on the soil surface with a shaker can or similar herbicide applicator.

Do not apply when weather conditions cause drift from areas treated.

When weed infestation is heavy, or when brambles are the primary weeds, use one pound or 11.3 ounces (0.9 lbs./1,000 sq. ft.). For actual grassy weeds or other weed infestation is light, use one pound or 11.3 ounces (1.0 lbs./1,000 sq. ft.).

DICHAOND 2-3 Grams per 100 sq. ft. should be incorporated evenly into the soil using a hand cultivator to a depth of 1-2 inches or irrigation or natural moisture (rainfall or snow) (1-2 inches within 2-3 days) for optimum results.

For weed control in dichondra, apply at the time of seeding or to establish dichondra including dichondra sod. Irrigate with a minimum of one inch of water.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

STORAGE: Keep container closed when not in use. Store in a cool dry place. Do not store near seeds or fertilizer.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container (bottle, can, jars). Rinse thoroughly before discarding in trash.

NOTICE: Stauffer Chemical Company makes no warranty, express or implied, including the warranties of merchantability and/or fitness for any particular purposes, concerning this material, except those which are contained on its offer's label.

12