

11
11

RECORDED
NOV 28 1983
476-2211

STATEMENT OF PRACTICAL TREATMENT

If an adverse reaction occurs after exposure, promptly initiate the recommended procedures below. Seek medical attention if further treatment is required.

If a large amount of this material is ingested, dilute the swallowed material by giving several glasses of water. Induce vomiting by gagging the victim with a finger or blunt object placed on the back of the victim's tongue. Give fluids until vomitus is clear. If victim is unconscious, do not induce vomiting or give anything by mouth.

For skin or eye contact, flush all affected areas with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Seek medical attention if skin or eye irritation occurs.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash with soap and water after use.

For further information, call collect, day or night Stauffer Chemical Company (203)-226-6602 or Pesticide Team Safety Network, (800)-424-9200.

PRODUCT INFORMATION

PRO-DRONE™ is an insect growth regulator which acts slowly to reduce fire ant colonies. The bait is passed throughout the ant colony and causes a disappearance of worker brood within 12-16 weeks. This disappearance of workers leads to a decline in food gathering, brood tending, and eventual death of the colonies.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply broadcast to pasture and range grass, lawns, turf, and nonagricultural land for control of the red imported fire ant *Solenopsis invicta*. Make two applications per year: (1) spring and fall, or (2) fall and spring. Application should be made when the soil temperature is above 60 F and when ants are actively foraging. Do not apply until after dew has evaporated. Do not apply if heavy rainfall is expected within 4-6 hours.



Pro-Drone™

**Insect Growth Regulator
For Control of the Red Imported Fire Ant**

ACTIVE INGREDIENT:

1-(8-methoxy-4,8-dimethylnonyl)-4-(1-methylethyl) benzene

1.2%
98.8%
100.0%

INERT INGREDIENTS:

Contains 1.2 lbs. active ingredient per 100 pounds.

**Keep Out of Reach of Children
CAUTION**

See Other Panels for Additional Precautionary Statements

This product is sold only for uses stated on its label. No express or implied license is granted to use or sell this product under any patent in any country except as specified. Country: United States of America.

EPA Reg No. 476-2211
EPA Est. 476-FL-1

A-3MR

0.88 LB. NET WT. 0.40 kg

COPYRIGHT 1983

Made in U.S.A. by

STAUFFER CHEMICAL COMPANY
WESTPORT, CT 06881-0850

WT 10 83

Apply at the rate of 1.2 lbs. per acre (4156 g/ha) to the lawn or garden. Do not disturb this bait for 14 days after application. Do not apply to vegetable gardens, ornamental plants, or indoor plants.

Do not store in a storage container. Do not dispose of this product in a newspaper or other newspaper.

CONDITIONS: This product is sold only for uses stated on its label. No express or implied license is granted to use or sell this product under any patent in any country except as specified. Country: United States of America.
WARRANTY: No warranty is made on the label or product. The user assumes all risks associated with the use of this product. The manufacturer is not liable for any damages, including consequential damages, resulting from the use of this product.
INHERENT: The user assumes all risks associated with the use of this product. The manufacturer is not liable for any damages, including consequential damages, resulting from the use of this product.
LIMITATION: The user assumes all risks associated with the use of this product. The manufacturer is not liable for any damages, including consequential damages, resulting from the use of this product.



Pro-Drone™

**Insect Growth Regulator
For Control of the Red imported Fire Ant**

ACTIVE INGREDIENT:

1-(8-methoxy-4,8-dimethylnonyl)-4-(1-methylethyl) benzene	1.2%
INERT INGREDIENTS:	98.8%
	100.0%

Contains 1.2 lbs. active ingredient per 100 pounds.

Keep Out of Reach of Children

CAUTION

See Other Panels for Additional Precautionary Statements

This product is sold only for uses stated on its label. No express or implied license is granted to use or sell this product under any patent in any country except as specified. Country: United States of America

EPA Reg No 476-2211
EPA Est 476-FL-1

A-3MR

0.88 LB. NET WT. 0.40 kg

Made in U.S.A. by

STAUFFER CHEMICAL COMPANY
WESTPORT, CT 06881-0850

SMALL AREA APPLICATION

Apply at the rate of 3 teaspoons per 250 square feet. Do not disturb the fire ant mounds. The contents of this container (0.88 pounds net) is sufficient to treat 1 acre (43,560 square feet). Note: Do not contaminate kitchen utensils by storage or use.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place and keep container tightly closed.

DISPOSAL: Do not reuse container. Securely wrap original container in several layers of newspaper and discard in trash.

NOTICE—READ CAREFULLY

CONDITIONS OF SALE: Stauffer (and seller) offer(s) this product for sale subject to, and buyer and all users are deemed to have accepted, the following conditions of sale and warranty which may only be varied by written agreement of a duly authorized representative of Stauffer.

WARRANTY LIMITATION: Stauffer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use on the label subject to the inherent risks referred to below. Stauffer makes no other express warranties. **THERE IS NO IMPLIED WARRANTY OF MERCHANTABILITY** and there are no warranties which extend beyond the description on the label hereof.

INHERENT RISKS: The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks associated with use. Buyer assumes all risks associated with use or application of this product contrary to label instructions or resulting from extraordinary weather conditions.

LIMITATION OF LIABILITY: In no case shall Stauffer be liable for special, indirect or consequential damages resulting from the use or handling of this product and no claim of any kind shall be greater in amount than the purchase price of the product in respect of which such damages are claimed.

FROM HEALTH-CHEM

HERCON DISRUPT II GYPSY MOTH POPULATION SUPPRESSANT AND MATING DISRUPTANT

HERCON DISRUPT II Gypsy Moth is a population suppressant and mating disruptant for the Gypsy Moth. It is used to control the population of Gypsy Moths in forest and residential areas. It is applied as a dust or spray to foliage and plant parts.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals
Avoid contact with skin, eyes, nose, mouth, and clothing. Wash thoroughly with soap and water after handling.

Hazards to the Environment
Avoid contact with water, fish, and aquatic life. Do not apply to water bodies.

STORAGE AND DISPOSAL

Storage Store in sealed containers in a cool, dry place. Keep containers tightly sealed.

Pesticide Disposal Do not contaminate water, food, or feed by storage or disposal. Wash thoroughly after handling. Do not reuse containers.

Container Disposal Do not reuse. Empty containers should be disposed of properly.

MANUFACTURER'S WARRANTY

FROM HEALTH-CHEM

HERCON DISRUPT II GYPSY MOTH



POPULATION SUPPRESSANT MATING DISRUPTANT

FOR USE IN FOREST AND
RESIDENTIAL AREAS.

HELPS PREVENT FUTURE
LEAF DAMAGE

REDUCES MOTH MATING

KEEP OUT OF REACH OF CHILDREN
CAUTION

FROM HEALTH-CHEM

HERCON DISRUPT II GYPSY MOTH POPULATION SUPPRESSANT AND MATING DISRUPTANT

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

Use ground or aerial equipment, apply 10.40 grams active ingredient per acre. This is equivalent to 65.3 grams (2.3 oz) to 257 grams (9.2 oz) loosely packed DISRUPT II flakes per acre. Hercon PHERO TAC Mating sticker material should be used with DISRUPT II to hold flakes on treated foliage or plant parts. Hercon application equipment is specially designed for the proper amount of PHERO TAC with DISRUPT II flakes at the time of application. Preferably, application should be done by a trained person to insure proper rate and method of application.

Use in forested areas and wooded residential areas. Do not apply to water bodies. Use as a pest management tool to control the population of Gypsy Moth in forest and residential areas. DISRUPT II is a population suppressant and mating disruptant. Do not use in areas where Gypsy Moth is not a pest.

TIME OF APPLICATION DISRUPT II must be applied to foliage and plant parts of Gypsy Moth. Apply DISRUPT II to foliage and plant parts of Gypsy Moth in areas where Gypsy Moth is a pest. Do not apply to water bodies.

Note Do not apply to water bodies. Do not apply to areas where Gypsy Moth is not a pest. Do not apply to areas where Gypsy Moth is a pest.

HEALTH-CHEM CORPORATION