

(Stauffer Shield)

100  
11-28  
476-2036

ARROSOLO® 3-3E  
An Emulsifiable Liquid Herbicide For Use On Rice

THIS LABEL CONTAINS DIRECTIONS FOR USE ON RICE GROWN  
IN THE SOUTHERN REGION ONLY

ACTIVE INGREDIENT:

S-ethyl hexahydro-1H-azepine-1-carbothioate . . . . .	33.1%
N-(3,4-dichlorophenyl) propanamide . . . . .	33.1%
INERT INGREDIENTS: . . . . .	33.8%
	100.0%


Contains 3 Pounds of ORDRAM® and 3 pounds of PROPANIL  
(Active Ingredients) Per Gallon

KEEP OUT OF REACH OF CHILDREN

W A R N I N G

STATEMENT OF PRACTICAL TREATMENT

CALL A POISON CENTER OR PHYSICIAN IMMEDIATELY



If a known exposure occurs or is suspected, immediately start the procedures given below and contact a Poison Center, physician or the nearest hospital.

NOTE: Be sure to advise the person contacted that the product is a weak cholinesterase inhibitor in experimental animals. Describe the type and extent of exposure, the victim's symptoms, and follow the advice given.

Note to medical personnel: If cholinesterase inhibition is suspected, atropine by injection is antidotal. It has not been determined if pralidoxime chloride (2-PAM, protopam) is antidotal for the product.

If swallowed, immediately give several glasses of water but do not induce vomiting. If vomiting occurs, give fluids again. Have a physician determine if condition of patient will permit induction of vomiting or evacuation of stomach. Do not give anything by mouth to an unconscious or convulsing person.

If in eyes, immediately flush eyes with large amounts of water for at least 15 minutes. Hold eyelids apart during flushing to ensure rinsing of the entire surface of the eye and lids with water. Get medical attention immediately.

If on skin, flush affected areas with plenty of water for several minutes. Remove contaminated clothing and shoes. Get medical attention if irritation occurs.

If inhaled, remove to fresh air. Seek medical attention if respiratory irritation occurs or breathing becomes difficult.

FOR ADDITIONAL MEDICAL INFORMATION, CALL COLLECT, STAUFFER EMERGENCY MEDICAL ASSISTANCE (203) 226-6602, OR CALL PESTICIDE TEAM SAFETY NETWORK (800) 424-9300.

---

PRECAUTIONARY STATEMENTS

Hazards To Humans And Domestic Animals

W A R N I N G

Causes substantial but temporary eye irritation. Wear goggles or face shield. Harmful if swallowed. Avoid contact with skin, eyes and clothing. Wash with soap and water after use. Avoid breathing spray mist. Remove contaminated clothing and wash before reuse.

Environmental Hazards: This product is extremely toxic to fish. Do not apply directly to water except as indicated in the directions. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate water used for domestic purposes. ✓

Physical/Chemical Hazards: Do not use or store near heat or open flame.

This product is sold only for uses stated on its label. No express or implied license is granted to use or sell this product under any patent in any country except as specified: Country: United States of America. Patent No.: 3,573,031

\_\_\_\_\_ GAL. NET \_\_\_\_\_ L.

EPA Reg. No. 476-XXXX  
EPA Est. No. 476-AR-1

RS-870202

Made In U.S.A. by  
STAUFFER CHEMICAL COMPANY  
WESTPORT, CT 06881-0854

GENERAL USE PRECAUTIONS

Read all label directions before using. Do not overdose.

ARROSOLO 3-3E should be used only for recommended purposes and at recommended rates. ARROSOLO 3-3E may cause crop injury under extreme soil or climatic conditions or if directions are not followed.

Except as specified on this label, do not apply other herbicides, oils, surfactants or liquid fertilizers in conjunction with ARROSOLO 3-3E as crop injury may occur.

Avoid spray drift to all other crops and non-target areas.

Do not apply carbamate or organophosphorus insecticides in combination with ARROSOLO 3-3E. Do not apply carbamate or organophosphorus insecticides within 7 days before or after ARROSOLO 3-3E application. Severe injury or kill of rice plants may result from tank mix combinations or separate sprays of ARROSOLO 3-3E and certain insecticides.

Do not apply ARROSOLO 3-3E when rice is exhibiting stress from very cold temperatures, drought conditions, injury from previously applied pesticides, diseases or insects.

ARROSOLO 3-3E should only be applied to fields which have been drained of flood water to expose susceptible weeds.

To avoid injury do not apply when the air temperature is above 100°F.

Weed control may be impaired if ARROSOLO 3-3E is applied when the air temperature is below 70°F.

For best results apply ARROSOLO 3-3E to actively growing weeds in the 1-2 leaf stage.

Do not apply if rainfall is anticipated within 6 hours after application.

Apply only when wind velocity is low, 0-5 mph.

Do not apply more than 9 pounds actual ORDRAM per acre per season when more than one method of application is used.

GENERAL APPLICATION DIRECTIONS

ARROSOLO 3-3E is a selective broad spectrum postemergence rice herbicide for control of annual grasses and broadleaf weeds.

ARROSOLO 3-3E

4.

All equipment used in the application of ARROSOLO 3-3E should be carefully calibrated before use and checked frequently during application to be sure the application is uniform. Avoid overlaps that will increase ARROSOLO 3-3E dosage above recommended limits, because crop injury may occur. Apply ARROSOLO 3-3E in 20 to 50 gallons of water per acre by ground equipment and in 10 to 15 gallons of water per acre by airplane.

Shake well before using.

DIRECTIONS FOR USE AND RECOMMENDATIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

POST-EMERGENCE, PRE-FLOOD: For use on dry-seeded and water-seeded rice.

3.0

For control of Barnyardgrass, Sprangletop, Dayflower and Broadleaf Signalgrass. Apply ARROSOLO 3-3E at 3 to 4 quarts per acre depending on weed size as shown in the table below. For best results, apply ARROSOLO 3-3E when weeds are in the 1-2 leaf stage. Flood the rice within 5 days after application to prevent weed reinfestation.

470-2220  
treated  
pre-plant  
5.0  
2.0  
3.0

WEEDS CONTROLLED BY ARROSOLO 3-3E AND RATE CHART

WEEDS		MAXIMUM LEAF STAGE	
		3 QUARTS	4 QUARTS
Barnyardgrass	( <u>Echinochloa</u> spp.)	1-2	3-4
Sprangletop (maximum 1 in. tall)	( <u>Leptochloa</u> spp.)	1-2*	1-2
Dayflower, common	( <u>Commelina</u> <u>communis</u> )	---	1-2
Signalgrass, broadleaf	( <u>Bracharia</u> <u>platyphylla</u> )	1-2	3-4

345 11-1  
1  
1  
1

\*Suppression only.

STORAGE AND DISPOSAL

Storage: Do not use or store near heat or open flame. Do not store near seeds and fertilizer. Keep container closed when not in use. Open dumping is prohibited. Do not reuse empty container.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal

Metal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

## NOTICE - READ CAREFULLY

CONDITIONS OF SALE

Stauffer (and Seller) offer(s) this product for sale subject to, and buyer and all users are deemed to have accepted, the following conditions of sale and warranty which may only be varied by written agreement of a duly authorized representative of Stauffer.

WARRANTY LIMITATION

Stauffer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use on the label subject to the inherent risks referred to below. Stauffer makes no other express warranties: THERE IS NO IMPLIED WARRANTY OF MERCHANTABILITY and there are no warranties which extend beyond the description on the label hereof.

INHERENT RISKS

The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks associated with use. Buyer assumes all risks associated with use or application of this product contrary to label instructions or resulting from extraordinary weather conditions.

LIMITATION OF LIABILITY

In no case shall Stauffer (and/or Seller) be liable for special, indirect, or consequential damages resulting from the use or handling of this product and no claim of any kind shall be greater in amount than the purchase price of the product in respect of which such damages are claimed.