

FARMRITE SUPERIOR MISCIBLE OIL

60-S

A Superior Miscible Oil for use in water as an agricultural spray


ACTIVE INGREDIENTS:

Paraffinic Oil*	98.8%
INERT INGREDIENTS	1.2%
	100.0%

*Unsulfonated residue 92%
Weight per gallon 7.1 lbs.

KEEP OUT OF REACH OF CHILDREN
CAUTION

PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS
CAUTION



For more information, contact your local Agricultural Extension Office or the nearest Farmrite distributor.

For more information, contact your local Agricultural Extension Office or the nearest Farmrite distributor.

For more information, contact your local Agricultural Extension Office or the nearest Farmrite distributor.

For more information, contact your local Agricultural Extension Office or the nearest Farmrite distributor.

Prohibitions: Do not use on or near food crops.

Pesticide Disposal: Do not mix with other pesticides. Do not dump into water.

Container Disposal: Do not reuse. Do not burn.

Consult: Local Agricultural Extension Office for disposal procedures.

Keep out of hands of children and away from water. Spray only when temperature is above 40°F. Do not use in danger of freezing. Do not use with any kind of sulfur. Do not use in combination with the listed organic phosphates. Do not use in combination with other pesticides unless specifically mentioned on the labels of the pesticides.

Mixing Directions

Always add material to water. Add this material into partly filled spray tank. Add water to fill tank. Keep agitator running during filling and spraying operations. This material does not mix with water but tends to separate quickly into an oil phase. This separation is not harmful to plants.

RECOMMENDATIONS

- 1. APPLE TREE SPRAY: Apple Red Bug, European Fruit Lecanium Scale, use 2 gallons of Superior Oil 60-S in 100 gallons of water. Fruit Tree Leaf Roller, use 3 gallons of Superior Oil 60-S in 100 gallons of water.
- 2. GREENHOUSE DELAYED DORMANT: Greenhouse European Red Mite, use 2 gallons of Superior Oil 60-S in 100 gallons of water.
- 3. GREENHOUSE DELAYED DORMANT: Greenhouse European Red Mite, use 2 gallons of Superior Oil 60-S in 100 gallons of water.
- 4. GREENHOUSE DELAYED DORMANT: Greenhouse European Red Mite, use 2 gallons of Superior Oil 60-S in 100 gallons of water.
- 5. GREENHOUSE DELAYED DORMANT: Greenhouse European Red Mite, use 2 gallons of Superior Oil 60-S in 100 gallons of water.
- 6. GREENHOUSE DELAYED DORMANT: Greenhouse European Red Mite, use 2 gallons of Superior Oil 60-S in 100 gallons of water.
- 7. GREENHOUSE DELAYED DORMANT: Greenhouse European Red Mite, use 2 gallons of Superior Oil 60-S in 100 gallons of water.
- 8. GREENHOUSE DELAYED DORMANT: Greenhouse European Red Mite, use 2 gallons of Superior Oil 60-S in 100 gallons of water.
- 9. GREENHOUSE DELAYED DORMANT: Greenhouse European Red Mite, use 2 gallons of Superior Oil 60-S in 100 gallons of water.
- 10. GREENHOUSE DELAYED DORMANT: Greenhouse European Red Mite, use 2 gallons of Superior Oil 60-S in 100 gallons of water.

Manufactured For

General Offices
Net Contents
EPA Reg. no. 4-215

Hagerstown, Maryland
Gallons
EPA Reg. no. 4-215