



FARMRITE



10% Captan 6% Guthion

ACTIVE INGREDIENTS:

Captan (N-(trichloromethyl)thio)-4-cyclohexene-1,2-dicarboximide	10.0%
--	-------

*O,O-Dimethyl-S-(1-oxo-1,2,3-benzotriazin-3(4H)-ylmethyl) phosphorodithioate	6.0%
--	------

INERT INGREDIENTS:	84.0%
--------------------	-------

Total	100.0%
-------	--------

*Guthion



POISON



ANTIDOTE: If swallowed: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep warm. Call a physician immediately.

IF ON SKIN: In case of contact remove contaminated clothing and immediately wash skin with soap and water.

NOTE TO PHYSICIAN: Acetone Sulfate is antidote for cyanide and in cyanide poisoning cases. Repeat as necessary to the point of tolerance.

DANGER

KEEP OUT OF REACH OF CHILDREN

Highly absorbed through the skin. Be careful not to swallow, inhale or absorb through the skin. Do not eat, drink or smoke. Wash hands and face after use. Do not use in areas where children play.

77-54
ACCEPTED
 2-13-1971
 FEDERAL INSPECTION
 SERVICE
 BEFORE USING ANY
 PESTICIDE

477 - 54
 ACCEPTED
 APR 15 1971
 FEDERAL INSECTICIDE AND FUNGICIDE ACT
 PESTICIDE REGISTRATION SUBJECTS



DANGER

KEEP OUT OF REACH OF CHILDREN

Rapidly absorbed through the skin. Poisonous if swallowed, inhaled or absorbed through the skin. Do not get in eyes or on skin. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator of a type passed by the United States Department of Agriculture for Guthion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-

entered until drifting insecticides and volatile residues have dissipated. Do not contaminate feed and food stuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

This product is poisonous to fish and wildlife. Keep out of any body of water. Apply this product only as specified on this label. Dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by burying with wastes or by burning (Keep out of smoke). Birds feeding on treated areas may be killed.

DIRECTIONS FOR USE

For use specifically on apple trees as a combination insecticide and fungicide to control apple scab, aphid, apple maggot, codling moth, fruit tree leafroller, mites, plum curculio, red banded leafroller and other certain insects in accordance with recommendations by the State Experiment Station and Agricultural Extension Service. Apply at the rate of 15-30 lbs. per acre. Commence applications at first cover and continue on a regular schedule throughout the cover applications. Do not apply within 15 days of harvest.

Manufactured For
CENTRAL CHEMICAL CORPORATION
 General Offices Hagerstown, Maryland
NET 50 LBS.